

इंडियन बैंक**Indian Bank**

इलाहाबाद

ALLAHABAD

(A Government of India Undertaking)

Zonal Office: Allahabad**22, P. D. Tandon Road, PRAYAGRAJ – 211001****E mail- zo.allahabad@allahabadbank.in ,Tel No- Phone : 2622883,2624254,****SHORT TENDER NOTICE**

Indian Bank(erstwhile Allahabad Bank), Zonal Office, Allahabad, invites sealed tenders from the interested, reputed, well experienced empanelled contractors/firms for the below mentioned work of ATMs:-

Name of work	Furnishing, Electrical Work of ATM at Phaphamau Branch
Issue of Tender document	From 24.08.2020 to 31.08.2020 upto 1.00 P.M.
Submission of Tender	On or before 31.08.2020 upto 2.00 P.M.
Opening of Tender	On 31.08.2020 at 3.00 P.M.
Time of completion of job	15 Days from the date of issue of work order
Payment Terms	Payment will be made on satisfactory completion of job and on the basis of actual measurement after statutory deduction as per law. No advance payment will be made.

Interested prequalified contractors may obtain the prescribed Tender / schedule of work format from Bank's Zonal Office at **22, P. D. Tandon Road, Prayagraj – 211001**, by paying Rs. 500.00 (Rupees Five Hundred only) in the form of crossed demand draft/Bankers Cheque favoring Indian Bank and payable at **Prayagraj**

The duly filled in quotation in the prescribed schedule, completed in all respect, superscribing the "Furnishing, Electrical Work of ATM at Phaphamau Branch" on top and name, address & contact no. of the tenderer at the bottom left corner of the envelope should be addressed to the under noted authority and deposit in Tender drop box of Zonal Office .

**Deputy General Manager
Indian Bank (erstwhile Allahabad Bank)
Zonal Office - Allahabad
22, P. D. Tandon Road,
Prayagraj U.P-211001**

The Bank reserves its right to cancel any or all tenders and stop the process at any point of time without assigning any reason or notice whatsoever.

Place: Allahabad
Date :24.08.2020

Deputy General Manager

CLIENT

INDIAN BANK,

ZONAL OFFICE, Allahabad- PREMISES DEPARTMENT
22, P D Tandon Road,
Prayagraj, Uttar Pradesh-211001

WORK / PROJECT

PROPOSED INTERIOR FURNISHING & ELECTRICAL WORKS of ATM AT
INDIA BANK, PHAPHAMAU BRANCH, DISTT. PRAYAGRAJ

COMPETITIVE QUOTATION
FOR INTERIOR FURNISHING & ELECTRICAL WORKS AT ABOVE PROJECT

Tender Issued to:

M/S _____

Address _____

Contact No: _____

Tender Issued on: _____

Last Date of Submission: _____

Signature of the Contractor

Seal



Zonal Office Allahabad

NOTICE INVITING COMPETITIVE QUOTATION

**Work: COMPETITIVE QUOTATION FOR INTERIOR FURNISHING & ELECTRICAL WORK
Of ATM, at Phaphamau Branch District Prayagraj**

General terms & Conditions:-

- 1) Sealed quotation should be addressed to The DGM, Indian Bank, Zonal Office, Allahabad and super scribed name of Work INTERIOR FURNISHING & ELECTRICAL WORK Of Phaphamau ATM, at –District Prayagraj **and should reach before 14:00 hours on 31.08.2020 at Zonal Office Allahabad.**

Mailing Address:

**The Deputy General Manager,
INDIAN BANK**

Zonal Office Prayagraj-211001(U.P)

- 2) No quotation will be accepted after 2:00 PM on 31.08.2020 and quotations will be opened on 31.08.2020 at 03:00 pm unless otherwise informed.
- 3) The quotations will remain valid for a period of 3 months from the date of opening.
- 4) Bank reserves the right to accept or reject any or all the quotations accept part of any tender, entrust the entire work to any contractor or divide the work to more than one contractor (item wise) without assigning any reason to do so or giving any explanation. The rates quoted by the contractors will help well for bifurcation and no compensation will be paid on this account.
- 5) Contract should quote rates in figures as well as in words.
- 6) All erasures and alterations made must be attested with the initials of tenderers. No overwriting is permitted.
- 7) Joint tenders shall not be considered. Conditional tenders quoted by the contractor are liable to be rejected.
- 8) No escalation in the rates will be allowed under any circumstances.
- 9) On receipt of the intimation from the bank of the acceptance of his quotation, the contractor should submit his acceptance within 3 days..
- 10) The Agency is advised to inspect and examine the sites and satisfy himself as to the condition prevailing at sites and its surrounding extent of work, scope and conditions under which the work is to be executed. The contractor shall also satisfy himself about the accessibility to the premises.
- 11) The agency shall submit the offer which satisfies each and every condition laid down in this notice, failing which the tender will be liable to be rejected. Conditional bids shall not be considered and will be out rightly rejected in the very first instance.
- 12) Work will be completed within the period of 15 days from the date of issue of tender or work order whichever is earlier. If the work be not completed to the satisfaction of employer within the stipulated period, the contractor will be bound to pay to the Employer a sum equivalent to Rs.1000/- per day subject to ceiling of Max 10% of the accepted contract amount by way of liquidated damages and not as penalty during which the work remains uncommenced or unfinished after expiry of the completion date. The contract may be rescind by giving one week notice incase work is not executed as per specification and as per time schedule given in tender document.
- 13) The liquidated damages as mentioned in the Notice inviting tender may not be enforced if the contractor applies for extension of time mentioning the genuine

reasons for extension. If an extension of time of completion of the work is sought on the grounds of having unavoidable hindrances in its execution or any other ground, the contractor shall apply in writing to the Deputy General Manager, Zonal Office, Allahabad with full details of the circumstances which is causing such an extension. Extension of time in days will be granted by the bank if it is proved that the contractor is not at fault for extending the work beyond stipulated date of completion. All the decisions in this regard taken by the Bank shall be binding to the contractor.

- 14) The successful contractor is bound to carry item of work necessary for completion of job even though the same are not included in the schedule of quantity. Rates of extra item will be derived from quotation. In case the rates do not exist in quotation and extra item is not similar to the quoted item, then the rates will be worked out on actual cost of material and labour, any other expenditure for completing that work plus 15% towards contractors profit and overheads.
- 15) The work shall be carried out in such a way that, there is least disturbance to the staff of Bank. Contractors are required to organize the work in such a way that workings of staff and officers/executives of Office are not affected. Contractor is required to take adequate care during progress of work to protect belongings. In case any damage, contractors at their own cost shall make the same good.
- 16) The contractor must co-operate with other contractors appointed by the bank so that entire work shall proceed smoothly and to the complete satisfaction of the Bank.
- 17) Contractor will arrange necessary tools and plants for completing own work at their cost. In case of any accident the total responsibility will be on the contractor. Contractors are required to submit time schedule of work. After completion of work, cleaning of floors, walls etc are to be done on daily basis to the satisfaction of Branch Head / engineer-in-charge. After completion of jobs, the site shall be cleared of all rubbish malba /debris etc in all respect and handover the site in proper manner on completion of the work.
- 18) No advance will be paid. Payment will be released on satisfactory completion of job and submission of bills.
- 19) In case of non-completion or delay in completion of work or removal of defects in time, the bank shall be free to appoint another agency to get the job done at contractors risk and cost.
- 20) The contractor will attend to all the defects noticed during defect liability period. If the contractor fails to attend the defects these defects will be got rectified by the bank and the expenditure incurred on this account will be recovered from security deposit / retention money.
- 21) The work shall be got approved by by the Architect / engineer and the contractor shall rectify any bad workmanship pointed out at any stage and remove from the site all the rejected materials immediately at his own cost.
- 22) The contractor shall acquaint himself with the site conditions making his own arrangements for storing of materials at site, lift, cartage etc. at his own risk and safety.
- 23) The contractor shall make adequate arrangement for watch and ward of material and shall ensure the safety, breakage and any theft of material fixed or unfixed by him or the other sub contractors. The bank shall not be liable for any sort of loss incurred.
- 24) The contractor shall be responsible for application of labour laws, compensation for injury and accident to person, whether employed by him or his sub-contractor.
- 25) The contractor shall ensure that the workmen employed by him for the execution of work are suitably covered against Workmen Compensation Act and that all liabilities arising out of Workmen's compensation Act, ESIS and other legislative

enactment applicable to such works and workmen shall be to the contractor's account and responsibility.

- 26) Interior Furnishing and Electrical Works will be carried out as per Bank's standard drawing / specifications and to the entire satisfaction of the bank.
- 27) The contractor shall inform the bank, well in time, to check measurements of any work, which is likely to be hidden before covering.
- 28) Income tax at the prevailing rates will be deducted at source from contractor's bill and will be deposited with I.T.O. as per rules.
- 29) Any extra work or item can only be started by contractor after obtaining written approval from the Zonal Office. Item executed without prior approval from the Zonal Office will not be considered for payment.
- 30) The quantities mentioned in the schedule of quantities are approximate. Payment will be made on the actual work done by the contractor. However the contractor should not deviate the quantity without Banks permission.
- 31) The Bank has the right to alter the nature of work and to add or omit any items of work or to have the option of the same carried out departmentally or otherwise and such alterations or variations shall be carried out without prejudices to the contract.
- 32) The Bank has the right to terminate the contract if the contractor abandons the work or fails to commence the work in time, or fails to abide by the terms & conditions of the contract.

I have read and understood all the instructions/conditions given above and I have taken into account the above instructions/conditions while quoting the rates.

Date:

(SIGNATURE OF THE CONTRACTOR)

Place:

SEAL

Seal & Signature of Contractor

**PROJECT:- ABSTRACT ESTIMATE OF FURNISHING WORKS FOR ATM FOR
ALLAHABAD BANK AT PHAPHAMAU BRANCH,ALLAHABAD**

S.NO.	PARTICULAR OF ITEM	Quantity	UNIT	RATE RS. P.	PER	Amount RS.P
1	Shutter Boxing & ATM Paneling					
	Providing & Fixing in position partition made of ACP(Aluminium Composite Panel) with framing of Aluminium Tube section of min 1.5"x1" and 18 gauge 2'-0" C/C both ways ACP to be in 2' wide panels or distributed equally. The panels to be fixed to the frame with 3M or equivalent adhesive. Joints to be finished with Silicon based sealant. ACP thickness of 3mm minimum Aluminum foil thickness to be 15mm. ACP only on the ATM side with thickness of 3mm minimum. The back side of the partition to be finished with painted 6mm ply Alubond, Eurobond, Fujibond, Alcobond or equivalent brands to be used. ACP Door 3'X7' made of Aluminum frame.	32	SQM		SQM	
2	Flase ceiling (Armstrong)	4	SQM		SQM	
	Providing and fixing in position false ceiling in Armstrong 600x600 mm x 15/16 mm dune supreme RH 99 prima tile with regular edge framework as specified by Armstrong Co. with suspenders wherever required. Main necessary framework for A.C. ducting if any and necessary cutouts for diffusers and light fittings, taping and finishing to proper line and level including making grooves and trap doors for A.C. unit in 18 mm thick M.R. grade ply wood with stainless steel hinges and licks with moulding 1"x1" for edges including finishing with white plastic emulsion paint etc. complete in all respect. (Note - only the plan area will be measured for payment no extra payment will be made for cutouts grooves moulding etc.)					
3	Entrance Door /Fixed glazing	3.5	SQM		SQM	
	Providing and fixing in position single leaf anodised Aluminum entrance door made of 14 guage thick sheet. All member shall be of 4"x1-3/4" section and bottom rail shall be of 5"x1-3/4" section with 6mm thick clear sheet glass including 4" dia 2 nos. handles 10" long 2 Nos. Tower bolts, heavy duty (insta/ozone) floor spring 2 Nos lock etc. complete.					

GRAND TOTAL RS.=

RS.

SPECIFICATIONS OF MATERIAL

S.No.	Item	Make/Specifications
1	100 % B W R Boards & Ply	Green, Mayur, Archid, Tiger
2	Laminate (Plane colour)	Century, Green, Marino, Virgo Archid, sunmica asia
3	Adhesive	Fevicol-SH
4	Aluminium Section	Jindal, Hindalco
5	Door closure/Floor Spring	Everite, Hyper, Sandhoo
6	Hinges/drawer sides	Earla-Bihari pvt. Ltd. Or eq.
7	Vitrified Tiles 600x600	Kajariya, Jhonson, Millennium, Marbomax, Bell (Orient), Alive
8	Mortice latch lock & night latch lock	Godrej, Link
9	Venetion Blinds (vertical/horizontal)	Vista, Mac.
10	Pre lam Board	Green, Archid, Novapan
11	Glass	Modi, Tata, ASI, (Float Glass)
12	ACP	ALSTRONG, ALUTUFF, ALUPAN
13	White Cement	J.K., Birla, Nitco
14	O B D /Emulsion/Enamel	Nerolac Asian, Berger,

PROJECT:- ABSTRACT ESTIMATE OF ELECTRICAL WORKS FOR ATM FOR ALLAHABD BANK AT PHAPHAMAU BRANCH ,ALLAHABAD

S.NO.	PARTICULAR OF ITEMS	QTTY	UNIT	RATE RS P	PER	AMOUNT RS P
1	S/F 4 CORE 10 SQMM CABLE	15	MTR		MTR	
2	SUPPLYING AND FIXING CONCEALED TYPE FACTORY FABRICATED 1 PHASE 240 VOLT DOUBLE DOOR SPN MCB DISTRIBUTION BOARD 12 WAY WITH 40 AMP DP MCB AS INCOMER AND 6 NO 10 AMP MCB SP AS OUT GOING COMPLETE WITH INTERCONNECTION WITH COPPER BUS & NATURAL & EARTH LINK	1	NOS		EACH	
3	S/F OF 63 AMP CUTOFF FOR INCOMING SUPPLY	1	NO		EACH	
3	A.C SUPPLYING & DRAWING POWER LINE BY 2X6 SQMM+1X1.5 SQMM FR PVC INSULATED COPPER WIRE BY 25 MM PVC PIPE WITH 25 AMP MODULAR AC BOX	2	NOS		EACH	
4	MAKING POINT WIRING FOR FAN & LIGHT BY 2X1.5 SQMM+1X1 SQMM FR PVC INSULATED SINGLE CORE COPPER WIRE BY SUITABLE SIZE PVC PIPE PARTLY CONCEALED & PARTLY SURFACE INCLUDING 6 AMP MODULAR SWITCH & SOCKET					
	A)SINGLE POINT CONTROLLED BY SINGLE SWITCH	10	NOS		EACH	
	B)PLUG POINT ON SWITCH BOARD INCLUDING 2X2.5 SQMM + 1X1.0 SQMM CIRCUIT WIRING SWITCH BOARD TO MCB DB EACH BOARD SEPARATE CIRCUIT	1	NOS		EACH	
5	SUPPLYING AND FIXING 1 NO 6PIN 16/6 AMP SOCKET WITH CONTROLLING SWITCH OF MODULAR TYPE INCLUDING M.S. BOX COVER PLATE AND TOP PLATE INCLUDING 2X2.5 SQMM + 1X1.0 SQMM WIRING IN COMPLETE	5	NOS		NOS	
6	SUPPLYING & FIXING 1X40 WATT PATT. TYPE FITTING ALONG WITH 1 NOS 40 WATT TUBE LIGHT	1	NOS		EACH	
7	A)SUPPLYING & FIXING LED DOWN LIGHTER 18 WATT COMPLETE	5	NOS		EACH	
8	SUPPLYING & FIXING 2'X2'LED PANEL 40W	2	NOS		EACH	
9	SUPPLY AND FIXING 230MM LOUVERED EXHAUST FAN	1	NOS		EACH	
10	SUPPLY AND FIXING OF FIRE EXTINGUISHER ABC TYPE	1	NO		EACH	
11	INSTALLATION OF SAFE CHEMICAL EARTHING 40MMX3 M LONG PIPE WITH	1	NOS		EACH	
GRAND TOTAL = RS.						

TOTAL =

LIST OF MATERIALS FOR ELECTRICAL ITEMS:-		
S.NO.	ITEMS	MAKE/SPEC.
1	ELECT FITTING	PHILIPS /HAVELL'S/COMPACT
2	ELECT WIRE	POLYCAB/KEI/FINOLEX
3	ELECT MODULAR SWITCHES	ANCHOR-ROMA/M K/HAWELLS
4	ELECT MCCB	L&T / N-W/ HAWELLS
5	ELECT MCB DB	L&T / N-W/ HAWELLS/LEGRAND
6	ELECT MCB	L&T / N-W/ HAWELLS/LEGRAND
7	MAIN SWITCH	L&T / HPL/ HAWELLS
8	ELECT CHANGEOVER CUT-OUT	L&T / HPL/ HAWELLS
9	PVC CONDUIT PIPE	ANCHOR
		AKG/PLAZA(2.0MM TH.)