BILL OF QUANTITY FOR AIR CONDITIONING WORK FOR INDIAN BANK, BKC BRANCH & ATM, BANDRA EAST

NO.	PARTICULARS	QTY	UNI	RATE	AMOUNT
A	<u>HIGH SIDE WORK</u>				
1	Supply, Installation, Testing & Commissioning of a HighWall mounted "Split" Air-Conditioner by cutting false ceiling & comprising of Indoor & Outdoor units. The Indoor unit comprising multi-row DX cooling coil, Drier, expansion valve/device, air blower driven by motor with mounting accessories. Outdoor unit will comprise the Rotory/Scroll compressor, condenser coil & fan, Cordless remote controller etc. including Refrigerant gas charging (R.32 or R 410),, water drain system etc.				
i 	Supply, Installation, Testing & Commissioning 1.0 Tr. Three Star Tye A.C. with other specifications as above. (ATM)	1	Nos.		
i	Supply, Installation, Testing & Commissioning of 1.5 Tr. Three Star Tye A.C. with other specifications as above.(Manager cabin)	1	Nos.		
2	4-Way Cassette. - Supply of Aircooled Cassette Airconditioners comprising Ceiling Suspended Indoor Air Handling Unit, Outdoor Copper Condensing coil unit (With Scroll / Rotary compressors), isolating valves, thermostatic control, safety cutouts, (condensor mounting stand excluded) and vibration isolation pads.				
	3.00 TR	0	Nos.		
	TOTAL OF SECTION - A				
1	LOW SIDE WORK S.I.T.C. of 19 mm dia & 16 mm dia Copper Refrigerant Pipes with Foam insulation between Indoor & Out door units.with breaking of wall wherever required for 3.0 Tr Cassette/ Air conditioners.		Mtrs.		
2	S.I.T.C. of 12.5 Sq.mm. & 6.25 Sq.mm. dia. Copper refrigerant pipe with foam Insulation between Indoor & Out door units with breaking of wall for making hole wherever required For Split Air- Conditioners.	10	Mtrs.		
3	S.I.T.C. of 3xCopper conductor flexible cable between Indoor & Outdoor Unit through holes made as above for Cassette / Inverter A.C.	0	Mtrs.		
4	S.I.T.C. of copper conductor flexible cable between Indoor & Outdoor units through holes as made above for Split A.C.'s.(2 TR + 1.5 TR +1.0 TR+ Existing AC)	10	Mtrs.		
5	S.I.T.C. of 19 mm. PVC conduit pipe to be used as a drain water pipe. Through holes as made above.	0	Mtrs.		
6	S.I.T.C. of 25 mm. PVC conduit pipe to be used as a drain water pipe. Through holes as made above.	10	Mtrs.		
7	S.I.T.C. of L shape / suitable shape M.S. Frame stand for mounting Outdoor Units on wall / On floor with all fixing hardwares. Within above Catwalk for cassette & split A.C.'s. along with cat wak made of 50mm x25 mm x5mm thk.M.S. angle frame work with 25mm x 3mmthk.m.s. split angle to wall with anchor fasner ext.as per side requirement.		Nos.		
8	Installation charges for 1.0 / 1.5 TR split AC	2	Nos		
9	Installation charges for 3.0 Ton Cassette A.C. (Banking Hall)	0	Nos.		
	TOTAL OF SECTION - B				

** **SUMMARY** **

O.	DESCRIPTION		AMOUNT
	TOTAL OF SECTION - A - HIGH SIDE WORK	Rs.	
	TOTAL OF SECTION - B - LOW SIDE WORK	Rs.	
	FINAL TOTAL	Rs.	
	IF ANY DISCOUNT YES / NO		
	Note: - Cost inclusive of all taxes such as Octroi, Transportation, Excise Duty. Etc. Without charging, increase in price of material, labour, till bids or completion of Project. GST will be paid extra as applicable while starting the work.		
	(Also refer special condition / technical bids or corresponding clauses of the tender).		
	(Also refer special condition / technical bids or corresponding clauses of the tender). GRAND TOTAL	Rs.	
		Rs.	