

# PREMISES DEPARTMENT ZONAL OFFICE HAMIRPUR

# TENDER DOCUMENT ELECTRICAL, DATA CABLING & AIR CONDITIONING WORKS IN NEW PREMISES OF INDIAN BANK LBC MAHOBA, DISTRICT - MAHOBA

Date : 24.07.2023

Issued to:

.....

Last date of submission of Tender	07/08/2023 upto 15:00 HRS at Indian Bank, Zonal Office, Premises Department, 10/379, Rameni Tarauns, Hamirpur - 210301	
Date of opening Tender08/08/2023 08/08/2023 at 16:00 HRS Indian Bank, Zonal Office, Premises Departm 10/379, Rameni Tarauns, Hamirpur - 210301		
Cost Of Tender	Free Of Cost.	

### **CONSULTANT:**

M/s Mohit and Associates Architects, Interiors & Estimators,

<u>L-2/554-, Vineet Khand,</u> <u>Gomti Nagar, Lucknow-226010</u>

E-Mail: <u>mohitg.gupta2783@gmail.com</u> Mobile No: 742821765, 9582218092



# INDEX

DESCRIPTION	PAGE NO.
NOTICE INVITING TENDER	3
FORM OF TENDER	4
GENERAL RULES AND INSTRUCTIONS TO TENDERERS	5 - 10
ARTICLES OF AGREEMENT	11 – 13
APPROVED LIST OF MATERIALS	14-16
SCHEDULE OF QUANTITIES	17 - 24
DRAWINGS	25 - 27



## **ZONAL OFFICE – HAMIRPUR**

### **NOTICE INVITING TENDER**

Indian Bank, Zonal Office HAMIRPUR invites sealed tenders from **empanelled contractors** with Indian Bank (single bid system) for proposed Electrical, Data Cabling & Air Conditioning Works in the New Premises of LBC Mahoba, District - Mahoba. The Tender Documents can be downloaded from the Bank's website (www.indianbank.in) under Tender Column.

1	Name of work	Electrical, Data Cabling & Air Conditioning Works in New Premises of LBC Mahoba, District - Mahoba			
2	Estimated cost of work	Rs. 3.58 Lakh			
3	Period of completion	20 days to be reckoned from 5 <sup>TH</sup> day from the date of issue of the Work Order or handing over of site whichever is later			
4	Validity of Tender	90 Days from the date of opening			
5	Defects Liability Period	12 Months from the date of virtual completion of work			
6	Earnest Money Deposit	Rs.3,500/- (Rupees Three Thousand Five Hundred Only) by way of DD in favour of Indian Bank payable at HAMIRPUR *Firms registered with MSME / NSIC with valid certificates issued by GOI are exempted from submitting EMD along with Tender.			
7	Initial Security Deposit (ISD)	After acceptance of Work Order, Contractor shall submit ISD of 2% of the Bid / Contract Amount in the form of DD.			
8	Retention Money (RM)	8% of the Bill Amount excluding Taxes			
9	Total Security Deposit (TSD) = ISD + RM	10% of the Bid Amount (ISD – 2% & RM – 8%) ISD Amount will be refunded to Contractor within 14 days from the issue of Work Completion Certificate by the Architect and the Retention Money will be refunded after the completion of defect liability period.			
10	Interim / Adhoc Payment	No Interim / Adhoc Payment will be paid			
11	Liquidated Damages	<b>1%</b> per week of the Contract Value subject to maximum total of <b>10%</b> of final Contract value			
12	Tender Documents	Tender documents can be obtained from Indian Bank, Zonal Office, Premises Department, 10/379, Rameni Tarauns, Hamirpur – 210301 from 24/07/2023 to 07/08/2023 on all working days during office hours and / or can be downloaded from the Bank's website (www.indianbank.in) under Tenders column.			
13	Last date of submission of tenders	07/08/2023 upto 15:00 HRS at Indian Bank, Zonal Office, Premises Department, 10/379, Rameni Tarauns, Hamirpur - 210301			
14	Date of opening Tender	08/08/2023 at 16:00 HRS Indian Bank, Zonal Office, Premises Department, 10/379, Rameni Tarauns, Hamirpur - 210301			

Note:

1. The bank reserves the right to reject any tender/bid without assigning any reason.

2. The rates quoted by the tenderer shall be based only on the specifications and conditions of the tender documents.

3. Bank is not liable to make any payment to tenderers for preparation to submit the tender/bid.

ZONAL MANAGER



FORM OF TENDER

Indian Bank Zonal Office HAMIRPUR Premises Department 10/379, Rameni Tarauns, HAMIRPUR – 210301

Dear Sir,

#### SUB: Invitation of Tender for Electrical, Data Cabling & Air Conditioning works in the New Premises of LBC Mahoba, District - MAHOBA

Having examined the drawings, specifications, conditions and schedule of quantities prepared by you, and satisfying ourselves as to the location of the site and working conditions, I/We hereby offer to execute the above works at the respective rates which I/We have quoted for the items in the Schedule of Quantities.

I/We herewith deposit **Rs.3,500/- (Rupees Three Thousand Five Hundred Only)** by crossed demand draft payable at HAMIRPUR and drawn in favour of Indian Bank as Earnest Money Deposit for the due execution of the works at my/our tendered rates, together with any variations should the work be awarded to me/us.

In the event of this tender being accepted, I/We agree to enter into and execute the necessary contract required by you. I/We do hereby bind myself/ourselves to forfeit the aforesaid Earnest Money Deposit of **Rs.3,500/- (Rupees Three Thousand Five Hundred Only)** in the event of our refusal or delay in signing the Contract Agreement. I/We further agree to complete the work within the stipulated time specified in the Appendix to General Conditions of Contract.

I/We agree to keep our tender open for **90(Ninety) days** from the date of opening of Envelope No.1.

Thanking you,

Yours faithfully,

[To be signed by the Authorized Representative of Tenderer who has the Power to do so]

Place: Date: Witness Signature: Name: Address: Seal:



#### **GENERAL RULES AND INSTRUCTION FOR THE GUIDANCE OF TENDERERS**

#### **1** Definition of terms / interpretation:

- Employer/Owner/Bank /Indian Bank/ Accepting Authority shall mean Indian Bank with their Corporate Office at No. 254-260, Avvai Shanmugam Salai, Royapettah, Chennai 600 014 inter-alia having their Zonal Office at 10/379, Rameni Tarauns, HAMIRPUR 210301 and any of its employees representative authorized on their behalf.
- Throughout these bidding documents, the terms "bid" and "tender" and their derivatives ("bidder"/"tenderer"), "bidered /tendered", "bidding"/"tendering", etc. are Synonymous.
- Day means calendar day. Singular also means plural
- "Contractor" means the person whose Tender has been accepted by the Employer and the legal successors in title to such person, but not (except with the consent of the Employer) any assignee of such person.
- Tenderer: The term 'Tenderer' shall mean the individual or firm or company whether incorporated or not, undertaking the work and shall include legal representative(s) of such individuals or persons composing such firm or company or successors of such firm or company as the case may be and permitted assigns of such individual or firm or company.
- 2 Tenders, which should always be placed in sealed cover, with the name of the work written on the envelope "Interior Furnishing Work in New Premises of LBC Mahoba, District MAHOBA " will be received by Chief Manager (P&E), Indian Bank, Zonal Office, Premises Department, HAMIRPUR.
- 3 Earnest money amounting to <u>Rs.3,500/- (Rupees Three Thousand Five Hundred Only)</u> in the form of Demand Draft drawn in favour of "<u>Indian Bank", payable at HAMIRPUR</u> must accompany each tender. EMD amount will not carry interest. Tender without earnest money will be summarily rejected. *Please note that firms registered with MSME / NSIC under single point registration with valid certificates issued by GOI are exempted from submitting EMD. Necessary Certificates must accompany bid. No other type of certificate is acceptable. The exemption and relaxation in EMD is subject to the validity & acceptance of their registration certificate on the date of opening of Tender.*
- 4 The Indian Bank does not bind itself to accept the lowest or any tender and reserves to itself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
- a. <u>The rate quoted by the Tenderer shall be net (excluding GST), up to the stage of incorporation and handing over site. All taxes including (excluding GST) or any other tax on material or on finished works like Turn-over Tax, including taxes that may be newly introduced subsequent to the tender etc. in respect of this contract shall be payable by the Tenderer and the Indian Bank will not entertain any claim whatsoever in this respect.</u>

#### The rate quoted should be excluding GST.

The tenderer who wishes to quote for the tender should have GST registration and should mention the registration number.

- 5 The Tenderer shall give a list of his relatives working with the Indian Bank along with their designations and addresses.
- 6 No employee of the Indian Bank is allowed to work as a contractor for a period of two years of his retirement from Indian Bank service, without the previous permission of the Indian Bank. The contract is liable to be cancelled if either the contractor or any of his employees is found at any time to be such a person who had not obtained the permission of the Indian Bank as aforesaid before submission of the



tender or engagement in the Tenderers service.

- 7 The tender for works shall remain open for acceptance for a period of 90 days from the date of opening of Tender. If any tenderer who withdraws his tender before the said period, then the Indian Bank shall be at liberty to forfeit Earnest Money paid along with the tender.
- 8 The tender for the work shall not be witnessed by a Tenderer or Tenderers who himself/themselves has/have tendered or who may and had/have tendered for the same work. Failure to observe this condition would render tenders of the Tenderers tendering as well as witnessing the tender liable to summary rejection.
- 9 It will be obligatory on the part of the tenderer to tender and sign the tender documents for all the component parts.
- 10 Transfer of tender documents purchased by one intending Tenderer to another is not permitted.
- 11 The Tenderer must pay the amount of Earnest Money as mentioned in the Notice of Tender Invitation by Bank Demand Draft payable to Indian Bank. No interest on Earnest Money deposited by the Tenderer shall be allowed. The Tenderer should attach the Bank Draft along with the tender failing which the tender will not be considered. No other mode of payment shall be accepted.
- 12 The Earnest Money Deposit of unsuccessful tenderers shall be refunded within three weeks of award of contract to the successful tenderer or within one week of actual commencement of work whichever is earlier and in any case not later than four months.
- 13 The Earnest Money Deposit of the successful tenderer shall be refunded on the acceptance by the Employer of the Contractor's Demand Draft towards Security Deposit.
- 14 The EMD of the Tenderer, whose tender is accepted, shall be forfeited in full in case he does not start the work by stipulated date mentioned in the award letter.
- **15** *The retention amount at 8% on the value of the bill paid will be held by the Indian Bank apart from ISD.* ISD Amount (2%) will be refunded to Contractor within 14 days from the issue of Work Completion Certificate by the Architect and the Retention Money (8%) will be released at the end of Defect Liability *Period* (12 Months), subject to satisfactory rectification of defects noticed, if any. ISD and Retention *Amount held in our Bank's Book will not carry any interest.*
- 16 The acceptance of a tender will rest with the Indian Bank and the Indian Bank reserves to itself the authority to reject any or all of the tenders received without the assignment of a reason. Tenders in which any of the prescribed conditions are not fulfilled (or) are incomplete in any respect are liable to be rejected. The Indian Bank reserves the right to accept the tender in full or in part and the tenderer shall have no claim for revision of rates or other conditions if his tender is accepted in parts.
- 17 Canvassing in connection with tenders is strictly prohibited and the tenders submitted by the Tenderers who resort to canvassing will be liable to rejection.
- 18 All rates shall be quoted on the proper form of the tender alone. **All the entries to be made legibly in ink only.** Rates written in pencil or any other mode shall not be considered for evaluation and will be rejected.
- 19 The tenderers shall take care to price his tender rationally. Extreme under pricing or overpricing in item rates, total amount will be considered adversely in the assessment of tenders. The tenderer shall on demand submit the analysis of rates of some items of work if so required by the employer.
- 20 An item rate tender containing percentage below/above will be summarily rejected.
- 21 On acceptance of the tender the name of the accredited representative(s) of the Tenderer who would be responsible for taking instructions from the Indian Bank shall be communicated to the Indian Bank.
- 22 Special care should be taken to write the rates in figures as well as in words and the amounts in figures only, in such a way that interpolation is not possible. The total amount should be written both in words and in figures.
- 23 The Contractor shall within 7 days of receiving the WORK ORDER submit INITIAL SECURITY DEPOSIT



of <u>2% of the contract value in the form of a Demand Draft</u>. On acceptance of the Demand Draft, the Earnest Money Deposit shall be refunded to the Contractor.

- 24 The Contractor shall comply with and give all notices required under any law, rules, regulations, or byelaw of Parliament, State Legislature or Local Authority relating to works. If needed, the Contractor has to obtain required permission/ approval from the building secretary/ association. The Contractor shall before commencing the execution of work issue a certificate to the Employer that he has obtained all the permissions Registrations and give all the notices as are required to be obtained or given under law particularly blasting permission, Police permission etc.
- 25 The Contractor shall be required to maintain the site and the building areas in a neat and clean condition at all times to the satisfaction of the Employer. The Contractor shall especially take care to keep areas free from getting water logged, from concrete/mortar dippings, bricks, steel, shuttering materials or any other material / rubbish.
- 26 Debris and items removed from the building have to be neatly stacked at site and then periodically removed (maximum of one week), carried away by the Contractor and disposed off as per the rules and regulations of the Local Authorities concerned. No debris shall be thrown loose from upper floors. No floor, roof or other part of the building shall be over-loaded with debris or materials as to render it unsafe.
- 27 Employer reserves the right to insist on selection of material, workmanship, detailing and finishes, which they consider, is appropriate, and suitable for the intended use. The contractor is not eligible to claim extra on this account.
- 28 Employer will require the contractor to produce, samples of all the materials, accessories/ finishes prior to procurement/ manufacture. The samples of the materials for the work shall be got approved from the Employer. Failure to comply with these instructions can result in rejection of the work/materials.
- 29 For painting & Lamination, sample area shall be prepared and the shade got approved. It is also advised to give computer presentation of various colour schemes to the employer before going for sample painting/Lamination,
- 30 The Tenderer should note that he should execute his part of work without causing any damage to any component of the building and also without disturbing the occupants. Any damage so caused shall be made good at the cost & risk of the tenderer.
- 31 The successful tenderers shall include, in the quoted price, all allied civil works such as chasing in wall, drilling holes etc to support the frames, partitions, make the surface good after grouting, scaffolding required if any to load/ unload the materials etc.
- 32 The successful contractor shall also be responsible for the safety and security of all their materials and also for ensuring fire prevention steps at all times in the working premises including their part of the work. The successful contractor has to place full time representative at site, the representative should have thorough subject knowledge.
- 33 The work shall be carried out without disturbing the existing occupants of other offices. Necessary barricading of the area, if required from the rest of the area shall have to be arranged by the successful contractor at no extra cost. The work is to be organized and executed so as to have least disturbance to the occupants of other offices.
- 34 No interim payment / Adhoc Payment will be entertained in any case.
- 35 The contractor should ensure payment of minimum wages + VDA to all labourers / workmen staff employed by him in line with central/ state labour wage act which ever higher.

The Contractor shall at all times indemnify and keep indemnified the Employer against all losses, claims, damages or compensation including under the provisions of the payment of the Wages Act 1936, Minimum Wages Act 1948, Employer's Liability Act 1938,Workman's Compensation Act 1923,the Maternity Benefit Act 1961,the Bombay Shops and Establishments Act 1947, Industrial Disputes Act 1947, and Contract Labour (Regulation and Abolition)Act 1970 and Employees State Insurance Act 1948, Motor Vehicles Act 1988 or any modifications thereof or under any other law relating thereto and rules made there under from time to time or as a consequence of any accident or injury to any workman



or other person in or about the work whether in the employment of the Employer or Contractor or not, and also against all costs, charges and expenses of any suit, action or proceedings whatsoever out of such accident or injury or combination of any such claims.

36 From commencement to completion of works, the Contractor shall take full responsibility for the care of the work and for taking precautions to prevent loss or damage to the work to the maximum extent possible and shall be liable for any damage or loss that may arise to the works or any part thereof from any cause whatsoever including causes of fire, lightning, explosion, earthquake, storm, hurricane, floods, inundation, subsidence, landslides, rock slides, riots (excluding civil war, rebellion, revolution and insurrection) or any latent defect or damage and shall at his own cost repair and make good the same so that at all times the work shall be in good order and condition and in conformity in every respect with the requirements of the Contract.

For the purpose of this condition this expression "from commencement to completion of works" shall mean the period starting with the date of issue of Work Order or date of handing over of site whichever is later and ending with issue of Virtual Completion Certificate.

Without limiting the obligations and responsibilities under this condition, the Contractor shall insure and keep insured the works from commencement to completion, as aforesaid, for the full contract value including Price Variation Adjustment if any against the risk of loss or damage from any cause whatsoever including the causes enumerated in the foregoing paragraphs. In the event of there being a variation in the nature and extent of the works, the Contractor shall from time to time increase or decrease the value of the insurance correspondingly. All the premium for the insurance shall be borne and paid by the Contractor.

Before commencing the work, the Contractor shall without limiting his obligations and responsibilities under this condition, insure against any loss of life or injury to any personnel in the employment of Contractor / Sub-Contractor/nominated Sub- Contractor. For this purpose, insurance shall be taken by the Contractor /Sub- Contractor. Such insurance shall be taken to include both employees/workmen covered by the Workman's Compensation Act 1923, as well those employees/workmen not covered by the said Act. Separate insurance policies may be taken for employees/ workmen covered by Workman's Compensation Act 1923, and employees / workmen not covered by the said Act. The entire premium shall be paid by the Contractor. Policy/Policies taken under this para for the personnel in employment with the Contractor / Sub-Contractors. In the event of any loss or injury to personnel in employment with the Contractor / Sub-Contractor / nominated Sub-Contractors, the Employer and Contractor shall recover directly from the Insurance Company and ensure that payment of the same is made to the affected parties including the Employer. The policy in original shall be deposited with the Employer.

The Contractor shall at all times indemnify and keep indemnified the Employer against all losses and claims for injuries or damage to any person or any property whatsoever which may arise out of or in consequence of the construction and maintenance of the work and against all claims, demands, proceedings, damages, costs, charges and expenses whatsoever in respect of or in relation thereto. Before commencing the execution of the works, the Contractor shall without in any way limiting his obligations and liabilities under this condition, insure at his cost and expense against any damage or loss or injury which may be caused to any person or property including the employees and directors of the Employer and their property by or in the course of the execution of the works. Such insurance to be known as the Third Party Insurance shall be in a sum of **Rs. 1.0 lakh**. The Insurance policy to be so obtained by the Contractor shall be deposited by the Contractor with the Employer within **Seven days** of its issue by the Insurer.

- 37 The Contractor shall take all precautionary measures to ensure the safety of the workmen employed by it. The contractor shall be fully responsible for the any injury or damage caused to the workmen deployed by him at site for carrying out the work and Bank has nothing to do with such happenings and in no way shall be held responsible for the same.
- 38 The contractor shall maintain all registers as required by the Regional Labour Commissioner and should furnish the same to the Bank or its representative as and when required.



- 39 If the work is not started within **7 days** from the date of issue of work order then Employer may terminate the work order without assigning any reason. If during the execution of the work, the progress of work is not considered to be satisfactory and is not consistence to be in contingent with the period of the completion of the work then the Bank may terminate the work order by giving a 5 days notice to the contractor. In such case the contractor shall be liable to pay the employer any extra cost involved for the completion of the said work and will not obstruct any way in completing the work through other agency. After completion of entire work the contractor shall be paid for the actual work executed by him at the quoted rates after deducting any claims, damages.
- 40 The time allowed for completing the works is **20 days** to be reckoned from **5<sup>TH</sup> day** from the date of Work Order / date of handing over site whichever is later. Tenderers shall submit a programme (time schedule) for executing the entire project and shall furnish the details of their scheme indicating the proposed deployment of their machinery and resources.
- 41 If the Contractor fails to complete any or all the works by the date/s named in **Clause 40** (Date of Completion) or within any extended time (permitted by Bank) then the Contractor shall pay or allow the Employer the sum to be worked out at **1.0%** of contract value per week to be recovered as Liquidated Damages (and not by way of penalty) for the delay, beyond the said date or extended time, as the case may be, during which the works shall remain unfinished and such damages may be deducted from any moneys due or which may become due to the Contractor. The maximum amount of Liquidated damages shall be **10%** of contract value. The contractor shall be bound to extend validity of Insurance Cover till such period of completion as may be considered necessary at their cost.
- 41 **Extension of time:** If in the opinion of the Employer/ Architects the works be delayed (a) by reason of any exceptionally inclement weather or (b) by reason of instructions from the employer in consequence of proceedings taken or threatened by or disputes, with adjoining or neighbouring owners or (c) by the works, or delay of other contractors nominated by the employer and not referred to in the specification or (d) by the reason of authorized extra and additions or (e) by reason or any combination or works men or strikes or lock-out affecting any of the building trade or (f) from other causes which the employer may consider are beyond the control of the contractor, the employer at the completion of the time allowed for the contract shall make fair and reasonable extension of time for completion in respect therefore. In the event of the employer failing to give possession of the site upon the day specified above, the time of completion shall be extended suitably.

In case of such strikes or lockouts as are referred to above, the contractor shall, immediately give the employer, written notice thereof. Nevertheless he shall use his best endeavours to prevent delay, and shall do all that may be reasonably required, to the satisfaction of the employer for any extension of time for completion hereunder (which shall be final and binding on the contractor) shall be promulgated at the conclusion of such strike or lock-out and the employer shall then, in the event of an extension being, granted, determine, and declare the final completion date. The provision in clause 13 with respect to payments of liquidated damages shall be construed as if the extended date fixed by the employer was substituted for and the damages shall be deducted accordingly.

- 42 The successful tenderer shall be required to execute an Agreement in the proforma attached with this tender document within **7 days** from the date of receipt of the notice of acceptance of tender. In the event of failure on the part of the successful tenderer to sign the agreement within the above stipulated period, the earnest money will be forfeited and the acceptance of the tender shall be considered as cancelled.
- 43 The final bill will be released on satisfactory completion of the entire work and on completion of all the terms and conditions / obligations spelt out and on proper submission of the bill together with the measurements. Final Bill settlement is within 30 days from the date of proper submission of bill & measurements.
- 44 The tenderers shall separately specify at the end of the tender the % and value of SGST and CGST as applicable. As on date 9 % CGST and 9% SGST IS APPLICABLE FOR WORKS CONTRACT. Regarding tax part, the tax rate at the time of billing shall rule over and above all documentations. Valid documents shall be produced if tendered/ asked for at the time before payment. TDS for income tax is as applicable



and shall be included in the quoted rates. The comparison for the least bidder shall be made with the basic price of items of work excluding "Goods and Service Tax" part.

- 45 At any stage i.e. during the execution of work, any kind of change required, whether it is in design or specification, the contractor must inform the concerned Department of the Bank or Architect and after getting the approval, the same has to be incorporated by the contractor.
- 46 Single Power point & Water for work will be provided by bank at free of cost.
- 47 The contractor shall not directly or indirectly sublet the work to other party without written permission of the bank.
- 48 The Bank reserves the right to distribute the work for which quotations have been called, among more than one parties, if found necessary. No claim in this respect shall be considered and the contractor agrees to cooperate with other agencies appointed by the Bank.
- 49 Bank shall not be responsible for any loss or damage to the contractor/labour due to any natural calamity during the course of construction. Contractor is liable to make good all the damages if any, till the work is completed and handed over to the Bank authorities.
- 48 No advance payment shall be made to the contractor on supply of any material supplied at site for execution; Payment shall be made only after completion of the work , submission of proper bills and measurement and checking at the site by Architect and Bank' Engineer.
- 49 Contractor agencies are advised (before quoting the rates) to inspect the site of the proposed work. They must go through specifications and documents. Any clarification, if required, may be taken from the bank before submitting the quote.
- 50 The quantities mentioned in schedule are provisional and likely to increase /decrease to any extent or may be omitted thus altering the aggregate value of the contract. No claim for loss of profit/business shall be entertained on this account.
- 51 The contractor /vendor failed to carry out the works as per schedule/Quality, the same shall be carryout with different agencies and the actual amount will be deducted from the contractor bills.
- 52 Payment to the contractor shall be made as per actual work done of site.
- 53 The contractor agency shall keep particular vigil on his workers to maintain very good workmanship of all items, failing which no payment shall be made and no claim of material/labour used shall be made to him in any case, and the same work shall be executed by him again without charging any extra cost.
- 54 The Bank reserves the right to accept/reject any quotes without assigning any reasons.
- 55 Any work got executed in poor workmanship as pointed out by the Bank' Official will have to be dismantled and redone by the Contractor on his own cost.
- 56 Any addition, alteration or correction in the quote shall be signed and stamped properly by the contractor

#### **DECLARATION:**

I / We hereby declare that I / We read and understood the above terms and conditions and that we shall abide by them if the work is awarded to us.



### ARTICLES OF AGREEMENT

**THIS AGREEMENT** is made on this ....... day of .....month of ..... between Indian Bank and having its Zonal Office at 10/379, Rameni Tarauns, HAMIRPUR – 210301(hereinafter referred to as the "Employer") which expression shall include its successor, legal heirs and assignees of the one part.

AND M/s. ..... Having its office at .....

"Contractor") which expression shall include its successor, legal heirs and assignees of the second part.

**WHEREAS** the Employer has caused drawings and tender documents for 'Electrical, Data Cabling & Air Conditioning Work in New Premises of LBC Mahoba, District – MAHOBA"

**AN**D whereas the Employer has issued the work order ref ...... dated...... dated...... to the contractor to do the work.

**AND** whereas the Contractor has agreed to execute the work as per drawings, specifications, conditions of contract and Work Order.

#### NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:-

- 1) In consideration of the said Contract Sum to be paid at the times and in the manner set forth in the said Conditions the Contractor shall carry out and complete the Works in terms and conditions herein contained and according to the general conditions of the contract, notice inviting tender, special conditions of contract, general scope of work, technical specifications, schedule of rates and instructions to be given by and the supervision of and to the entire satisfaction of the Employer.
- 2) Contract Price, Taxes and Payment Terms :

Total contract price is Rs. ...... which is inclusive of cost of materials, equipment, installation charges and tools and tackles required for execution of the job. Above price is inclusive of all taxes & duties including excise duty, GST, income tax, octroi etc. in respect of this contract. No claim in this respect will be entertained. Income tax on payments will be deducted and deposited by Employer in accordance with the sales tax law of the state and the provisions of tax deductions at source under income tax act 1961.

3) Completion Period:

**Time is the essence of the Contract**. The work is to be completed in all respects within **20 days** reckoned from 5<sup>th</sup> **day** from the date of issue of the Work Order or handing over of site whichever is later. If the Contractor fails to complete the job within the agreed time period the Contractor will have to bear liquidated damages as per the relevant clause mentioned in the Tender Documents.



#### 2) Earnest Money:

The Contractor has deposited an amount of **Rs.3,500/- (Rupees Three Thousand Five Hundred Only)** as earnest money.

#### 3) Inspection of Site:

The Contractor has inspected the site before submitting his tender and has satisfied himself as to the nature of the work to be executed on the site. Any difficulties which the Contractor may come across in the course of the work shall in no way relieve the contractor to claim or receive extra payment unless the Employer is of the opinion that such difficulties could not have been foreseen and the Employer consents in writing.

#### 4) **Supply of Material and Labour**:

The Contractor shall arrange all labour, materials, equipments, tools, tackles and everything necessary for the completion of the work. The Contractor will assume all responsibility for the safety, protection and accounting of all material and equipment and the work during construction. All materials used by the Contractor shall be of the best quality conforming to the required specification mentioned in the tender document and will be subject to the approval of the Employer. All such materials not approved by the Employer shall be removed at once by the Contractor at his own expense. The Contractor shall also at his own expense arrange for carrying out any test of materials which the Employer may from time to time require or if so desired by the employer.

#### 5) **Defective Work / Materials**:

If any part of the work done by the Contractor is found defective in workmanship or if bad or inferior materials have been used the Contractor shall at his own risk and cost demolish all such defective work and rebuild the same and / or replace the bad or inferior materials used within a time frame mentioned to the satisfaction of the Employer. The decision of the Employer in this regard shall be final and binding on the Contractor. In case of default of the contractor to remove the defective work and rebuild the same or replace bad or inferior materials as directed by the Employer, the Employer shall be entitled to employ anyone else to carry out the same at risk and cost of the Contractor and recover all expenses incurred in this regard from the contractor.

#### 6) **Inspection of Work**:

During progress of the work the Employer shall be entitled at all times to have access to and inspect the work.

#### 7) Supervision:

The Contractor shall provide one or more competent and technical qualified engineers duly and fully authorized to act on his behalf in all matters relating to the works to be carried out under or any other matter concerning this agreement and who shall at all times be present at the works while any work is in progress as per directions, explanations & instructions of Employer.

#### 8) **Compliance with Statutory Regulations & Work Rules**:

The Contractor shall be responsible for complying with the applicable laws / bye laws / Regulations in force from time to time and shall have to bear all statuary liabilities to the workers / personnel engaged for the job. Nothing will be paid extra in this regard. If any amount is paid by the Employer with this regard the same amount shall be deducted from the Contractor's dues. The Contractor shall have to arrange insurance cover for the workers / personnel engaged by him for the job.



#### 9) **Determination of Contract**:

In the event of Contractor failing to keep / adhere to agreed schedule of work, or in the event of the Contractor failing to comply with the provisions of this contract by default and / or negligence and / or suspension of work or in the event of Contractor failing to complete the work within the stipulated period, the Employer may terminate this Agreement forthwith and employ, at the Contractor's risk and cost, another contractor or sufficient number of workmen to complete the work.

#### 10) **Force Majeure**:

This clause will be operative only if the work is delayed by

- a) Acts of God
- b) Earthquake or floods or similar natural calamities.
- c) Serious loss or damage by fire or lightning.

In case any Force Majeure condition herein mentioned occurs and continues for a period exceeding 15 days the parties hereto undertake to sit together and devise ways for expeditious and proper performance of the obligations of the parties under this order.

#### 11) Arbitration:

" In the event of any dispute or difference relating to interpretation and application of provisions of the contract and all disputes/claims whatsoever which shall either during the continuance of the contract or afterwards either between the parties to the contract or the respective representatives touching the construction/application of any provision/clause mentioned in the contract or any account or liability between the parties to the contract or as to any act or deed or omission of any party to the contract, in any way relating to these presents, shall be first at the discretion of the Bank attempted to be resolved in good faith by mutual discussion within 20 days of the dispute or question being raised failing which the same shall be settled by arbitration in accordance with provisions of Indian arbitration and Conciliation act 1996.

The Parties concerned shall designate an arbitrator on mutual consent/consensus. The venue of the arbitration shall be exclusively at HAMIRPUR and any award passed by arbitrator shall be final, conclusive and binding upon the parties and shall be deemed to have been made between parties themselves. The parties to the dispute shall share equally the cost of arbitration as intimated by the arbitrator".

**IN WITNESS** whereof the said contracting parties have set their hands and seals on the day and year first hereinabove witness.

Witness Address

Employer

Witness Address

Contractor



## List of Materials of Approved Brand And/ Or Manufacture

MATERIALS	APPROVED BRANDS			
False Ceiling & Cornices	India Gypsum,Armstrong			
AluminiumFram	Jindal,Hindalco			
Wood Framework: All wood must be well seasoned, free from knots, other defects.	Meranti (seasoned) with two coats of wood preservative			
Wood skirting /mouldings,	Steam beech/ Mahogany/ Teak wood			
BWP Marin Ply wood(IS: 710)	Green ply/Archid/Century			
Laminate	Century/Archid/Greenlam/Sunmica			
Veneer	Century/Archid/Greenlam			
Wood Preservative	STP- Pentaphene pale / Termination Tor(Pidilite)			
Adhesive	Fevicol SH (Pidilite) / Araldite/SR- 998/Century – SH			
Door Closer	Dorset/ ozone/			
Floor Spring	Dorma/ozone			
Door Lock	Ozone /Hattich/Godrej			
Drawer Lock	Ozone / Hattich /Godrej			
Hardware	GKW			
Hinges	Ozone /CIEF/Ebco			
Screws	GKW/ Nettle fold			
Carpet	Interface/ Shaw			
Vertical blinds	MAC decor/Vista levolor			
Sun Control Film	3M or equivalent			
Soft Board / Display Board	Jolly board			
Paints	Berger/ Asian/ Nerolac			
Texture paint	Spectrum/ Oikos			
Ceramic Tiles	Orientalbell ,Nitco, , Kajiria			
Vitrified tiles	Orientalbell ,Nitco, , Kajiria			
Glass & Mirror	Modi Guard/ Saint gobain, Ashai			
Handle	Stainless steel finish Neki / Hassely/ Hattich			
MDF Boards	Greenpanel max/ Archid/Merino			
Wooden flooring	Green panel max, Archid, Pergo			
PVC flooring	Armstrong/ Krishna vinyl			
Sanitary fittings	Toto/ Roca/ Kohler/ Grohe / Jaquar			
	AFC/Monarch/PSL/SPACEWOOD/STEELCASE			
	False Ceiling & CornicesAluminiumFramWood Framework: All wood must be well seasoned, free from knots, other defects.Wood skirting /mouldings, Lipping /beadingBWP Marin Ply wood(IS: 710)LaminateVeneerWood PreservativeAdhesiveDoor CloserFloor SpringDoor LockDrawer LockHardwareHingesScrewsCarpetVertical blindsSun Control FilmSoft Board / Display BoardPaintsTexture paintCeramic TilesVitrified tilesGlass & MirrorHandleMDF BoardsWooden flooringPVC flooring			



e.

🛕 इलाहाबाद

S.NO.	MATERIALS	APPROVED BRANDS
1	PVC fittings	Polycab/ AKG / Precision
2	Wires – PVC insulated copper	Finolex/ Rallison/Polycab/Skytone
3	Cables (armored)	Gloster / Rallison / Havells
4	A.C Starter, Plug Socket	Crabtree / Northwest/ Legrand
5	Light & Power switch socket	Crabtree / Northwest /Philips
6	Telephone Socket	RJ-11 Crabtree/ Philips/MK
7	DB MCB	Legrand/ Hager/ Standard/ Schneider
8	MCB	Legrand/ Havells/ Hager/ Schneider
9	Telephone cable	0.51 Netco / Delton / National
10	Light fitting	PHILIPS/Wipro/Havells
11	Fuse Switch	L&T / Havell's
12	Telephone Connecter	Corn
13	Ceiling/ Wall fan	Crompton / Orient / Khaitan
14	Exhaust fan	Crompton / Orient / Khaitan
15	P.V.C tape	Steel Greep
16	Call bell	Max
17	Cable Lug	Dowell's
18	Cable gland	Brass heavy type good quality
19	Distribution board	L&T/ Havells, legrand
20	MS conduit	Heavy duty with ISI mark 16 SWG
21	Starter & single phasing preventer	SEIMENS
22	SPN, TPN, Sheet metal	Havell's / Legrand
23	Pipe Metal	M.S Conduit 16 S.W.G
24	Metal Pipe Fittings	Cast iron with thread & inspection cover
25	Pipe PVC (Rigid Conduit)	AKG / Polypack/Super/Precision
26	PVC fitting for Rigid	-Do-



27	PVC Roll Pipe	Super Dalda or equivalent heavy guage
28	PVC Casing & Casing Fittings	Good quality heavy guage (colour white)
29	Lugs	Dowells
30	Terminals	Essen/Elmex
31	Burglar alarm	Godrej/ Globe detective
32	E-cat 6 Patch panel	Schneider Electric/ Avaya
33	P.A. System	Bosch/ Ahuja
34	CCTV camera	Sony/ Bosch
35	CCTV camera wiring	Crompton/ KEI
36	UPS wiring	Crompton/KEI
37	Aluminum ducting sheet	Jindal/ SAIL
38	AC	Blue Star/ Hitachi/ Daikin Only Copper Coil (Minimum 3 Star rated)

Note –

- 1. In case of unavailability of any material of specific make an equivalent make can be used only after a written approval of architect/bank. The preference of make/brand of the material listed above will be decided by the architect/Bank. The make/brand of any item will be as mentioned in the drawings issued by the architect.
- 2. The contractor shall provide samples of all materials in the list of makes as required by the architect. A written approval of these samples shall be sought prior to commencement of any work. Architect/Bank reserves the right to enquire the genuineness of any material used at site directly from the manufacturer
- 3. Preference of makes, supply of items should be consulted with client/consultant before effecting of supply.
- 4. Other materials: ISI mark & approved by the Bank.

#### NAME AND ADDRESS OF THE CONTRACTOR:

#### SIGN & SEAL OF THE CONTRACTOR:

Date:

इंडियन बैंक 🛛 🕂

🛕 इलाहाबाद

		2			
	SCHEDULE OF QUANTITIES				
	ELECTRICAL, DATA CABLING & AIR CONDITIONING WO INDIAN BANK LBC MAHOBA, DISTRICT			MISES OF	
S. No	DESCRIPTION OF WORKS	UNIT	QTY	RATE Rs	AMOUNT Rs
1	ELECTRICAL WIRING & EARTHING				
1.1	Supply, laying, connection & testing of light, fan point, wiring by 2x1.5mmsq(2x3/.029) +1x1mmsq PVC insulated, multi- strand single core copper conductor FRLS wire maintaining the color code as per direction in PVC conduit of 20mm with ISI mark 1.5mm thickness to conceal in wall partition mending good the damage, complete with PVC circular box, bend to be done as per drawing including 3 point ceiling rows wherever required GI saddle to be used for fixing, metal flexible/PVC flexible pipe may use if required in partition wall. All PVC pipes should be with ISI mark. No joints will be allowed inside pipe, light, fan & plug point complete with modular type switch plate & MS box rate Including the main circuit line 2x2.5mmsq+1x1.5mmsq earth PVC insulated Cu. Wire from DB to switch board ,maintaining the color code. Circuit line for lighting switch board & 6Amps plug board are to be drawn from lighting DB to Lighting board & plug point board (independent), 6/16 Amps plug point line are to be draw from				
	power DB as per DB schedule /SLD				
a)	1 light by 1 switch (ATM 1 No),UPS Pt 3 In branch	Nos.	12		
b)	2 light by 1 switch	Nos.	12		
c)	3 light by 1 switch	Nos.	0		
e)	Ceiling fan point with step type electronic regulator	No	1		
f)	Same as above, but for exhaust fan excluding regulator.	No	3		
g)	Same as above 5A Point in the switchboard itself. (for branch 4 No & ATM 1 No)	No	5		
h)	same as above Wiring for call-bell point including buzzer	No	1		
i)	Wiring (2x2.5mmsq+1x1.5mmsq from power DBs) for independent 6A multi pin socket at walls along with 6A modular type switches board housed in painted MS box (up to 3 independent plug points can be taken in one circuit). For wall Fan	No	4		
1.2	Supply and installation of modular type 2 nos 6A & multi pin sockets with 2 nos 6 Amp one way switch housed in MS box to be fixed in partitions or concealed in wall. The box shall be painted with 2 coats of enamel paint over a coat of red oxide primer including wiring for Raw power socket outlet using 2 R runs of 2.50 Sq mm and single run of 1.5 sq mm PVC insulated multi stranded single core copper conductor FRLS wire in 20mm PVC conduit to be laid in floor, partitions, etc. complete with all accessories (looping 2 sets of 2x6A socket outlet in one circuit- from DB) (Raw power) for counter ( Each counter 1 Nos +BM :2 Nos, ATM 1No:,Pantry 1No.:)	No	3		
1.3	Supply and installation modular type 16A, 5-pin socket with 16A one way switch housed in MS box to be fixed in partitions or concealed in wall. The box shall be painted with 2 coats of enamel paint over a coat of red oxide primer, the rate shall include wiring fusing 2R 4.0 sq mm & single run of 2.5 sq mm PVC insulated multi stranded single core copper conductor	Nos.	5		

इंडियन बैंक

Indian Bank

👍 इलाहाबाद 🛛 🗛

S

FRLS wire in 25mm PVC conduit to be laid in floor, partitions, etc complete with all accessories (for line printer : or optional).(up to 2 independent plug points can be taken in one circuit) C.C :1No. BM.;1 No.: Alternative counter 2No + Banking Hall 1 No+ Pantry 1No ,ATM :1No) <b>1.5ACs electrification :-</b> (a)Supply and fixing 25 Amps 3-pin modular socket with 25 Amp one way switch with indicator (near AC indoor unit) housed in manufacturers MS powder coated box to be concealed in wall including Wiring using 2R4.0 sq mm & single run of 2.5 sq mmNos	
optional).(up to 2 independent plug points can be taken in one circuit) C.C :1No. BM.;1 No.: Alternative counter 2No + Banking Hall 1 No+ Pantry 1No ,ATM :1No)1.5ACs electrification :-(a)Supply and fixing 25 Amps 3-pin modular socket with 25 Amp one way switch with indicator (near AC indoor unit) housed in manufacturers MS powder coated box to be concealed in wallNos	
circuit) C.C :1No. BM.;1 No.: Alternative counter 2No + Banking Hall 1 No+ Pantry 1No ,ATM :1No)1.5ACs electrification :-(a)Supply and fixing 25 Amps 3-pin modular socket with 25 Amp one way switch with indicator (near AC indoor unit) housed in manufacturers MS powder coated box to be concealed in wallNos	
circuit) C.C :1No. BM.;1 No.: Alternative counter 2No + Banking Hall 1 No+ Pantry 1No ,ATM :1No)1.5ACs electrification :-(a)Supply and fixing 25 Amps 3-pin modular socket with 25 Amp one way switch with indicator (near AC indoor unit) housed in manufacturers MS powder coated box to be concealed in wallNos	
Hall 1 No+ Pantry 1No ,ATM :1No)1.5ACs electrification :-(a)Supply and fixing 25 Amps 3-pin modular socket with 25 Amp one way switch with indicator (near AC indoor unit) housed in manufacturers MS powder coated box to be concealed in wallNos	
1.5ACs electrification :-Image: Supply and fixing 25 Amps 3-pin modular socket with 25 Amp one way switch with indicator (near AC indoor unit) housed in manufacturers MS powder coated box to be concealed in wallNos2	
(a)Supply and fixing 25 Amps 3-pin modular socket with 25 Amp one way switch with indicator (near AC indoor unit) housed in manufacturers MS powder coated box to be concealed in wallNos2	
one way switch with indicator (near AC indoor unit) housed in manufacturers MS powder coated box to be concealed in wall	
manufacturers MS powder coated box to be concealed in wall	
menuting withing using 21(1.0 sq min & single run of 2.5 sq min	
PVC insulated multi stranded single core copper conductor	
FRLS wire in 25mm PVC conduit to be laid in floor, partitions,	
etc complete with all accessories. (for split AC units) -(from	
Stabilizer to IDU)Supply. (2 Nos for ATM), Stabilizer to be	
installed in the panel room.	
(b) Supply and fixing 25 Amp - 3 pin metal clad socket with plug Nos 2	
controlled by a 25 Amp SP MCB (for Ac wall mounted	
stabilizers) housed in manufacturers MS powder coated box to	
be concealed in wall including Wiring using 2R 4.0 sq mm &	
single run of 2.5 sq mm PVC insulated multi stranded single	
core copper conductor FRLS wire in 25mm PVC conduit to be	
laid in floor, partitions, etc complete with all accessories. (for	
split AC units) from AC DB to Stabilizer (2 Nos for ATM)         2       LAYING OF CABLE :	
insulated PVC sheated Alu. Conductor, 1100 v. grade armored	
cable complete with 02 nos 8 SWG bear GI wire as running	
earth .( Meter panel to Main Panel & Dgset to Main Panel )2.2End termination of 50mmsq 3.5 Core armored cable, completeNos5	
<b>2.2</b> End termination of 50mmsq 3.5 Core armored cable, completeNos5with brass cable gland, Alu. Lug, PVC tape.	
2.3- Do - 3.5 x 16 sq mm with 02 nos 8 SWG bear GI wire asMts30	
running earth for Light D.B.	
running earth. for Light D.B     24     Do = 35 x 25 sq mm th with 02 nos 8 SWG bear GL wire as     Mts     20	
<b>2.4</b> - Do - 3.5 x 25 sq mm th with 02 nos 8 SWG bear GI wire as Mts 20	
2.4- Do - 3.5 x 25 sq mm th with 02 nos 8 SWG bear GI wire as running earth. for POWER & A.C D.B , UPS & ATMMts20	
2.4- Do - 3.5 x 25 sq mm th with 02 nos 8 SWG bear GI wire as running earth. for POWER & A.C D.B , UPS & ATMMts202.5- Do - termination of 25 & 16 Sq mm 3.5 CoreNos8	
2.4- Do - 3.5 x 25 sq mm th with 02 nos 8 SWG bear GI wire as running earth. for POWER & A.C D.B , UPS & ATMMts202.5- Do - termination of 25 & 16 Sq mm 3.5 CoreNos83Outdoor type glow sign board wiring :-Image: Constant of the second secon	
2.4- Do - 3.5 x 25 sq mm th with 02 nos 8 SWG bear GI wire as running earth. for POWER & A.C D.B , UPS & ATMMts202.5- Do - termination of 25 & 16 Sq mm 3.5 CoreNos83Outdoor type glow sign board wiring :-Image: Control of the state of the sta	
2.4- Do - 3.5 x 25 sq mm th with 02 nos 8 SWG bear GI wire as running earth. for POWER & A.C D.B , UPS & ATMMts202.5- Do - termination of 25 & 16 Sq mm 3.5 CoreNos83Outdoor type glow sign board wiring :-Image: Control of the system of the	
2.4- Do - 3.5 x 25 sq mm th with 02 nos 8 SWG bear GI wire as running earth. for POWER & A.C D.B , UPS & ATMMts202.5- Do - termination of 25 & 16 Sq mm 3.5 CoreNos83Outdoor type glow sign board wiring :-3.1Supply, laying of main line with 2x2.5 +1x1.5 mm sq through MS conduit from main panel to glow sign board.Mts203.2Supply installation of 16 amps DP MCB at main entrance GlowSet1	
2.4- Do - 3.5 x 25 sq mm th with 02 nos 8 SWG bear GI wire as running earth. for POWER & A.C D.B , UPS & ATMMts202.5- Do - termination of 25 & 16 Sq mm 3.5 CoreNos83Outdoor type glow sign board wiring :-Image: Control of the system of the	
2.4- Do - 3.5 x 25 sq mm th with 02 nos 8 SWG bear GI wire as running earth. for POWER & A.C D.B , UPS & ATMMts202.5- Do - termination of 25 & 16 Sq mm 3.5 CoreNos83Outdoor type glow sign board wiring :-Image: Control of the system of the	
2.4- Do - 3.5 x 25 sq mm th with 02 nos 8 SWG bear GI wire as running earth. for POWER & A.C D.B , UPS & ATMMts202.5- Do - termination of 25 & 16 Sq mm 3.5 CoreNos83Outdoor type glow sign board wiring :-Image: Control of the system of the	
2.4- Do - 3.5 x 25 sq mm th with 02 nos 8 SWG bear GI wire as running earth. for POWER & A.C D.B , UPS & ATMMts202.5- Do - termination of 25 & 16 Sq mm 3.5 CoreNos83Outdoor type glow sign board wiring :3.1Supply, laying of main line with 2x2.5 +1x1.5 mm sq through MS conduit from main panel to glow sign board.Mts203.2Supply installation of 16 amps DP MCB at main entrance Glow sign board & With Electronic timer as required.Set14EARTHING STATION :(i)Earthing installation as per I.E. rule conforming Supply, Installation, Testing and Commissioning ofSet2	
2.4- Do - 3.5 x 25 sq mm th with 02 nos 8 SWG bear GI wire as running earth. for POWER & A.C D.B , UPS & ATMMts202.5- Do - termination of 25 & 16 Sq mm 3.5 CoreNos83Outdoor type glow sign board wiring :3.1Supply, laying of main line with 2x2.5 +1x1.5 mm sq through MS conduit from main panel to glow sign board.Mts203.2Supply installation of 16 amps DP MCB at main entrance Glow sign board & With Electronic timer as required.Set14EARTHING STATION :(i)Earthing installation, Testing and Commissioning of Maintenance Free Earthing system made up of copper bondedSet2	
2.4- Do - 3.5 x 25 sq mm th with 02 nos 8 SWG bear GI wire as running earth. for POWER & A.C D.B , UPS & ATMMts202.5- Do - termination of 25 & 16 Sq mm 3.5 CoreNos83Outdoor type glow sign board wiring :-3.1Supply, laying of main line with 2x2.5 +1x1.5 mm sq through MS conduit from main panel to glow sign board.Mts203.2Supply installation of 16 amps DP MCB at main entrance Glow sign board & With Electronic timer as required.Set14EARTHING STATION :(i)Earthing installation, Testing and Commissioning of Maintenance Free Earthing system made up of copper bonded rod of 10 feet length, 23 mm dia. (Minimum copper bondingSet2	
2.4- Do - 3.5 x 25 sq mm th with 02 nos 8 SWG bear GI wire as running earth. for POWER & A.C D.B , UPS & ATMMts202.5- Do - termination of 25 & 16 Sq mm 3.5 CoreNos83Outdoor type glow sign board wiring :3.1Supply, laying of main line with 2x2.5 +1x1.5 mm sq through MS conduit from main panel to glow sign board.Mts203.2Supply installation of 16 amps DP MCB at main entrance Glow sign board & With Electronic timer as required.Set14EARTHING STATION :(i)Earthing installation, Testing and Commissioning of Maintenance Free Earthing system made up of copper bonded rod of 10 feet length, 23 mm dia. (Minimum copper bonding shall be 0.25mm) along with Rod-to Conductor connectors,Set1	
2.4- Do - 3.5 x 25 sq mm th with 02 nos 8 SWG bear GI wire as running earth. for POWER & A.C D.B, UPS & ATM202.5- Do - termination of 25 & 16 Sq mm 3.5 CoreNos83Outdoor type glow sign board wiring :3.1Supply, laying of main line with 2x2.5 +1x1.5 mm sq through MS conduit from main panel to glow sign board.Mts203.2Supply installation of 16 amps DP MCB at main entrance Glow sign board & With Electronic timer as required.Set14EARTHING STATION :(i)Earthing installation, Testing and Commissioning of Maintenance Free Earthing system made up of copper bonded rod of 10 feet length, 23 mm dia. (Minimum copper bonding shall be 0.25mm) along with Rod-to Conductor connectors, Earth enhancement material, Pit Cover and other accessoriesSet1	
2.4- Do - 3.5 x 25 sq mm th with 02 nos 8 SWG bear GI wire as running earth. for POWER & A.C D.B , UPS & ATMMts202.5- Do - termination of 25 & 16 Sq mm 3.5 CoreNos83Outdoor type glow sign board wiring :-Nos83.1Supply, laying of main line with 2x2.5 +1x1.5 mm sq through MS conduit from main panel to glow sign board.Mts203.2Supply installation of 16 amps DP MCB at main entrance Glow sign board & With Electronic timer as required.Set14EARTHING STATION :Image: Conforming SetSet2(i)Earthing installation, Testing and Commissioning of Maintenance Free Earthing system made up of copper bonded rod of 10 feet length, 23 mm dia. (Minimum copper bonding shall be 0.25mm) along with Rod-to Conductor connectors, Earth enhancement material, Pit Cover and other accessories as required and as per specification and other applicableSet2	
2.4- Do - 3.5 x 25 sq mm th with 02 nos 8 SWG bear GI wire as running earth. for POWER & A.C D.B , UPS & ATMMts202.5- Do - termination of 25 & 16 Sq mm 3.5 CoreNos83Outdoor type glow sign board wiring :-Nos83.1Supply, laying of main line with 2x2.5 +1x1.5 mm sq through MS conduit from main panel to glow sign board.Mts203.2Supply installation of 16 amps DP MCB at main entrance Glow sign board & With Electronic timer as required.Set14EARTHING STATION :Image: Context of the system made up of copper bonded rod of 10 feet length, 23 mm dia. (Minimum copper bonding shall be 0.25mm) along with Rod-to Conductor connectors, Earth enhancement material, Pit Cover and other accessories as required and as per specification and other applicable codes (include chamber for earthing, Earthing certificate to beMts20	
2.4- Do - 3.5 x 25 sq mm th with 02 nos 8 SWG bear GI wire as running earth. for POWER & A.C D.B , UPS & ATM202.5- Do - termination of 25 & 16 Sq mm 3.5 CoreNos83Outdoor type glow sign board wiring :3.1Supply, laying of main line with 2x2.5 +1x1.5 mm sq through MS conduit from main panel to glow sign board.Mts203.2Supply installation of 16 amps DP MCB at main entrance Glow sign board & With Electronic timer as required.Set14EARTHING STATION :(i)Earthing installation, Testing and Commissioning of Maintenance Free Earthing system made up of copper bonded rod of 10 feet length, 23 mm dia. (Minimum copper bonding shall be 0.25mm) along with Rod-to Conductor connectors, Earth enhancement material, Pit Cover and other accessories as required and as per specification and other applicable codes (include chamber for earthing, Earthing certificate to be submitted along with the bill)	
2.4- Do - 3.5 x 25 sq mm th with 02 nos 8 SWG bear GI wire as running earth. for POWER & A.C D.B, UPS & ATMMts202.5- Do - termination of 25 & 16 Sq mm 3.5 CoreNos83Outdoor type glow sign board wiring :-Nos83.1Supply, laying of main line with 2x2.5 +1x1.5 mm sq through MS conduit from main panel to glow sign board.Mts203.2Supply installation of 16 amps DP MCB at main entrance Glow sign board & With Electronic timer as required.Set14EARTHING STATION :Image: Composition of the term of term	
2.4- Do - 3.5 x 25 sq mm th with 02 nos 8 SWG bear GI wire as running earth. for POWER & A.C D.B , UPS & ATM202.5- Do - termination of 25 & 16 Sq mm 3.5 CoreNos83Outdoor type glow sign board wiring :	
2.4- Do - 3.5 x 25 sq mm th with 02 nos 8 SWG bear GI wire as running earth. for POWER & A.C D.B, UPS & ATMMts202.5- Do - termination of 25 & 16 Sq mm 3.5 CoreNos83Outdoor type glow sign board wiring :-Nos83.1Supply, laying of main line with 2x2.5 +1x1.5 mm sq through MS conduit from main panel to glow sign board.Mts203.2Supply installation of 16 amps DP MCB at main entrance Glow sign board & With Electronic timer as required.Set14EARTHING STATION :Image: Composition of 10 feet length, 23 mm dia. (Minimum copper bonded rod of 10 feet length, 23 mm dia. (Minimum copper bonding shall be 0.25mm) along with Rod-to Conductor connectors, Earth enhancement material, Pit Cover and other accessories as required and as per specification and other applicable codes (include chamber for earthing, Earthing certificate to be submitted along with the bill).Xo20	



	🛕 इलाहाबाद ALLAHABAD			
	neutral link and making its connection from electronic meter			
	c/w wooden board etc.			
5.2	Main Panel (wall Mounted Type)			
	Supply & erection of 6way Electric panel made of 16 gauge M.S	Set	1	
	sheet with double coated painting consisting 3No (4x40)mm			
	copper strips of suitable length for 200 Amp current rating			
	with supply & erection of followings 1) 63Amp TPN switch			
	1No make HPI/ Havells/ standard with HRC fuses ll) 63 Amp			
	D.P change over switch 1No lll) 63A Rotary switch -1No lV)10			
	Amp SP MCB-6No v)Three phase indicator NOTE- Cost of			
	connection of 3 Phase energy meter is including in the job &			
-	All internal wiring in D.B Should be 10Sq mm wire.			
5.3	POWER DB & AC DB. Make standard/Legrand/ABB, Double			
	door		-	
	6 way TPN MCB DB with TP MCB as incoming		-	
	63 TP&N MCB as main			
	16Amps SP MCB - 8 Nos (Ac: 3 Nos + 2X6amp: 4Nos and 1Nos			
	spare ) +32AMPS SP X10 NOS. (Ac 3 Nos+15 Amp: 6 Nos, 1No			
	Spare) Including Neutral Bar. 01 Set	Set	1	
5.4	LIGHTING DB Make standard/Legrand/ABB	Set	1	
5.4	6 way TPN MCB DB with TP MCB as incoming			
	63A TP&N MCB as main			
	32 AMPS DB MCB 1No: For Strong room )			
	16 Amps SP MCB - 03 Nos.+ (BM +Toilet) each 1No + 1No			
	spare			
	12 Amps SP MCB - 12 Nos. (Hall - 4Nos + Store room 1 No +			
	External Lighting 1No.:+ Ups 1No + wall Fan 3 Nos.2 No spare)			
	Including Neutral Bar. 01 Set	Set	1	
6	UPS SYSTEM (Branch)			
6.1	UPS Main DB Supply, erection, testing and commissioning of	Nos	1	
	three phase 4 WAY, TPN MCB DB double door type with "C"			
	Curve MCBs, IP 42 powder coated for UPS with 63A 4P MCBs –			
	1No as INCOMER 32A TP MCBs – 3 Nos. as OUTGOING (UPS			
	:2Nos and 1 set ,: Spare Including all interconnections &			
6.0	accessories etc Make standard/Legrand/ABB			
6.2	Supply & Fixing of 32A DP MCB in 2way SPN Db IP 20 metallic	Nos	2	
	directly on wall Raw power Incoming & Outgoing supply for			
62	UPS (Branch : 2 Nos & ATM 1No.)			
6.3	UPS DB-1 & 2 combined 12 Way SPN MCB DB with 'C" curve MCBs. Incoming: 2 No.	Nos	1	
	40A DP MCB Outgoing: 8 Nos 6/10A (BM: 1+1 Nos with	NUS	L	
	lighting : Server & Data Rack (1+1) Nos: C.C 2Nos with lighting			
	:counter :2 Nos) SPO MCBs Make standard/Legrand/ABB.			
	Respective UPS lighting to be connected.(BM, C.C, Banking hall			
	2Nos) or as per SLD			
6.4	Supply and installation of modular type 3 nos 6A multi pin	Nos	4.00	
	sockets with 2 nos 6A one way switch with indicator housed in			
	MS box to be fixed in partitions or concealed in wall. The box			
	shall be painted with 2 coats of enamel paint over a coat of red			
	oxide primer including making connections complete the rate			
	inclusive of Supplying and running of 3 runs of 2.5 sq.mm UPS			
	DB's to individual power station through. (looping 2 sets of			
	3X6 A socket outlet in one circuit / or as per SLD the following			



🛕 इलाहाबाद

Indian Bank

	size of 660 volts grade, Finolex brand PVC insulated wire (For UPS point only).(For B.M, C.C, Server each 2Nos.) +5 Nos for Counter + Rack 1Nos)				
6.5	Supply & Laying of 4 runs of 6.0 Sq mm and 2 runs of 2.5 sq mm, PVC insulated, single core, multi-stranded copper conductor cable in suitable rigid / flexible metal conduit from Main UPS DB to auto phase shifter.	mtr	10		
6.6	Supply, installation, testing and commissioning of 40A rated 3 phase to single phase auto phase shifter for 3.0 KVA UPS (SLHD of Swift make)	Nos	2.00		
6.7	Supply & Laying of 2 runs of 6.0 Sq mm and 1 run of 2.5 sq mm, PVC insulated, single core, multi-stranded copper conductor cable in suitable rigid PVC conduit from auto-match phase shifter to UPS unit	mtr	10		
6.8	Supply and Installation of Moduler type 2 X 20A plugs & socket housed in for UPS output control (Branch 2 Nos & ATM 1No.)	Nos	2.00		
6.9	Supply & Laying of 2 runs of 4.0 Sq mm and 1 run of 2.5 sq mm, PVC insulated, single core, multi-stranded copper conductor cable in suitable rigid / flexible metal conduit from 3 KVA UPS to UPS DB	mtr	10		
8	ELECTRICAL FITTINGS (S/I/T/C)				
8.1	Supply and Installation Recess mounted 2'-0"X2'-0" watt, 38 W LED FULL GLOW Philips MAKE . Light should be fixed through SS threaded bolt tighted the upper end on ceiling using anchor bolt and lower end on Light fitting with nut and bolt (RC380B G2 LED35S-6500/4000 PSU OD WH)PHILIPS/WIPRO MAKE (ATM 2 No)	Nos.	6		
8.3	SQUARE SHAPE DOWNLIGHTER - INTEGRA 15W, 3000K, LHEBGTP5Z1W015, PHILIPS Razor/WIPRO MAKE (ATM 2NOS)	Nos.	23		
8.4	TUBELIGHT - LED TUBELIGHT 36 W, PHILIPS/WIPRO MAKE. ATM 1 No	Nos	4		
8.5	HANGING LIGHT - LHECDOL5PW1W040 (40WATTS), PHILIPS/WIPRO MAKE	NOS.	2		
8.6	150 mm dia Heavy Duty Exhaust fan 230 volt A.C .(Havells / Crompton make).(UPS & Toilet )	Nos	3		
8.7	M.S body frame Wall mounting fan 450 mm dia 230 volt A.C. PHILIPS/WIPRO MAKE	Nos.	4		
8.8	Supply of Ceiling fan with 1200mm sweep, double ball bearing motor, capacitor, three MS blades die cast Al housing in stove enameled white with, suspension rod including all accessories of approved make. (5 star rated) (ORIENT/KHAITAN). (UPS, Strong room & Store room) TOTAL FOR ELECTRICAL WORK (B)	Nos.	1		
	I U I AL FUK ELEC I KICAL WUKK (D)	1	I	I	



🛕 इलाहाबाद

С	SCHEDULE - 'C' (LAN & TELEPHONE WORK )				
S.NO.	DESCRIPTION	UNIT	QTY.	RATE	AMOUNT
1.0	TELEPHONE SYSTEM		, T		
1.1	Wiring for telephone points with 2 pair 4/5 pair .51mm dia ATC (annealed tinned Cu wire) with PVC insulated PVC sheathed telephone cable from tag block to the point including providing ferrules at both ends and termination at both ends including providing & fixing RJ 11 outlet, faceplate and mounting box complete of modular type 9 where 2 such points are shown, 2 such wires shall be provided) This work includes providing PVC conduits in chases from the raceway to the point. (1 each for branch manager, C.C. P. officer & Clerck). separate IO box to be provided for Telephone	Nos.	2		
1.2	Supplying, laying effecting terminations, testing and commissioning of 0.51mm dia Cu. Conductor, twisted, color coded with polythene capor barrier, telephone cables in the existing tray or in conduit including providing & fixing conduit pipe or cable tray as required from building tag block to the floor as required.				
а	0.5mm, 5 pair armored telephone cable from telephone connection in the premises to the crone box.	rmt	10		
b	Supplying & fixing 20 pair krone tag block with enclosure.	Nos.	1		
2.0	DATA SYSTEM - CONDUITING & CABLING				
2.2	Wiring for computer networking from I/O hub to computer workstation with UTP Cat-6 computer cable including providing ferrules at both ends and termination at both ends including providing & fixing frame for with shutter, RJ 45 outlet, faceplate and mounting box complete of modular type, This work includes providing PVC conduits (1/2", 3/4" size or as required0 in chases from the I/O hub to the point. The cost includes testing, commissioning etc complete. Note: Do not run more than 3 wires in single pipe & should be concealed. ( Server, BM, CC & ATM each 2Nos and counter 5Nos)	Nos.	5		
2.3	Supply of Cat - 6 D-Link patch cord 7' 0" (ATM 1No)	Nos.	5		
2.4	Supply of Cat - 6 D-Link patch cord 3' 0"(ATM 2No)	Nos.	5		
2.5	Supply & fixing 24 Port Jack Panel Make:-D-Link	Nos.	1		
2.6	19" Rack 9U with Glass Door , Locking system Make: APW	Nos.	1		
2.7	24PORT 10/100Mbps Switch	Nos.	1		
	TOTAL FOR LAN & TELEPHONE (C)				

इंडियन बैंक 🔥

🛕 इलाहाबाद

ALLAHABAD

Indian Bank

	AIR CONDITIONING WORKS
1	All items of work under this Contract shall be executed strictly to fulfill the requirements laid down in the
	specifications. Type of equipment, material specification, methods of installation and testing and type of
	control shall be in accordance with the specifications, approved shop drawings and the relevant Indian
	Standards, however capacity of each component and their quantities shall be such as to fulfill the above
	mentioned requirement. The basis of the design to be submitted by contractor for approval by Bank.
2	The rate for each item of work included in the Schedule of Quantities shall, unless expressly stated
	otherwise, include cost of:
	a) All materials, fixing materials, accessories, appliances tools, plants, equipment, transport, labour and
	incidentals required in preparation for and in the full and entire execution, testing, balancing,
	commissioning and completion of work called for in the item and as per Specifications and Drawings.
	b) Wastage on materials and labor.
	c) Loading, transporting, unloading, handling/double handling, hoisting to all levels, setting, fitting and
	fixing in position, protecting, disposal of debris and all other labor necessary in and for the full and entire
	execution and for the job in accordance with the contract documents, good practice and recognize
	principles.
	d) Liabilities, obligations and risks arising out of Conditions of Contract.
	e) All requirements of Specifications, whether such requirements are mentioned in the item or not. The
	Specifications where available, are to be read as complimentary to and part of the Schedule of Quantities
	and any work called for in one shall be taken as required for all.
	f) In the event of conflict between Schedule of Quantities and other documents including the Specifications
	and approved basis of design, the most stringent shall apply. The interpretation of the Bank shall be final
	and binding.
3	All equipment, quantities and technical data indicated in this Schedule are for the Contractor's guidance
	only. This schedule must be read in conjunction with other documents and site conditions. The Contractor
	shall be paid for the actual quantity of work executed by him in accordance with the approved Shop
	Drawings & Basis of Design at the contract rates.
4	This Schedule shall be fully priced and the extensions and totals duly checked. The rates for all items shall
	be filled in INR including NIL items.
5	No alteration whatsoever is to be made to the text or quantities of this Schedule unless such alteration is
	authorized in writing by Services Consultant. Any such alterations, notes or additions shall, unless
	authorized in writing, be disregarded when bid documents are considered.
6	The Contractor shall procure and bring Materials/Equipment to the site only on the basis of site conditions
	and not on the basis of Schedule of Quantities which are approximate only. This also applies to the
	Contractor's requisition for Owner supplied materials.
7	The unit rate for all local equipment or materials in Indian Rupees shall include cost of equipment and
	materials including all taxes and duties and also including forwarding, freight, insurance and transport into
	Contractor's store at site, storage, installation, testing, balancing, commissioning and other works required.
8	The Contractor / Vendor are free to make site visit to ascertain the working conditions and other relevant
	site feasibility/feature
9	One year (12 months) on site Comprehensive Warranty (DLP) for complete work from the date
	Of acceptance by Bank.

D- AIR	CONDITIONING WORK				
S.NO.	DESCRIPTION	UNIT	QTY.	RATE	AMT
	(AIR CONDITIONING WORK)				
1	Supplying, installation, testing and commissioning of 3-Star rated as per 2024 version Hi-wall split air conditioner of following capacity with On Off Timer along with wireless remote controller including providing and laying the standard length of 5 m copper, electrical and 25mm dia heavy duty PVC drain piping with all necessary fittings duly insulated with				

इंडियन बैंक

🛕 इलाहाबाद

e.

	9mm thick nitrile rubber pipe insulation including Initial refrigerant charge suitable for 5 Mtrs distance between IDU and ODU along with drilling the holes and packing and making good the damaged surfaces good comprising and 5 mtr			
	Condenstate drain pipe as specified spec of the following:-			
	i) Indoor unit consisting of evaporator coil, blower fan with motor, filters, insulated drain pan control panel with cabling between control panels and units etc			
2	ii) Outdoor unit consisting of hermatically sealed Rotary Compressor to operate on 230 V, Single Phase, 50 Hz AC Supply, Anti Corrosive Coated Condensor Coil with fan and motor, interconnecting refrigeration piping, starters/ controls/ cutouts/ relays etc., mounted inside a powder coated sheet metal cabinet duly treated for corrosion protection the rate included interconnecting cable from indoor unit to outdoor unit (APPROVED BRAND :DAIKIN, BLUE STAR, CARRIER, HITACHI, O GENERAL)			
В	3-Star rated Hi-wall split air conditioner of 1.5 TR capacity *blue Star/Hitachi/Carrier	Each	2	
	МАКЕ			
	MODEL			
	WARRANTY			
С	3-Star rated Hi-wall split air conditioner of 1.0 TR capacity	Each	0	
2	Charges for providing additional copper pipes (one circuit) for the above split units with necessary insulation and with adequate PVC insulated copper wire from indoor to outdoor units concealed and taken through beyond the standard 5 mtr length.	Rmt	20	
3	Charges for providing additional 25 mm dia heavy duty PVC drain piping with all necessary fittings duly insulated with 9mm thick nitrile rubber pipe insulation drain pipe concealed / surface mounted and taken through wall / partition beyond the standard 5m length for the above split units.	Rmt	20	
4	Supply, installation, testing and commissioning of wall mounting 4KVA stabilizers for 1.5Tr & 1.0Tr Hi-Wall Split Air Conditioning units with input voltage range of 170-270 Volts and output 220 +/- 10% as required.	Each	2	
6	Providing and fixing standard powder coated support brackets & including grille gauge with locking arrangement for the above split / cassette units including fasteners and other accessories as required.			
а	For split air conditioner	Each	2	
7	Supplying and fixing 0-24 hrs electronic timer with 2nos 25A SP MCBs, 2 nos 25A TP contactors completely wired housed in a suitable powder coated enclosure with hinged door and mounted on wall with all interconnections. (for ac units in System Room)	No	2	
8	Supplying, installation, testing and commissioning of CASSETTE type split air conditioner of 2 TR capacity ,with 3star rated as per 2024 with On Off Timer along with wireless remote controller including Initial refrigerant charge suitable	Each	0	

इंडियन बैंक

Indian Bank

🛕 इलाहाबाद

(J.) |}

ALLAHABAD


	ରୁ କ୍ଲୋହାସ ALLAHABAD			
	<ul> <li>for 5 Mtrs distance between IDU and ODU along with drilling the holes and packing and making good the damaged surfaces and min 5 mtr Condenstate drain pipe as specified spec (2nos in Banking Hall) comprising of the following:- Min 3 star rated as per 2024</li> <li>i) Indoor unit consisting of evaporator coil, BLDC Fan Motor,</li> </ul>			
	filters, insulated drain pan, drain pump, One motor per vane in Indoor unit to control each of the four vanes independently, etc			
	ii) Outdoor unit consisting of hermatically sealed Rotary Compressor to operate on 230 V, Single Phase, 50 Hz AC Supply, Anti Corrosive Coated Condensor Coil with fan and motor, interconnecting refrigeration piping, starters/ controls/ cutouts/ relays, etc., mounted inside a powder coated sheet metal cabinet duly treated for corrosion protection the rate included interconnecting cable from indoor unit to outdoor unit (APPROVED BRAND :DAIKIN, BLUE STAR, CARRIER, HITTACHI, O GENERAL)			
9	Supply and installation of Liquid and Gas Hot Line Copper tubing, thermal insulation of Copper Pipes, Condenser fan Cabling, earthing, clamping, control cabling if any, between IDU & ODU of CCDS units.(beyond 5 meter)	Rmt	0	
10	Providing and laying 25 mm dia heavy duty hard drain piping for all Cassette type split air-conditioners with all necessary fittings, accessories and supports including insulating the drain pipe properly with closed cell elastometric Nitrile rubber / EPS section.(beyond 5 meter)	Rmt	0	
	TOTAL FOR AIR CONDITIONING (D) GRAND TOTAL-B+C+D			

Place:

Signature & Seal of the Tenderer

Date:






PROJECT

इंडियन बैंक



💪 इलाहाबाद





· se

🛕 इलाहाबाद

