

91, Pennagaram Road DDDC Building Dharmapuri (TN) PIN – 636701

Email: zodharmapuri@indianbank.co.in PH.No (04343) 232108,233108

## **INVITATION OF TENDER**

# RATE CONTRACT FOR NEW INSTALLATION, REPAIR AND MAINTENANCE OF FIRE ALARM SYSTEM, BURGLAR ALARM SYSTEM AND CCTV SYSTEM

(INCLUDING MAINTENANCE OF EXISTING FIRE ALARM SYSTEM, BUGLAR ALARM SYSTEM AND CCTV SYSTEMS)
FOR THE INDIAN BANK OFFICES/BRANCHES INCLUDING ATM SITE UNDER DHARMAPURI ZONE

Tender Documents Availability: 10<sup>th</sup> Sep 2024

Last Date of Tender Submission: 03.00 PM on 30<sup>th</sup> Sep 2024 Date of Technical Bid Opening : 04.00 PM on 30<sup>th</sup> Sep 2024

Date of Financial Bid Opening : Will be intimated to the eligible vendors by email

Cost of Tender Documents : FREE OF COST

EMD : NIL



## **SCHEDULE OF EVENTS**

Tender Bid Document Availability	Bidding document can be downloaded from
Toristo Bia Bodament Wandshity	website www.indianbank.in from 10 <sup>th</sup> Sep 2024
Duo leial Overe	
Pre-bid Query	Up to 27 <sup>th</sup> Sep 2024 from 3 PM to 4 PM either
	telephonically or at Indian Bank Zonal Office
	Dharmapuri on bank working days
Last date and time of submission of Bids	30 <sup>th</sup> Sep 2024- 03.00 PM
Opening of Technical Bids	30 <sup>th</sup> Sep 2024- 04.00 PM
	Bidders may depute authorized representatives
	during the opening of Technical Bids. However
	Technical Bids would be opened even in the
	absence of any or all of the Bidders
	representatives.
Contact Official	Zonal Security Officer
Address for communication and submission of	Indian Bank Zonal Office , 91 Pennagaram Road,
bid	DDDC Building, Dharmapuri-636701
Telephone	(04343) 232108,233108
All correspondence relating to this Tender	zodharmapuri@indianbank.co.in
should be sent to email id	
Cost of the Tender Bid document	FREE OF COST
Earnest Money Deposit	NIL

## **IMPORTANT DEFINITIONS**

TERMS	DEFINITIONS
Bank	Indian bank
ZO	Indian Bank Zonal Office , 91 Pennagaram Road, DDDC Building, Dharmapuri-636701
Branch	Indian Bank branch (including ATM site, if available) under Zonal Office Dharmapuri
Vendor	Participating Company/ Firm/ Manufacturer/ Authorized dealer
OEM	Original Equipment Manufacturer
Tender	Tender, Bid documents
Bidder	A Firm/Company/OEM/Authorized dealer participating in TENDER
FAS	Fire Alarm System
BAS	Burglar Alarm System
NA	Not Applicable



#### **NOTICE INVITING TENDER**

Rate contract for new installation, repair and maintenance of Fire Alarm System, Burglar Alarm System and CCTV (Including maintenance of existing Fire Alarm System, Burglar Alarm System and CCTV)

#### INTRODUCTION

- 1. Indian Bank, Zonal Office, Dharmapuri, invites sealed quotations in two bid system for rate contract for new installation, repair and maintenance of Fire Alarm System (including maintenance of existing Fire Alarm System, Burglar Alarm System and CCTV) at branches/ offices under its jurisdiction comprising of 02 districts of Tamilnadu i.e.Dharmapuri and Krishnagiri from reputed firms/ Manufacturers/ Authorized dealers. The first bid shall be technical bid and the sealed envelope of Technical Bid shall contain the details of OEM, Acceptance of terms and conditions, and other eligibility conditions, etc. The second bid shall be financial bid and the sealed envelope of Financial Bid shall contain the price information of the product and services in prescribed format as per the annexure. Financial bids shall invariably be submitted in sealed envelope. Any financial bid found open for any reason shall make the bidder ineligible for participation.
- 2. India Bank, Zonal Office Dharmapuri has a network of 73 Branches, 03 Offices spread across two districts of Tamilnadu. The branches/ offices function directly under the Zonal office.

## **ELIGIBILITY CRITERIA**

- 3. The eligibility criteria for rate contract are given below and only those agencies that fulfill the following criteria are eligible to bid.
  - a) The prospective Vendor should be a registered company/ firm including manufacturers (OEMs as described in point no.7) or their authorized dealers, capable of providing Fire Alarm System, BURGLAR Alarm System and CCTV for New installation, repair and maintenance of Fire Alarm System, BURGLAR Alarm System and CCTV (including maintenance of existing Fire Alarm System, BURGLAR Alarm System and CCTV) and should be in business for at least 3 years.
  - b) The OEM/ its authorized dealers must have his own registered office with adequate technical manpower and material in Tamilnadu. Preference will be given to firms having offices in Krishnagiri/Dharmapuri districts. Proof for the same to be submitted like Lease Agreement/ Registration Certificate under Shops and Establishment Act. The Bank may inspect the facilities of the Manufacturer/ Firm/ Company/ Dealer/ Vendor to verify the genuineness and to ensure the conformity with the details given. (Details to be provided in format Annexure II).
  - c) There is no minimum limit to annual turnover. However, the prospective applicant/vendor should be in profit for last three years. (Relevant copies of Balance Sheets and IT return to be submitted).
  - d) The prospective applicant/vendor must be on panel of at least one Public Sector Banks and have at least one running contract. Performance report/ certificate of running contract for same to be enclosed.
  - e) The prospective applicant should have past/present experience in providing security equipment maintenance services to Indian Bank during last 03 years. Applicant should have adequate manpower to provide seamless service whenever required.
  - g) The Vendors should have valid PAN, GST registration number etc., allotted by competent authorities.
  - h) The prospective applicant/vendor should have requisite trade/manufacturing/factory license from appropriate authority (BIS).
  - i) The Company/ Firms/ Authorized dealer which participates in the Tender process shall only be eligible for rate contract and empanelment. **All existing empanelled vendors have to apply afresh.** Telephonic/ email intimation to prospective applicants for participating in TENDER will not be initiated from ZO, even to the existing vendors.



#### NATURE AND SCOPE OF WORK

- 4. New installation, repair and maintenance of CCTV, FAS and BAS (including maintenance of existing CCTV, FAS and BAS) at branches/ offices of Indian Bank, Dharmapuri Zone. Concerned Vendor will have to enter into an agreement (as per the format decided by the bank) with the Zone and shall start the work from the date of issuance of the work order. The work order for new installation, repair and maintenance of CCTV, FAS and BAS (including maintenance of existing CCTV, FAS and BAS) shall be placed by the Zone as per requirement basis.
  - a) Please note that the invitation of tender is for new installation, repair and maintenance of CCTV, FAS and BAS (including maintenance of existing CCTV, FAS and BAS) installed in all existing Branches & offices of the Zone. However, new installations are subject to requirement of Bank. Bank has discretion to revise the scope of work upward / downward as per its requirement.
  - b) It is to bring to the notice of prospective Applicants that they will be required to supply and replace newly installed components at their own cost during warranty period and the warranty period of each component has to be specified in the tender document.
  - c) The Vendor will maintain the data sheet of Fire Alarm System, Burglar Alarm System and CCTV of each branch/ office with details such as manufacturing date, date of installation, warranty valid upto, AMC carried out on, AMC due on, etc. A copy of the Branch / Office wise data sheet of CCTV, FAS and BAS (including maintenance of existing CCTV, FAS and BAS) to be provided to the Zonal Office as well as to the concerned Branch/office.
  - d) The Vendor must ensure quarterly AMC visit. There should be a gap of minimum 70 days between two AMC visits. During AMC Visit all preventive maintenance activities to be carried out and recorded in presence of Branch Manager/Officer in charge.
  - e) The vendor will follow the norms and procedures laid down for installation, repair and maintenance of CCTV, FAS and BAS (including maintenance of existing CCTV, FAS and BAS).
  - f) The vendor will carry defective components to his own workshop for repair only after taking written prior approval of the Branch Manager/Officer in charge.
  - g) The detail specification for new installation will be decided by the Zonal Office.
  - h) The vendor will impart training to staff members about operating procedure, system testing & tuning, playback, data retrieve, etc during the AMC visit.

## **APPLICATION FORM**

5. The application form to be filled and submitted as per Annexure I (Cover Letter) and Annexure II (Bidder Profile). The tender notice should be signed by authorized signatory on each page with official seal and enclosed along with the Application Documents.

## **RATE CONTRACT PROCESS**

6. The selection of Bidders for supply, new installation, repair and maintenance of CCTV, FAS and BAS (including maintenance of existing CCTV, FAS and BAS) shall be done in two bid format as under.

## a) PHASE I -TECHNICAL BID:

- i) Technical bid shall be submitted in a separate sealed envelope. It should be super scribed in bold "Technical Bid for New installation, repair and maintenance of CCTV, FAS and BAS (including maintenance of existing CCTV, FAS and BAS)".
- ii) Technical bid shall contain Annexure I (Application), Annexure II (Bidder profile) and Annexure III (Testimonials).
- iii) The Applications of the bidders (Annexure II) will be valid for 45 days from the date of opening of the same.



- iv) The selection/short listing of the applications so received will be done by carrying out evaluation and checking of various parameters/ criteria fixed by the bank.
- v) The technical bids shall be opened at 04.00 PM on 30<sup>th</sup> Sep 2024, or on any suitable date as decided by the bank's committee for the purpose. If any change in the date will be published in this website.
- vi) An undertaking that firm is capable of undertaking installation, repair and maintenance of CCTV, FAS and BAS (including maintenance of existing CCTV, FAS and BAS) work in rural and far away areas where majority of bank's branches are located (To be enclosed with Technical Bids).

## b) PHASE II - FINANCIAL BID

- i) Financial bid shall be submitted in a separate sealed envelope. It should be super scribed in bold "Financial Bid for New installation, repair and maintenance of CCTV, FAS and BAS (including maintenance of existing CCTV, FAS and BAS)".
- ii) Financial bids of only technically qualified short listed bidders will be opened. Bank's evaluation of the financial bids will take into account the status of compliance of terms and conditions.
- iii) The Financial Bid should contain all relevant rates and charges (Service Charge / Installation Charge), taxes and the rates should be quoted in Indian Rupees only.
- iv) The Bank may select multiple vendors for entering into rate contract and becoming L1 is not the only criteria. Applicants to note that these rates quoted will not be changed for next three years under any circumstances, refer 15 (i).
- v) Weightages will be given to every components depending up frequency of its failure/life (example: an applicant might quote least for the components which has lower failure rates and quote higher rates for components having higher failure rates)
- c) Interested Bidders may arrange to submit their application duly complete in all respects in a sealed envelope cover superscripted "Application for New Installation, repair and maintenance of CCTV, FAS and BAS (including maintenance of existing CCTV, FAS and BAS) " and this envelope should contain two separate envelopes superscripted as details below:

Envelope 1: Technical Bid Envelope 2: Financial Bid

And, it should reach on or before 03.00 PM on 30th Sep 2024, at the following address:

The Assistant General Manager, 91, Pennagaram Road DDDC Building Tamilnadu - 636701

## PERFORMANCE AND PRODUCT CERTIFICATION:

- 7. The Bidders should have the following product certification and other criteria:-
- a) **Product Certification:** The products of the Bidder must have certification of quality given by the Bureau of Indian Standard (BIS) and acceptable to Bank. The products should be based on latest technology for the specific requirement.
- b) **OEM Certificate:** The Bidder should have OEM certificate along with confirmation that they would supply spare parts for the quoted components for a period of 5 years from the date of installation.
  - i) OEM should be ISO 9001 certified.
  - ii) Documents of Manufacturing license/ Registration of the OEM factory need to be submitted for verification.
  - iii) Product Certification copies to be attached as per the BIS specifications.
  - v) The firm should produce authorization from OEM for its offered makes in original.
  - vi) Multiple brand Techno-commercial bids from single bidder will be rejected.
  - vii) Serial number & IS certificate of products to be provided by the OEM.



- viii) Audit for Banks, whether actual material is provided or not, needs to be done by OEM as and when required by Bank without any additional cost.
- c) Past Record: The Bidder or their entities should not have been blacklisted by any PSU/PSB/Government Organization in past 3 years and undertaking in this regard to be submitted.
  - i) Bidders A/c should not be classified as NPA by any bank. A self- declaration in this regards to be submitted by bidder along with Bid Documents.

## **PAYMENT TERMS**

- 8. No advance payment shall be made against purchase order
  - i) Payments shall be made after delivery & installation of new CCTV/FAS/BAS at per site Basis. The payment shall be made against delivery challans and invoices and commissioning report duly signed by the Branch Manager.
  - ii) The vendor empanelled to have a Bank Account with Indian Bank for operational convenience.
  - iii) The Annual Maintenance Charges shall be paid once in three months subject to satisfactory maintenance for the previous three months. Vendors failing to render requisite maintenance service visits shall be paid only on the pro rata Basis for the number of mandatory service visits.
  - iv) All Annual Maintenance Charges shall be paid from Zonal Office only.
  - v) All other terms and conditions are spelt out in the Terms and conditions attached to this tender.

## **TERMS & CONDITIONS OF CONTRACT (TCC)**

- 9. Indian Bank's Right to Accept/ Reject any/or all Application:
  - i) Indian Bank reserves the right to accept/ reject any or all application and to annul the rate contract process and accept/ reject all applications at any time prior to TENDER process or any time after TENDER process, without thereby incurring any liability to the affected Bidders or any obligation to inform the affected Bidders of the grounds for Indian Bank action.
  - ii) Indian Bank's Right to Split the Service Area Work: Indian Bank reserves the right to split and distribute the work among the participating Bidders partly or fully amongst the bidders agreeing at lowest quoted rates. Indian bank reserves the Right to Issue Clarifications, Addendums, and Corrigendum etc.
  - iii) Discrepancies or omission, if found by any bidder, in the terms & conditions of the tender document, or if any clarification is sought by the bidder, a written request, to the application inviting authority, for correction / clarification or interpretation can be submitted up to 4.00PM, 23<sup>rd</sup> Aug 2024 at <a href="mailto:zodharmapuri@indianbank.co.in">zodharmapuri@indianbank.co.in</a>. Indian Bank can at any time issue clarifications, addendums or corrigendum. The same will be published in the bank's website. The Bidders are advised to regularly visit the Bank's website.

## CONDITIONS FOR APPLICATION REJECTION/ CANCELLATION:

- 10. Bidder's application for rate contract or the registration after rate contract of Bidder may be rejected / cancelled on the following grounds:
  - i) Any effort by4 Bidder/applicant to influence Indian Bank's decisions on evaluation and registration process may result in rejection of application or cancellation of registration.
  - ii) Conditional applications will not be considered and will be rejected summarily.
  - iii) Submission of false/fake Application Documents or if the information provided by the Bidder is found to be incorrect/misleading at any stage / time during the rate contract process or thereafter.
  - iii) Applications received by Indian Bank after the last date and time prescribed for receipt of application or applications without signature of person(s) duly authorized on required pages of the application or applications without power of authorization and any other document consisting of adequate proof of the ability of the signatory to bind the Bidder shall be rejected.



- iv) The selection/ short listing of the applications so received will be done by carrying out evaluation and checking of various parameters/ criteria fixed by the bank.
- v) The technical bids shall be opened at 04.00 PM on 30<sup>th</sup> Sep 2024, or on any suitable date as decided by the bank's committee for the purpose. If any change in the date will be published in this website.
- vi) An undertaking that firm is capable of undertaking installation, repair and maintenance of CCTV, FAS and BAS (including maintenance of existing CCTV, FAS and BAS) work in rural and far away areas where majority of bank's branches are located (To be enclosed with Technical Bids).

## b) PHASE II - FINANCIAL BID

- i) Financial bid shall be submitted in a separate sealed envelope. It should be super scribed in bold "Financial Bid for New installation, repair and maintenance of CCTV, FAS and BAS (including maintenance of existing CCTV, FAS and BAS)".
- ii) Financial bids of only technically qualified short listed bidders will be opened. Bank's evaluation of the financial bids will take into account the status of compliance of terms and conditions.
- iii) The Financial Bid should contain all relevant rates and charges (Service Charge / Installation Charge), taxes and the rates should be quoted in Indian Rupees only.
- iv) The Bank may select multiple vendors for entering into rate contract and becoming L1 is not the only criteria. Applicants to note that these rates quoted will not be changed for next three years under any circumstances, refer 15 (i).
- v) Weightages will be given to every components depending up frequency of its failure/life (example: an applicant might quote least for the components which has lower failure rates and quote higher rates for components having higher failure rates)
- c) Interested Bidders may arrange to submit their application duly complete in all respects in a sealed envelope cover superscripted "Application for New Installation, repair and maintenance of CCTV, FAS and BAS (including maintenance of existing CCTV, FAS and BAS) " and this envelope should contain two separate envelopes superscripted as details below:

Envelope 1: Technical Bid Envelope 2: Financial Bid

And, it should reach on or before 03.00 PM on 30<sup>th</sup> Sep 2024, at the following address:

The Assistant General Manager, 91, Pennagaram Road DDDC Building Tamilnadu - 636701

## PERFORMANCE AND PRODUCT CERTIFICATION:

- 7. The Bidders should have the following product certification and other criteria:-
- a) **Product Certification:** The products of the Bidder must have certification of quality given by the Bureau of Indian Standard (BIS) and acceptable to Bank. The products should be based on latest technology for the specific requirement.
- b) **OEM Certificate:** The Bidder should have OEM certificate along with confirmation that they would supply spare parts for the quoted components for a period of 5 years from the date of installation.
  - i) OEM should be ISO 9001 certified.
  - ii) Documents of Manufacturing license/ Registration of the OEM factory need to be submitted for verification.
  - iii) Product Certification copies to be attached as per the BIS specifications.
  - v) The firm should produce authorization from OEM for its offered makes in original.
  - vi) Multiple brand Techno-commercial bids from single bidder will be rejected.
  - vii) Serial number & IS certificate of products to be provided by the OEM.



i was kacama

- iv) Malpractice / attempt to influence / Manipulation of rates at Zonal level by itself or by cartelization shall be viewed very seriously. If such a situation comes to the notice and/ or there are reasons/ circumstances for Indian Bank to believe so, the concerned Bidder will be called in to give justification of rates quoted by them to the Zonal Office. If they are not able to give a proper/ satisfactory justification of their quoted rates, their rate contract / enlistments are liable to be cancelled.
- v) If the Bidders are found, subsequent to their registration, not complying with, any of the eligibility criteria.
- vi) If the performance and services of the bidder have been found poor or sub-standard.
- vii) If it is found that false/amplified/manipulated bill(s) raised by vendor.
- viii) Any other grounds as decided by Indian Bank management after due diligence.

#### MONITORING OF PERFORMANCE AND OTHER CONDITIONS:

- 11. The Bidder's performance on the job will be constantly monitored for quality, adherence to the Safety Regulations, Labour / Statutory regulations, Conduct / Discipline etc, while executing jobs. Any deviations from stated conditions can lead to appropriate deterrent action as deemed fit by Indian Bank.
  - i) Indian Bank reserves the exclusive right and absolute discretion to call for tenders for any job or otherwise as deemed fit from open market, even during the validity of the rate contract period.
  - ii) Successful rate contract by Indian Bank is no guarantee of any future award of work or inclusion on a particular tender list.

#### **EMD AMOUNT:**

12. As a goodwill gesture towards prospective applicants, the Indian Bank Zonal Office Dharmapuri has waived off the Earnest Money Deposit for this rate contract tendering process.

#### JURISDICTION AND GOVERNING LAW:

13. All disputes or differences whatsoever arising between the parties out of or in relation to the construction/ meaning and operation or effect of this rate contract document or breach thereof shall be settled amicably. If, however, the parties are not able to solve it amicably the same shall be settled by arbitration in accordance with the Arbitration and Conciliation Act 1996 (with latest amendments) and the award made in pursuance thereof shall be binding on the parties. The Arbitrator/Arbitrators shall give a reasoned award. Any appeal will be subject to exclusive jurisdiction of courts at Dharmapuri.

## LIQUIDATED DAMAGES:

14. Any delay in completion of the work over the stipulated period will attract penalty of 0.5% of the contract value (site Basis) per week subject to maximum of 10% of the contract value. The Bank reserves its right to recover this amount by any mode, which includes adjusting from any payment to be made by the Bank to the Vendor.

## **VALIDITY PERIOD:**

- 15. The successful Bidders/ Firms/ Vendors will remain in the list of the Bank for **three year** from the date of contract or till the completion of next contract period at the Bank's own discretion (whichever is earlier).
  - i) The Rate contract will be valid for (03) three year. On successful completion of one year, renewal for second year will be subject to the satisfactory performance and review by Security Department. Revision of rates during the contract period will not be entertained by Bank apart from cost escalation due to revision of government taxes import duties and minimum wages act (Central) subject to submission of proof.



- ii) Contract will be valid only, if all eligibility criteria mentioned in the Tender Notice are fulfilled during the entire contract period.
- iii) If the service provided by bidder is found to be poor and unsatisfactory or if at any point of time during the Tender process it is found that the information provided by bidder is false, the Bank reserves the right to cancel the contract. Bank's decision in this regard will be final.

#### BANK'S DISCRETION:

- 16) Bank reserves the right to reject an offer under any of the following circumstances:
  - i) Incomplete offer and/or all documents not attached.
  - ii) Offer is not in conformity with the terms and conditions stipulated in this document.
  - iii) Specifications stipulated in TENDER are not met with.
  - iv) If Financial Bid and Technical Bid are not submitted in sealed envelope separately.
  - v) Financial Bid format differs from actual Financial Bid format of Annexure IV.
  - vi) Violates any terms and conditions in the TENDER document.
  - vii) If found that the information provided in the offer is false.

#### **EVALUATION CRITERIA**

#### 17. Technical Bids:

- i) The Technical Bid should be complete in all respects and contain all information asked for in this document. It should not contain any price information.
- ii) The Technical Bid must be submitted in an organized, numbered and structured manner (spiral binding will be appreciated). No brochures/ leaflets etc should be submitted in loose form.
- iii) Technical bid should contain all testimonials as mentioned in previous section of this TENDER document.
- iv) Bank will evaluate the technical bid considering the technical and functional parameters of bidder and evaluation matrix decided by bank.

## 18. Commercial Bids:

- i) Commercial bids of only technically qualified short listed bidders will be opened. Bank's evaluation of the commercial bids will take into account the status of compliance of terms and conditions. The Price Bid should contain all relevant rates and charges (Service charge / installation Charge) and the rates should be quoted in Indian Rupees only.
- ii) Cost economics of the tender will be decided on the Basis of Total Cost of Equipment/cost of components having low MTBF/ services as enumerated in Annexure-IV.
- iii) Rates of equipment/services will be arrived individually based on commercial bids received, one or more bidders, restricted to maximum of 02 bidders, will be called to match rates arrived at and contract will be awarded for Branches/Offices allotted to them.

#### **PATENTS RIGHTS**

- 19. The Vendor shall indemnify the purchaser against all third party claims on infringement of patent, trademark or industrial design rights arising from use of the Goods, or any part thereof in India.
  - i) The vendor shall, at their own expense, defend and indemnify the Bank against all third party claims of infringement of intellectual Property Right, including Patent, trademark, copyright, trade secret or any part thereof in India or abroad.
  - ii) The Vendor shall expeditiously extinguish any such claims and shall have full rights to defend it there from. If the Bank is required to pay compensation to a third party resulting from such infringement, the Vendor shall be fully responsible for, including all expenses and court and legal fees.



- iii) The Bank will give notice to the Vendor of any such claim without delay, provide reasonable assistance to the Vendor in disposing of the claim, and shall at no time admit to any liability for or express any Intent to settle the claim.
- iv) The Vendor shall grant to the Bank a fully paid-up, irrevocable, non- exclusive license throughout the territory of India or abroad to access, replicate and use software (and other software items) if any, provided by the Vendor, including-all inventions, designs and marks embodied therein in perpetuity.

## **TERMINATION FOR INSOLVENCY**

20. The Bank may at any time terminate the Contract by giving written notice to the Bidder, if the Bidder becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the Bidder.

## LIABILITY

- 21. Bidder's aggregate liability under the contract shall apply to third party claims for bodily injury/ electric shock (including death) and damage to real property (due to malfunction of equipment) and tangible personal property caused by bidder's gross negligence/ lapse or due to below standard equipment used by Bidder.
  - i) The Bidder shall be liable for any indirect, consequential, or special damages due to malfunction of the security equipment under the agreement / purchase order.

## **WARRANTY**

- 22. The offer must include on-site warranty of at least one year or as offered by the OEM but not less than one year from the date of installation and replacement of components however there should not be any additional cost for the warranty period.
  - i) Vendor shall be fully responsible for the manufacturer's warranty in respect of proper design, quality and workmanship of all equipment, accessories, etc., covered by the offer.
  - ii) The Vendor must warrant all equipment, accessories, spare parts etc, against any manufacturing defects during the warranty period.
  - iii) During the warranty period the Vendor shall maintain the equipment and repair / replace all the defective components at the installed site at no additional charge of whatsoever nature to the Bank.

## **DELIVERABLES & TIMELINES**

23. The Vendor should ensure that the defects reported in the CCTV, FAS and BAS or its components, software, etc supplied to the Bank on any working day is set right within one day. The defect will be reported by the office/branch directly to vendor, may be in the form of oral, telephone, notice, email, or any other mean of communication. The vendor shall generate a complaint number for tracking the complaint status. In case, the system or any equipment cannot be repaired within the stipulated period, the Vendor should provide a replacement till the system/ equipment is returned duly repaired.

## **SPECIFICATION**

24. The detailed technical description is enumerated below. The specifications given are as per minimum requirement. Vendors can quote equivalent or higher technical specifications to meet the Bank's requirements. However, no weightage would be given for higher configurations. All components should be BIS certified.



## **TECHNICAL SPECIFICATIONS**

- (i) Firms should state "Yes" if the Security Equipment offered by them conform to the required specifications, or else they should state "No". The selected firms who qualifies Stage-III of the evaluation Process will be required to demonstrate these specifications in the Stage-IV.
- (ii) Bids will be rejected if the firm fails to fulfill the minimum technical requirement as given below.
- (iii) If technical specification given anywhere in this document contradicts the under mentioned specification then higher specification whichever is, will prevail.
- (iv) Technical Specification given below to be filled up by all firms.
- (v) The firm must give a full demonstration at Zonal office, Dharmapuri at their own cost. In case of system provided during demonstration is of higher specification than the prescribed specification of the Bank. The higher specification will be finalized in the same rate

## CONVENTIONAL TYPE FIRE DETECTION AND ALARM SYSTEM

(A) CONTROL PANEL SPECIFICATIONS (Make- Agni Model No-AGNI-2Z-ECO)

	CONTROL PARLESP ECIFICATIONS (Make- Agril Model No-Agin-22-100)	Compliance
SI.	Technical Specification	Status Yes/No)
i)	2 / 4 zone Main Control Panel & repeater control panel should be latest microprocessor technology based and as per IS: 2189-2008.	
ii)	The panel should be compatible with all type of standard detectors.	
iii)	The Panel should have a manual OFF switch for manual operation in case of continuous fault alarm. The Panel should have 2 or 4 zones or more and Zone disable switches accordingly to the number of zones.	
iv)	On activation it should initiate Audio alarm (The sound characteristic of the alarm should be continuous and similar throughout the protected premises) as well as visual signal on sector/zonal panel of the control panel.	
V)	The Size of the control panel is normally referred by number of zones. Each zone can be connected with the conventional detectors not exceeding 10.	
vi)	The Panel should be have inbuilt with SMPS with spike/Transient reduction circuit, to avoid any false alarming in case of transient/abrupt voltage fluctuations.	
vii)	The Panel should have Test Certificate with details like Model No., Serial. No. Zones, etc.	
viii)	The Brochures for the Panel shall be submitted. The Panel should have Approvals / listing of BIS / UL /LPCB / FM / VDS.	
ix)	The Panel should have feature of continuous uninterrupted power supply in case of External Power supply failures. The battery backup with built in battery charger for not less than 10-12 hours normal working.	



## (B) S MOKE DETECTORS AND SPACING

SI.	Technical Specification	Compliance Status (Yes/No)
i)	The System should have smoke detectors of both ionization type (below false ceiling) and optical type (above false ceiling) conforming to the IS: 2189- 2008 & IS: 15908-2011. Both ionization and optical type smoke detectors will be installed based on the requirement of Bank.	
ii)	For the smoke detector, the Spacing between two detectors should be 24 feet and spacing from the boundary wall or cabin wall should be not more than 12 feet. Every cabin / enclosed area likes UPS Room, Electrical Distribution Room etc should have a separate smoke detector.	
iii)	The detector should have LED, which should flash periodically to indicate that the detector is in proper working mode and glow continuously if smoke is detected.	
iv)	After designing the detector spacing, it shall be cross-checked to ensure that there is at least one smoke detector for every 100 m2 of the compartment area.	
V)	At the time of installation and prior to commissioning, every detector should be allotted an identification number. All the detectors inside rooms /cabins and above false ceiling or generally hidden should have external response indicators (R.I.) sited at prominent place.	
vi)	The detectors should have approvals / listing of BIS / UL /LPCB / FM / VDS.	

## C. HEAT DETECTORS AND SPACING

SI.	Technical Specification	Compliance Status (Yes/No)
i)	For the heat detector, Spacing between two heat detectors should be 17 feet conforming to the IS: 2189-2008 & IS 15908-2011. These detectors should be installed in Cooking Kitchen, Pantry etc.	
ii)	After designing the detector spacing, it shall be cross-checked to ensure that there is at least one heat detector for every 50 m2 of the Compartment area.	
iii)	The detector should have LED, which should flash periodically to indicate that the detector is in proper working mode and glow continuously if heat is detected.	



iv)	At the time of installation and prior to commissioning, every detector should be allotted an identification number. All the detectors inside rooms / cabins and above false ceiling or generally hidden should have external response indicators (R. I.) sited at prominent place.	
V)	The detectors should have approvals / listing of BIS / UL /LPCB / FM	
	/ VOS.	

## D. UV / IR FLAME DETECTORS AND SPACING

SI.	Technical Specification	Compliance Status (Yes/No)
i)	The detector can be installed in UPS Room, Electrical Distribution Room and Storage Area etc where chances of fire are higher. This detector should be installed to conforming IS: 2189-2008 & IS 15908-2011.	
ii)	The detector should have LED, which should flash periodically to indicate that the detector is in proper working mode and glow continuously if flame is detected.	
iii)	At the time of installation and prior to commissioning, every detector should be allotted an identification number. All the detectors inside rooms / cabins and above false ceiling or generally hidden should have external response indicators (R. I.) sited at prominent place.	
iv)	The detectors should have approvals / listing of BIS / UL /LPCB / FM / VOS.	

## E. <u>AUTO DIALER</u>

SI.	Technical Specification	Compliance Status (Yes/No)
i)	Standalone common GSM/PSTN Auto-Dialer with three input trigger and separate voice & SMS alert for different inputs. The system should have the facility to dial at least 5 telephone / Mobile Nos. each and voice message of at least 20 seconds.	

## F. OTHER ITEMS / DEVICES

SI.	Technical Specification	Compliance Status (Yes/No)
i)	All the wiring shall be by means of 2 core 1.5 sq. mm copper conductor FRLS armored and shielded copper cable.	
ii)	The Manual Call Point (MCPs) should be installed in entry & exit point of the floor. The MCPs should be break glass type with hammer or thumb press type.	
iii)	The sounders for fire alarm system should be electronic hooters/horns/electric bell having a frequency range of 500 to 1000 Hz.	



## SECURITY ALARM SYSTEM

(Hikvision Model No. DS-PHA12-EGP)

SI.	Technical Specification	Compliance Status (Yes/No)
i)	Security Alarm control panel Micro-processor based (Tamper-proof)	
	at least 8 zone (for Branches) & 2 zone (for ATMs), which raise loud	
	sound, alarm and send SMS / call alerts to branch official / police in	
	case of activation, tampering & intrusion.	
ii)	System must have capability for Day &Night mode of operation &	
	vice versa manually through removable key or electronic keypad.	
iii)	Compatible with 10 or more panic switches (for Branches) & 4 or	
	more panic switches (for ATMs)	
iv)	Should have night mode with provision to connect at least five	
	sensors, single or multiple type, i-e Passive infrared (PIR) sensor,	
	Magnetic sensors, Heat Sensor, Vibration sensor& Pressure Switch.	
v)	The PIR sensor should be pet immune.	
vi)	Should have programmable time delay of alarm activation in day	
	mode and immediate activation in night mode.	
vii)	2 Hooter (the sound of alarm should be clearly audible up to 500	
	meters) and one in built hooter.	
viii)	Panel should have in built battery for backup along with battery	
	charger with over charging and deep discharging protection.	
ix)	Panel should be compatible with all types of standard sensors and	
	panic switches available in the market.	
x)	Panel should have inbuilt/compatible for installation of auto dialer	
	(with display).	
xi)	Should be compatible to connect additional Sensors/Panic switches.	
xii)	System should have a timer to stop the siren sound automatically after the pre-fixed time.	
xiii)	The system should work on quad linear technology to avoid any false	
	alarm activation in night mode.	
xiv)	The system should be user friendly and should be easy to operate.	
xv)	Programming menu should be user password protected for safety.	
xvi)	Test report by the Regional Electronic Test Development Centers is	
\ii\	mandatory for Security Alarm System.	
xvii)	CE or FCC or UL certification	
xviii)	Panel should have auto arming/Disarming feature	
Xiv)	The panel should have log event records for service maintenance for	
	monitoring service dates.	
XX	Panel should have tamper alert for sensors	



## **CCTV SYSTEM**

## 1. NVR BASED CLOSE CIRCUIT TELEVISION SYSTEM (Brand- Hikvision )

# (A) NVR 4/8/16 CHANNEL NETWORK VIDEO RECORDER (Model No. DS-7604-Q1/ DS-7608-Q2/DS-7716-Q4)

System Parameter	Technical Specifications	Compliance Status (Yes/No)
Main Processor	Quad-core embedded processor	
Operating System	Embedded LINUX	
Display		
Interface	2 HDMI (1 HDMI up to 3840x2160, Different	
Resolution	Source), 1 VGA 3840x2160, 1920x1080, 1280x1024, 1280x720,	
Resolution	1024x768	
Multi-screen	1 <sup>st</sup> screen: 8/16 CH: 1/4/8/9/16 2 <sup>nd</sup> screen: 1/4/8/9/16	
OSD	Camera title, Time, Video loss, Camera lock,	
Wides Detection and Alam	Motion detection, Recording	
Video Detection and Alarm		
Trigger Events	Recording, PTZ, Tour, Alarm Out, Video Push,	
Video Detection	Email, FTP, Snapshot, Buzzer and Screen Tips	
video Detection	Motion Detection, MD Zones: 396 (22 x 18), Video	
Alama in a t	Loss and Tampering, Scene Change Detection	
Alarm input	16 Channel ( Low Level Effective)	
Alarm Output	4 Channel ( NO/NC Programmable)	<u> </u>
Playback and Backup	1/4/0/16	T
Sync Playback Search Mode	1/4/9/16	
	Time /Date, Alarm, MD and Exact Search (accurate to second)	
Playback Function	Play, Pause, Stop, Rewind, Fast play, Slow Play,	
	Next File, Previous File, Next Camera, Previous	
	Camera, Full Screen, Repeat, Shuffle, Backup	
	Selection, Digital Zoom	
Backup Mode	USB Device/Network/Internal SATA burner / eSATA	
	Device	
Storage	A (O ( A CATA D )	,
Internal HDD	1/2 / 4 SATA Ports, with minimum 8 TB capacity for each HDD	
eSATA	1 e SATA port	
RAID	RAID 0, RAID 1, RAID 5	
Auxiliary Interface		
USB	Minimum 2 ports (Minimum 2 USB 3.0)	
RS232	1 Port, for PC Communication	
RS485	1 Port, for PTZ Control , keyboard	
Audio and Video		
IP Camera Input	4/8/16 Channel	
Two-way Talk	1 Channel Input, 1 Channel Output	
Recording		4
Compression	H.265+ /H.265/H.264/MJPEG/MPEG4	
Resolution	12MP /8MP / 5MP / 4MP /3MP / 1080P / D1 &etc.	
Record Rate	320Mbps Incoming	



Bit Rate	16kbps-20Mbps for per channel	
Record Mode	Manual, Schedule(Regular(Continuous), MD,	
	Alarm), Stop	
Record Interval	1-120 min (default: 60 min), Pre-record: 1-30 sec,	
	Post- record: 10-300 sec	
Network		
Interface	1 RJ-45 ports (10/100/1000Mbps)	
Network Function	TCP/IP, DHCP, Cloud P2P, DNS, DONS, NTP, SADP, SMTP, NFS, FTP UpnPM , HTTPS	
Interoperability	ONVIF, PSIA, CGI Conformant	
Certifications	UL/FCC/CE and BIS approved	

## B. 02 MEGAPIXEL IP BASED HD IR DOME CAMERA WITH FIXED LENS

(Model-DS-2CD3321G2E-I)

Parameter	Technical Specifications	Compliance Status (Yes/No)
Image Sensor	1 /2.9" 2 Megapixel progressive scan CMOS or	
	better	
Effective Pixels	1920(H)x1080(V)) or better	
Electronic Shutter	Auto/Manual, 1 /3(4)-1 /100000s	
Video Frame Rate	25/30 fps @ 2 Mega Pixel	
Scanning System	Progressive	
Min. Illumination	0.01Lux/F1 .4(Color); 0Lux/F1 .4(1R on)	
S/N Ratio	More than 50dB	
Min. IR Array LEDs Length	More than 50dB	
Day/Night	Auto(ICR) / Color I B/W	
Back Light Compensation & WDR	DWDR	
White Balance	Auto/ Manual	
Focal Length (Lens)	3. 6 mm Fixed lens	
Video Compression	H.265+ ,H.265,H.264,H.264H, MJPEG	
Resolution Frame Rate	2 M(1920x 1080)/01 (704x 576/704x 480)/CIF(352	
	x288/352x 240)	
	Main stream: {2 M/1080P(1 - 25/30fps)} 6: Sub stream: 01 /CIF(1 - 25/30fps)	
Bit Rate	H.265/H.264H: 40K - 8192Kbps; MJPEG: 40K- 16384Kbps	:
Network Ethernet	RJ-45 (10/100Base-T)	
Protocol	TCP/IP, UDP, ICMP, HTTP, HTTPS, FTP, DHCP,	
	DNS, DONS, RTP, RTSP, RTCP, NTP, UpnP, SMTP,	
	IGMP, 802.1x, QoS, Ipv6	
Compatibility	ONVIF, PSIA, CGI	
Power Supply	DC12V, PoE (802.3af)	
Working Environment	-30° C-+60° C I Less than 95%RH (no	
	condensation)	
Detection	Target classification for only human and vehicles	
Ingress Protection	IP66 or above	
Certification	UL/FCC/CE and BIS approved	



## C. 02 MEGAPIXEL IP BASED HD IR VERIFOCAL LENS BULLET CAMERA

(Model No. DS-2CD3621G2-IZS)

Parameter	Technical Specifications	Compliance Status (Yes/No)
Image Sensor	1/2.8" progressive scan CMOS	
Min. Illumination	Color: 0.01@F1 .4, 0 Lux with IR	
Shutter Speed	Auto/Manual, 1 /3(4)-1 /100000s	
Lens	2.8 mm to 12 mm motorize @F1 .4,	
Day/Night	IR cut filter with auto switch	
DNR (Digital Noise Reduction)	30 DNR	
WDR (Wide Dynamic Range)	120 dB True WDR	

Compression Standard			
Video Compression	Main stream: H.265.H.265+		
Video Bit Rate	32 Kbps to 8 Mbps		
Dual Stream	Support		
Image			
Max. Resolution	1920 X 1080		
Main Stream Max.	50Hz: 25fps @(1920 x 1080, 1280 x 960, 1280 x 720)		
Sub-stream	50Hz: 25fps @(704 x 576, 640 x 480, 352 x 288, 320x 240)		
Image Settings	Brightness, saturation, contrast, sharpness are adjustable via web browser or client software.		
Image Settings	Support auto, scheduled		
Others	Mirror, BLC (area configurable), region of interest (support 1 fixed region)		
Detections	Motion detection		
Alarms	Video tampering, network disconnected, IP address conflicted, HDD full, HOD error.		
Protocols Standard	TCP/IP, ICMP, HTTP, HTTPS, FTP, DHCP, DNS, DONS, RTP, RTSP, RTCP, NTP, UpnP, SMTP, IGMP, 802.1X, QoS, Ipv6, ONVIF (PROFILE S, PROFILE G), PSIA, CGI, ISAPI		
General Function	One-key rest, anti-flicker, password protection, privacy mask, watermark, IP address filter		
Interface			
Communication Interface	1 RJ45 10M/100M self-adaptive Ethernet port		
Reset	Support		
General			
Operating Conditions	-30 ° C to 60° C, humidity: 95% or less (non- condensing)		
Power Supply	DC12V ± 25%, PoE (802.3af)		
Ingress Protection	IP 67		
IR array Range	Up to 30 Mtrs		
Certification	UL/FCC/CE and BIS approved		



## D. POE + SWITCH 08 CHANNEL SPECIFICATION

Interface	8 x 10/100 Mbps PoE ports, UPLINK PORT 2 x 10/100/1000	The state of the s
Port Standards 8: Functions	Ports 1 to 8 compliant with 802.3at	

## E. POE + SWITCH 16 CHANNEL SPECIFICATION

Interface	16 x 10/100 Mbps PoE ports, UPLINK PORT 2 x	
	10/100/1000	
Port Standards 8: Functions	Ports 1 to 4 compliant with 802: 3at • Ports 5 to	
	compliant with 802. 3af	

## F. OTHER COMPONENTS OF CCTV

Parameter	Parameter Technical Specifications		
SN. Hard Disk Drive (SATA II	Video Enterprise Series (Rated for24/7		
or III)	operation).		
Capacity	2ТВ, 4ТВ, 6ТВ ,8ТВ		
Monitor			
Screen size	15.5''/18.5" diagonal LED		
Resolution (Min)	Minimum 1920 x 1080 Pixels - full HD		
Data Cable CAT-6			
Category	CAT-6E		
Туре	Unarmored		
PVC Conduits for cabling sh	ould be ISI marked		
6 U Rack - (Wall Mount)	Power Strip: 6 Socket power supply: 1 No.		
	Equipment Mounting Tray: 1 No Mounting		
	screws &studs: 1 pack Transparent front door		
	with Lock and 2 Fans. Provision for cable		
	routing at the bottom of Rack.		
2 U Rack - (Wall Mount)	Power Strip: 6 Socket power supply: 1 No.		
	Mounting screws & studs: 1 pack Transparent	:	
	front door with Lock and Fans. Provision for		
	cable routing at the bottom of Rack.		

## 2. STANDALONE VANDAL RESISTANT CAMERA WITH INBUILT BACKUP CAPACITY

	Technical Specifications	Status (Yes/No)
Image Sensor	1/2.8" Progressive Scan CMOS	
Minimum Illumination	Color: 0.01 Lux @(F1.2, AGC ON), 0.028 Lux	
	(F2.0, AGC ON); B/W: 0.001 Lux @(F1.2, AGC ON),	
	0.0028 Lux @(F2.0, AGC ON), 0 Lux with IR	70044
Shutter Speed	1/3 s to 1/100,000 s	
Slow Shutter	Yes	
Auto-Iris	No	
Day and Night	IR Cut Filter	
Digital Noise Reduction	3D DNR	
Wide Dynamic Range	120 dB	
3-Axis Adjustment	Pan: 0° to 355°, tilt: 0° to 70°, rotate: 0° to 355°	



IR Range	Up to 40 m	
Wavelength	850nm	
Video Compression	Main stream: H.265/H.264	
·	Sub-stream: H.265/H.264/MJPEG Third stream:	
	H.265/H.264	
	32 Kbps to 8 Mbps	
	G.711/G.722.1/G.726/MP2L2/PCM	
Audio Bit Rate (-S)	64Kbps(G.711)/16Kbps(G.722.1)/16Kbps(G.726)/32-	
	192Kbps(MP2L2)	

lmage		NOOTHULA DELITATION OF THE PARTY OF THE PART
Maximum Resolution	1920 × 1080	
lmage Enhancement	BLC/3D DNR/HLC	
lmage Settings	Rotate mode, saturation, brightness, contrast, sharpness adjustable by client software or web browser	
On-board Storage	Built-in micro SD/micro SDHC/micro SDXC slot, up to 128 GB	
Target Cropping	No	
Day / Night Switch	Day/Night/Auto/Schedule/Triggered by alarm in (-S)	
Network Storage	Support built-in micro SD/micro SDHC/micro SDXC card (128 GB), local storage and NAS (NFS, SMB/CIFS), ANR	
Alarm Trigger	Motion detection, video tampering, network disconnected, IP address conflict, illegal login, HDD full, HDD error	
Protocols	TCP/IP, ICMP, HTTP, HTTPS, FTP, DHCP, DNS, DDNS, RTP, RTSP, RTCP, PPPoE, NTP, UPnP™, SMTP, SNMP, IGMP, 802.1X, QoS, IPv6, Bonjour	
General Function	One-key reset, anti-flicker, heartbeat, mirror, password protection, privacy mask, watermark, IP address filter	
Firmware Version	V5.5.3	
On-board Storage	Built-in micro SD/micro SDHC/micro SDXC slot, up to 64 GB/ 128 GB	
Reset Button	Yes	
Frequency Range	2.4 GHz to 2.4835 GHz	
Channel Bandwidth	20/40MHz	
Wireless Range	50 m	
Env. Noise Filtering	Yes	
Protection Level	IP 67,IK10	
Certificates	CE,FCC,UL,	



## **Technical Specification Undertaking**

We certify that the systems/services offered by us for tender confirms to the specifications stipulated by you with the following deviations.

List of deviations with reasons. (Deviations will be accepted only if the offered specification is higher than requirement)

1) _			
2) _			
3) _			
4)	***************************************	 	www.v

Place. Date. Signature of Authorised Signatory Name & Designation & Seal of the Company

(If left blank it will be construed that there is no deviation from the specifications given above)(Letter to the bank on the Supplier's letterhead)

## **DISPUTE MANAGEMENT**

- 25. The provisions of this tender shall always be subject to Government Notifications, any rules/ guidelines that may be in force from time to time.
  - i) All disputes or differences whatsoever arising between the parties out of or in relation to the construction, meaning and operation or effect of these Tender Documents or breach thereof shall be settled amicably. However, if the parties are not able to solve it amicably, the same shall be settled by arbitration in accordance with the provisions of "Arbitration and Conciliation Act 1996" or any statutory modifications or re-enactments thereof and the rules made there under and for the time being in force, shall apply to the arbitration proceedings.
  - ii) The arbitrator shall be appointed with the mutual consent of both the parties. However there is a provision of appeal if either party is not satisfied with the arbitration award.
  - iii) During the arbitration proceedings the Bidder shall continue to work under the Contract unless otherwise directed in writing by the Bank or unless the matter is such that the work cannot possibly be continued until the decision of the arbitrator is obtained.



## **NUISANCE**

26. The Bidder shall not at any time cause or permit anyone to cause any nuisance on the site or do anything which shall cause unnecessary disturbance or inconvenience to the Bank, Owners, Tenants or occupants of other properties near the site and to the customers/ public generally.

## NO COMMITMENT TO ACCEPT LOWEST OR ANY TENDER

27. There are no obligations to accept the lowest or any other offer received in response to this notice and Bank is entitled to reject any or all offers without assigning any reasons whatsoever. The Bank will have right to opt for any new technology option for the Banks usage.

#### **FORCE MAJEURE**

- 28. Notwithstanding the provisions of TCC (Terms and Conditions of Contract), the Bidder shall not be liable for forfeiture of its performance security, liquidated damages, or termination for default if and to the extent that the delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.
  - i) For purposes of this clause, "Force Majeure" means an event beyond the control of the Bidder and not involving the Bidder's fault or negligence and not foreseeable. Such events may include, but are not restricted to, acts of the Bank in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions, and freight embargoes.
  - ii) If a Force Majeure situation arises, the Bidder shall promptly notify the Bank in writing of such condition and the cause thereof. Unless otherwise directed by the Bank in writing, the Bidder shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.

## **EXECUTION OF SLA**

29. On completion of the Bid Process, the successful bidder(s) should execute a Service Level Agreement. Bidder(s) should also execute a Non- Disclosure Agreement in the Bank's prescribed format. The agreement/contract would be signed in Dharmapuri only and stamped as per Tamilnadu Stamp Act. All the stamp duty shall be borne by the Bidder.

## **RESTRICTION OF FURTHER CONTRACTS**

30. The Bidder shall not assign, in whole or in part, its obligations to perform under the Contract, except with the Bank's prior written consent. Consortium and joint venture responses are not allowed, in any case. Also, bidders have to note that no sub-contracting/ sub-letting is allowed.

## **AMENDMENTS TO CONTRACT**

31. No variation in or modification of the terms of the Contract shall be made, except by written amendment, signed by the parties.



#### CONFIDENTIALITY OF CONTRACT DOCUMENTS & INFORMATION

- 32. The Bidder shall not, without the Bank's prior written consent, disclose the Contract, or any provision thereof, or any specification, plan, drawing, pattern, sample or information furnished by or on behalf of the bank in connection therewith, to any person other than a person employed by the Bidder in the execution of the Contract.
  - i) Disclosure to any such employed person shall be made as confidential and shall extend only as far as may be necessary for purposes of such performance.
  - ii) The Bidder shall not, without the Bank's prior written consent, make use of any document or information except for purposes of performing the Contract.
  - iii) Any document, other than the Contract itself, shall remain the property of the Bank and shall be returned (in all copies) to the Bank on completion of the Bidder's performance under the Contract, if so required by the Bank.
  - iv) Bidder to submit Audited Balance Sheets & FRs within 6 months of close of financial year of the successful Bidder, failing which Bank will withheld payments. Bank will scrutinize the FRs and may decide to continue the contract or terminate.

## **PUBLICITY**

33. Any publicity by the bidder in which the name of Indian Bank is to be used should be done only with the explicit written permission of Indian Bank.

#### **AUTHORIZED SIGNATORY**

- 34. All pages of this TENDER document and corrigenda must be stamped and initialed by the authorized signatory of the bidder confirming acceptance to all terms and conditions of this TENDER and should be submitted as part of the technical bid.
  - a. After completion of selection process the Bank will finalize the contract with the selected Bidder(s). To ensure this both the parties shall also be liable to make authorized officials to be present for discussions.
  - b. The Bidder(s) shall submit a Board resolution in case of a company and/or authorization letter duly signed by the authorized signatory naming the official(s) who shall be authorized to hold discussions, time and venue of which shall be intimated to the successful bidder in writing at least 3 calendar days in advance.

\*\*READ THE TENDER DOCUMENTS CAREFULLY BEFORE SUBMISSION\*\*



# Application for participation in TENDER for New installation, repair and maintenance of Fire Alarm System (Including maintenance of existing Fire Alarm System, Burglar Alarm System and CCTV) (TO BE TYPED ON THE BIDDER'S PRINTED LETTER HEAD)

The Assistant General Manager Indian Bank Zonal Office, 91, Pennagaram Road DDDC Building, Dharmapuri Tamilnadu - 636701

Dear Sir,

Subject: Application for participation in Tender for New installation, repair and maintenance of Fire Alarm System, Burglar Alarm System and CCTV (Including maintenance of existing Fire Alarm System, Burglar Alarm System and CCTV)

- 1. This has reference to the captioned subject, I/We have carefully perused and understood the criteria mentioned in the Tender Notice released on the website of the Bank.
- 2. Accordingly, I/We now submit the application form duly completed in all respects, together with certified copies of the following documents as required by you for participation in Tender for New installation, repair and maintenance of Fire Alarm System, Burglar Alarm System and CCTV (including maintenance of existing Fire Alarm System, Burglar Alarm System and CCTV) to your bank.
- 3. I/We confirm that all information given herein is true to the best of my/our knowledge. I/ We also understand and confirm that if any of the information given is found to be incorrect either fully or partially or any false/fake document is submitted at any stage, you may reject the application summarily and also take any legal action as per law.
- 4. It is also confirmed that, I/We hereby agree with all the terms and conditions laid down in the application/empanelment documents.

Yours faithfully,

(Proprietor / Bidder's Signature, Name with Seal) Encl: Documents:-



## BIDDER PROFILE/ TECHNICAL BID

(TO BE TYPED ON THE BIDDER'S PRINTED LETTER HEAD)

SI No	Subject	Details	
1.	Name of the Manufacturer/ Firm/ Company/ Dealer/ Vendor		
2.	Year of Establishment		
3.	Constitution of the Firm (whether Proprietary/ Partnership/ LLP/Pvt. Ltd./Public Ltd.)		
4.	Address of Head Office (in India), including i) Email id ii) Landline and Mobile Number(s)		
5.	Name of the Proprietor/Chairman/ Managing Director/CEO/ Country Head (as the case may be)		
6.	Name(s) and Address of Office at Dharmapuri/Krishnagiri, including i) Email id ii) Landline and Mobile Number(s) (Please attach Lease Agreement/ Registration Certificate under Shops and Establishment Act)		
7.	Date of opening of company's Office at Dharmapuri/Krishnagiri		
8.	Whether registered with the Registrar of Companies/Registrar of Firms in India. If so, mention number and date and enclose Registration Certificate copy.		
9.	Whether an assesse of Income Tax. If so, mention Permanent Account Number and Taxpayer Identification Number. Furnish copies of Income tax clearance certificate		
10.	Whether registered for GST purposes. If so, mention number and date. Also urnish copies of GST certificate.		
11.	Copies of IT Returns last 03 years and GST Return of last one year		
12.	Is the Company/Firm a manufacturer of the Fire Alarm System, Burglar Alarm System and CCTV equipment/ accessories/components, etc required by the Bank? If Yes, name of the equipment/ accessories/components, etc and place where manufacturing unit is located. (All manufactured products should be BIS certified)		
13.	Is the vendor having URC (Udyam registration Certificate). If Yes, submit the relevant certificate.		
14.	Have you been prequalified by Public sector Banks for New installation, repair and maintenance of CCTV, BAS & FAS? If Yes, furnish their names, category and date of empanelment. (Enclose empanelment letter)		
15.	Do you have presently running contract with Public sector Banks for New installation, repair and maintenance of CCTV, BAS & FAS? If yes, enclose Performance report/ certificate of running contract.		



16.	Do you have past/present experience in providing Security equipment maintenance services to Indian Bank during last 03 years? If yes, enclose documents.	
17	Details of Technicians positioned at 2 districts mentioned in this TENDER :	
18	Details of relative(s) employed in Indian Bank and erstwhile Allahabad Bank, if any.  Name: Relation: Branch/Office: Branch/Office last served (if retired): Contact Details:	

## Declaration

- 1. I / We have read and understood the tender documents and I / We understand that if any false information is detected at a later date, any contract made between ourselves and Indian Bank on the Basis of the information given by me / us can be treated as invalid by the Bank and I/ We will be solely responsible for the consequences. I / We agree that the decision of Indian Bank in selection of bidders/contractors will be final and binding to me / us.
- 2. I / We agree that I / We have no objection if enquiries are made about the work listed by me / us here in above and/or in the accompanying sheets.
- 3. All the information furnished by me/us above here is correct to the best of my/our knowledge and belief.
- 4. I/We the authorized signatory of the firm undertake to state that our Firm has proper infrastructure and resources and is capable of undertaking New installation, repair and maintenance of Fire Alarm System, Burglar Alarm System and CCTV(including maintenance of existing Fire Alarm System, Burglar Alarm System and CCTV) installed in 73 branches and 03 offices of Indian Bank including all rural areas. We further undertake to state that we would be supplying all spare parts of quoted modules for a minimum period of 03 years from the date of Installation.

Sign	at	ur	e
21911	чı	u,	_

Place:

Date:

Seal of the Company

Name:

Designation:

(Authorized Signatory)



## LIST OF ENCLOSURES

## TO BE ATTACHED WITH TECHNICAL BIDS

SI No	Subject	Enclosed (Yes/No)
1.	Certificate of Registration of company/dealership	
2.	Certificate of registration with Income Tax, GST, EPF,ESI, VAT, TAN/TIN etc	
3.	Details of company registered office at Dharmapuri/Krishnagiri districts with names of employees, address, Tel no., etc	
4.	IT Returns and GST Return	
5.	Empanelled with govt./public sector/banks	
6.	Presently running contract work order with govt./public sector/banks	
7.	Experience of having Security equipment maintenance contract with Indian Bank branches during last three years	
8.	STQC/ERTL/ETDC/ISO/BIS/DEALER certificate	
9.	Customer Reference (other than Indian Bank)	•
10.	Documentation: - product, brochures, leaflets, manuals, warranty conditions etc.	
11.	Certificate that Authorized dealer/Firm/OEM or its Sister Agency have not been blacklisted	
12.	Document(s) in support of any other information	
13.	Bank Details (Account with Indian Bank, Dharmapuri)	

# Note:- 1. In absence of any of the information/enclosures or/ and FAKE, WRONG, FICTICIOUS, FALLACIOUS, etc reporting, the tender is likely to be rejected

2. The Vendor shall produce/provide original of any documents, required by the Bank for Verifications.



# **FINANCIAL BID** (TO BE TYPED ON THE BIDDER'S PRINTED LETTER HEAD)

## PRICE BID FOR FIRE ALARM SYSTEM AND AMC

(All rates to be quoted without GST)

	Name of the Firm (Rates should be quoted for both)	RAV	EL/FALCON
Item	Specify Model		
1.	Control Panel		Rs.
	Zone Main Control Panel (Latest Microproce based as per IS – 2189- 2008) with inbuilt a manual OFF switch (in case continuous fainbuilt SMPS, with a feature of continuous power supply (in case of external power supply should indicate the health of the system (Faul Battery Status indicator, faulty Zone Indication	Auto Dialer, with ault alarm), with us uninterrupted bly failures). Panel alt, Power Failure,	
2.	In Built Battery  2 Numbers of SMF (Sealed Maintenance Free 7 AH each], (The Battery Backup with built capable of Providing 48 Hrs Standby suppl Failure as per IS 15908/2011 & IS 2189/2 operation for at least 30 Mins	Battery Charger y in case of AC	Rs. (For Two Numbers)
3	Ionization Smoke Detector Conform to 15908-2011/ IS 2189-2008 or Swith LED indicator lamps, compatible to we Heat and multi sensor. Rate should be quoted	ork with Optical,	Rs.
4	Optical Smoke Detector Conform to 15908-2011/ IS 2189-2008 or S with LED indicator lamps (Operation scattering/ Obscuration), compatible to work Heat and multi sensor. Rate should be quoted	iimilar Standards Principle- Light with Ionisation,	Rs.



5.	Heat Detector Conform to IS 2175-1988/ IS 2189-2008 or Similar Standards with LED indicator lamps (Operation Principle- Light scattering/ Obscuration), compatible to work with Ionisation, Optical and multi sensor. Rate should be quoted per unit	Rs.
6.	Manual Call Point Conform to 15908-2011/ IS 2189-2008 or Similar Standards with hammer & chain, Glass of Minimum 2mm thickness, Alarm triggered by Breaking with LED Indicator Lamps. Rate should be quoted per unit	Rs.
7.	Electronic Siren/Sounder  Conform to IS 15908-2011/ IS 2189-2008 or Similar  Standards, Min of 65 db output, Type of Sound –  Intermittent/ Dual. Rate should be quoted per unit	Rs.
8	Response Indicator Conform to IS 15908-2011/ IS 2189-2008 with LED Indicator Lamp. Rate should be quoted per unit	Rs.
9	Wiring 2 Core 1.5 Sq mm Copper Conductor FRLS armoured and shielded Copper cable, ISI Marked. Rate should be Quoted per meter	Rs.
10	PVC Conduit Rigid PVS conduit 2 mm with ISI Mark & to be fixed with metal saddling at every 2 ft distance  # Rate should be quoted per meter	Rs.
11	Installation & Delivery charges	
12	Package Cost (by adding SL. 1 to SL.11)	
13	Annual Service Charges- Non comprehensive AMC (including existing system) for 1 Year (4 mandatory quarterly visits) – Rate per system per Annum for AMC for 01 year after warranty covering replacements of Control Panel, Sensors, MCP, Hooter, all other components & wiring. Any numbers of Complaints to be attended free of charge	



14	Warranty period for New Fire Alarm System.	Months
15	Buy back rate for complete old system of any Brand. (When replaced with new system)	Rs
16	Reinstallation Charge of Entire System (Within the same premises)	Rs
17	Shifting/installation Charge of Entire System (In Alternate premises)	Rs

# 4 Zone Fire Alarm System

Package Cost ( <b>by Adding SL. 1 to SL.11</b> ) in Wo	rds :
Annual Maintenance Contract for 01 year  (For Branch & For Offsite ATM Seperately) in	words:
Buy Back Rate for Complete Old System	÷
Place. Date.	Signature of Authorised Signatory Name & Designation & Seal of the Company



## PRICE BID FOR BURGLAR ALARM SYSTEM AND AMC

(All rates to be quoted without GST)

	Name of the Firm		
Item	Specify Brand and Model		
1.	Control Panel  8 Zone Main Control Panel (Latest Microbased as per IS – 2189- 2008) with indinbuilt LED indication, with inbuilt SM continuous uninterrupted power supply power supply failures). Panel should indicasted (Fault, Power Failure, Battery Status Indication etc. The System should autidisarming) change from day to night mother real time clock (Programmable) and change manually too. System should autidition- 03 minutes (day/night modhave log event records for service maintaints service dates. Panel should have tamper # Rate should be quoted per unit	Duilt Auto Dialer, with PS, with a feature of y (in case of external icate the health of the us indicator, faulty Zone omatically (arming & ode & vice versa as per d also have option to tomatically reset after le). The panel should enance for monitoring	Rs.
2.	PIR Sensor Should work on dual technology (IR & coverage horizontal angle 110 degrees, meters, with pet/ rodent immunity & proto adapt changes in ambient temperaseasons # Rate should be quoted per unit	Detection range of 10 ovision for calibration	Rs.
3	Hooter Min 90 dB for internal and 110dB for Etamper loop (Cutting of Hooter wire she Hooter), ABS Body, Weather Proof # Rate should be quoted per unit for each	ould trigger the other	Rs(for 90 dB) Rs(for 110db)
4	Magnetic Sensor  ABS Body, 4 Wired with tamper loop (NC Circuit) # Rate should be quoted per unit		Rs.
5.	Panic Switch Sturdy built, Micro Switch Technology # I quoted per unit		Rs.



te should be quoted per unit  Sensor  te should be quoted per unit  ng  1.5/ .75 Sq mm, Flexible, ISI Marked (Finolex/ Plaza/ tab/ RR Cable or similar quality), PVC insulated copper for connection of panic switches and other sensors tectively. # Rate should be quoted per meter  Conduit  PVS conduit 2 mm with ISI Mark & to be fixed with metal ing at every 2 ft distance	Rs.
te should be quoted per unit  ng  1.5/ .75 Sq mm, Flexible, ISI Marked (Finolex/ Plaza/ tab/ RR Cable or similar quality), PVC insulated copper for connection of panic switches and other sensors ectively. # Rate should be quoted per meter  Conduit  PVS conduit 2 mm with ISI Mark & to be fixed with metal ing at every 2 ft distance	
1.5/ .75 Sq mm, Flexible, ISI Marked (Finolex/ Plaza/ rab/ RR Cable or similar quality), PVC insulated copper for connection of panic switches and other sensors actively. # Rate should be quoted per meter Conduit  PVS conduit 2 mm with ISI Mark & to be fixed with metal ing at every 2 ft distance	Rs.
1.5/ .75 Sq mm, Flexible, ISI Marked (Finolex/ Plaza/ rab/ RR Cable or similar quality), PVC insulated copper for connection of panic switches and other sensors ectively. # Rate should be quoted per meter Conduit  PVS conduit 2 mm with ISI Mark & to be fixed with metal ing at every 2 ft distance	Rs.
rab/ RR Cable or similar quality), PVC insulated copper for connection of panic switches and other sensors ectively. # Rate should be quoted per meter Conduit  PVS conduit 2 mm with ISI Mark & to be fixed with metal ing at every 2 ft distance	
for connection of panic switches and other sensors ectively. # Rate should be quoted per meter  Conduit  PVS conduit 2 mm with ISI Mark & to be fixed with metal ing at every 2 ft distance	
ectively. # Rate should be quoted per meter  Conduit  PVS conduit 2 mm with ISI Mark & to be fixed with metal ing at every 2 ft distance	
Conduit  PVS conduit 2 mm with ISI Mark & to be fixed with metal ing at every 2 ft distance	
PVS conduit 2 mm with ISI Mark & to be fixed with metal ing at every 2 ft distance	
ing at every 2 ft distance	
9 ,	
e should be quoted per meter	
lation & Delivery charges	
age Cost (by adding SL. 1 to SL.10)	
ual Service Charges- Non comprehensive AMC	
uding existing system) for 1 Year (4 mandatory	
terly visits) – Rate per system per Annum for AMC for	
ear after warranty covering replacements of Control	
I, Sensors, MCP, Hooter, all other components &	
g. Any numbers of Complaints to be attended free of	
ge	
ranty period for New Burglar Alarm System.	Months
ranty pariod for real bangiar radial bystom.	Rs
back rate for complete old system of any Brand.	
back rate for complete old system of any Brand.	Rs
•	· · · · · · · · · · · · · · · · · · ·

## 4 Zone Burglar Alarm System

Package Cost ( <b>by Adding SL. 1 to SL. 10</b> ) in W	Vords:
Annual Maintenance Contract for 01 year	
(For Branch & For Offsite ATM Seperately) in	n words:
Buy Back Rate for Complete Old System	:
Place.	Signature of Authorised Signatory
Date.	Name & Designation & Seal of the Company



## PRICE BID FOR NVR BASED CCTV SYSTEM AND AMC

(All rates to be quoted without GST)

	Name of the Firm		
	Specify Brand and Model		
1.	Network recorder ( NVR) 4/8/16 Channel NVR with 1/ 2 / 4 SATA slots with each slot		Four CH NVR
- Parameter	supporting minimum 4/8 TB Hard Disk. For resolution minimum of 16 TB of Hard disk	is recommended for	Rs.
	adequate back up of 180 days. The NVR s Over Ethernet (POE) for reduced cabling. S	Should support 2 way	Eight CH NVR Rs.
	audio. Should support third party came recording from Minimum 2 MP IP car	meras or more and	Sixteen CH NVR
	conform to all other specifications mentioned above		Rs
2.	Hard disk – Surveillance Grade 6 TB * 2 disks with 2 years warranty (Seagate / WD or equivalent)		(For Two Hard Disks)
			Rs.
3	IP camera – HD IR Verifocal Lens Bullet Camera 2 MP – To		Rs.
	<u>be set to</u> 25 Frames Per Second (FPS)		
	2MP :: 1/2.8" Progressive CMOS, ICR, Olux with IR,		
	1920x1080:25fps(P)/30fps(N), H.265+/H.265/H.264/MJPEG, DC12V & PoE, 3D DNR, BLC, IR range: up to 50m, Support on-		
	board card slot -S: Audio/Alarm IO connectors & Conform to all		
	other specifications mentioned above		
4	IP camera -HD IR Fixed Lens Dome Came	era 2 MP – To be set	Rs.
	<u>to 25</u>		
	Frames Per Second (FPS)	with ID. Effective	
	2MP :: 1/2.8" Progressive CMOS, ICR, Olux with IR, Effective Pixels:1920x1080: with video frame rate 25fps(P)/30fps(N),		
	H.265+/H.265/H.264/MJPEG, DC12V & PoE, 3D DNR, BLC, IR		
	range: up to 50m, Support on-board card s		
	IO connectors and conform to all other spe mentioned above	ecifications	



5.	One Standalone Vandal Resistant Camera (2 MP) with 64 GB Memory Card	Rs.
	(Image sensor:1/2.8" progressive scan CMOS), (Min	
	illumination:0 lux with IR, Colour- 0.01 lux @ F 1.2 AGC ON,	
	0.028 Lux F 2.0 AGC ON), (Max resolution:1920x1080) & all	
	other specifications as mentioned above	
6.	Network Switch for NVR and Cameras	Rs.
	Unmanaged Poe, 8 100M Poe, 1 100M uplink port, 250m	
••••	Transmission, 6KV Surge Protection, 58W	
7.	Network Cable Cat 6 (T P link) Cabling BIS certified (Rate for 100 Mtrs)	Rs.
8.	18.5" Monitor for Branch & 15.5" Monitor for ATM	Rs.
	(Make: LG/ Samsung or equivalent)	
	Minimum Resolution: 1920x 1080 pixels full HD	
9.	Wireless Mouse	Rs.
10.	Compatible 2U/4U/6U Rack (wall mount)	Rs (2U)
	Power strip 6 socket power supply & conform to all other	, ,
	specifications mentioned above	Rs (4U)
		Rs(6U)
11	Installation & Delivery charges	Rs.
12	Package Cost (by adding SL. 1 to SL.11)	
13	Annual Service Charges- Non comprehensive AMC for 1 Year	Rs.
	(4 mandatory quarterly visits) – Rate per system per Annum for	
	AMC for 01 year after warranty covering replacements of NVR,	
	Hard Disc, Cameras & all other components & wiring. Any	
1 4	numbers of Complaints to be attended free of charge	Months
14	Warranty period for New NVR CCTV System.	IVIOTITIES
15	<b>Buy back rate for complete old system of any Brand</b> . (When replaced with new system)	Rs
16	Buy back rate for old major components of any Brand (when	Rs
	replaced with new) viz- NVR, Camera IR Bullet, IR Dome &	
	Monitor	
	etc.	DC.
17	Installation & Delivery Charge for components, when not covered	RS
	in AMC (NVR, Camera, Monitor & Hard Disc)	Do
18	Reinstallation Charge of Entire System (Within the same premises)	Rs
19	Shifting/installation Charge of Entire System (In Alternate	Rs
	premises)	



Package Cost in Words (From SI 1 to SI 11)	:
Annual Maintenance Contract for 01 year	
(For Branch & For Offsite ATM Separately) in wo	ords :
Buy back rate for complete old system in Words	·
Place.	Signature of Authorised Signatory
Date.	Name & Designation & Seal of the Company



## **Other Terms & Conditions for NVR Based CCTV Systems**

- a) Minimum warranty for all products is 1 year.
- b) Warranty for Surveillance HDD should be minimum 2 years.
- c) Cost should be inclusive of delivery, installation and commissioning. Additional charges will not be applicable.
- d) 04 quarterly visits towards preventive maintenance should be carried out during the warranty period of 1 year.
- e) Vendor should be capable for giving Annual Maintenance Contract (Comprehensive or Non Comprehensive) for at least 03 years post completion of warranty. However, awarding of AMC is fully under the discretion of Bank.

Signature

Name:

Designation:

(Authorized Signatory)

Place:

Date:

Seal of the Company