

INDIAN BANK

REQUEST FOR QUOTATION (RFQ)

FOR

**SUPPLY AND INSTALLATION OF GLOW SIGN BOARD IN VARIOUS BRANCHES
UNDER OUR INDIAN BANK ZONAL OFFICE SALEM.**

Ref:No: ZO:SLM:GSB

Date : 23.05.2025

From:

.....
.....
.....

This Bid document contains 10 pages

INDIAN BANK

NOTICE INVITING QUOTATION

Indian Bank, Zonal Office, Salem invites sealed Quotation (Single bid System) for Supply And Installation of Glow Sign Board for Various Branches under Indian Bank Zonal Office Salem.

Last date of submission of RFQ	04.06.2025 upto 16.00Hrs. at Indian Bank, Zonal Office, Premises, Estate & Expenditure dept, Third Floor, No. Divya Towers, Shevapet, Salem, 636 001.
Date of opening RFQ	04.06.2025 at 16.30Hrs. at Indian Bank, Zonal Office, Premises, Estate & Expenditure dept, Third Floor, No. Divya Towers, Shevapet, Salem, 636 001.

Note:

1. **Price bid should be submitted in separate sealed covers for each Branch as enclosed.**
2. Bidder need to submit OEM Authorization or Authorized Converter Letter, Bids without OEM Authorization letter will be summarily rejected.
3. The bank reserves the right to reject any quotation without assigning any reason.
4. The rates shall be quoted by the tenderer after inspecting the site.
5. Bank is not liable to make any payment to tenderers for preparation to submit the tender/bid.
6. Work will be awarded to L-1 bidder for each branch and payment will be made upon supply and installation of Glow Sign Board at Branch.
7. Successful Bidder need to provide **OEM warranty card for the Glow Sign Board and LED Light for a period 5 years, If Sign Board gets faded or LED not working during the warranty period the supplier need to replace the same free of cost under warranty within a reasonable time period.**
8. Retention money of 10% of bill value will be retained till warranty period.

DEPUTY ZONAL MANAGER

Indian Bank, Zonal Office, Salem,
Third Floor, Divya Towers,
Shevapet, Salem – 636 001.
Ph: 0427 – 2216499.
Email: zosalem@indianbank.co.in

Signature & Seal of the Tenderer

Quotation
Price Bid

Schedule of Quantities					
S & I of Glow Sign Board for Alagasamudram Branch at 15/9 Taramangalam Main Road Opp Salem Steel Plant Gate 3 Alagasamudram Salem.					
S.No	Description	Unit	Qty	Item Rate	Amount
1	<p>Supply & Installation of Glow Sign Board with Vinyl Fascia of make: LG Hausys Translucent Vinyl with 5 years warranty, Flex Material of make: LG Flex with 5 years warranty and LED Modules of make: LT / ADS 12v Modules. (minimum 3 Modules for each square feet with 7000 or 8000 K colour Temperature) with IP 67 water Proof rating, 50,000 burning hours & 5 years warranty and the LED modules are powered using suitable LED Power Driver of make: LT / ADS (OEM's make of LED) with Driver Wattage: 30w – 200w. LED Module & LED Power driver should be Dust Proof & IP 67 water proof.</p> <p>Specification of Box: Box should be made of depth 7" on all sides made of 24 gauge Powder coated GI sheet GI sheet on TOP, Bottom and Sides and of 26 Gauge Powder coated GI sheet as Back Panel</p> <p>Frames of size 1"x1" (25mm x 25mm approx.) made of 18 Gauge double framed Square pipe painted with white enamel paint over a coat of anti-rust coating and for edge to edge illumination 1"x1" (25mm x 25mm approx.) Aluminium angle to be provided. All joints to be filled with silicon to prevent water from dripping inside the box and need to provide access door for maintenance of Power Supply and LEDs.</p> <p>The Cost include removing of existing Glow Sign Board, installation of new Board including supporting angles / poles, scaffolding, labour, tools etc., for proper completion of the work.</p>				
a	Glow Sign Board of Size 18 feet x 3 feet as per above specification	Sqft	54		
b	Glow Sign Board of Size 8 feet x 3 feet as per above specification	Sqft	21		
c	Glow Sign Board of Size 6' feet x 4' feet as per above specification	Sqft	24		
d	Double sided Glow Sign Board of Size 4 feet x 2 feet as per above specification	Each	1		
2	Supply & Installation of L&T make electronic Timer	Each	2		
3	Transportation Charges	L.S	1		
4	Total Amount				
5	GST as applicable _____%				
6	Gross Amount				

Note: Bidders are advised to visit the premises before quoting rate, quoted rates are final and no increase of rates is allowed.

Successful Bidder need to provide manufacturer warranty card for the Glow Sign Board and LED Light for a period 5 years, If Sign Board gets faded or LED not working during the warranty period the supplier need to replace the same free of cost under warranty within a reasonable time period.

Place:

Date:

Signature & Seal of the Bidder

Quotation
Price Bid

Schedule of Quantities					
S & I of Glow Sign Board for Kolathur Branch at 5/11-30, Santhi Theater Complex, Mettur Main Road, Kolathur, Salem.					
S.No	Description	Unit	Qty	Item Rate	Amount
1	<p>Supply & Installation of Glow Sign Board with Vinyl Fascia of make: LG Hausys Translucent Vinyl with 5 years warranty, Flex Material of make: LG Flex with 5 years warranty and LED Modules of make: LT / ADS 12v Modules. (minimum 3 Modules for each square feet with 7000 or 8000 K colour Temperature) with IP 67 water Proof rating, 50,000 burning hours & 5 years warranty and the LED modules are powered using suitable LED Power Driver of make: LT / ADS (OEM's make of LED) with Driver Wattage: 30w – 200w. LED Module & LED Power driver should be Dust Proof & IP 67 water proof.</p> <p>Specification of Box: Box should be made of depth 7" on all sides made of 24 gauge Powder coated GI sheet GI sheet on TOP, Bottom and Sides and of 26 Gauge Powder coated GI sheet as Back Panel</p> <p>Frames of size 1"x1" (25mm x 25mm approx.) made of 18 Gauge double framed Square pipe painted with white enamel paint over a coat of anti-rust coating and for edge to edge illumination 1"x1" (25mm x 25mm approx.) Aluminium angle to be provided. All joints to be filled with silicon to prevent water from dripping inside the box and need to provide access door for maintenance of Power Supply and LEDs.</p> <p>The Cost include removing of existing Glow Sign Board, installation of new Board including supporting angles / poles, scaffolding, labour, tools etc., for proper completion of the work.</p>				
a	Glow Sign Board of Size 28 feet x 4 feet as per above specification	Sqft	112		
b	Glow Sign Board of Size 8 feet x 3 feet as per above specification	Sqft	21		
c	Glow Sign Board of Size 8' feet x 3' feet as per above specification	Sqft	21		
d	Double sided Glow Sign Board of Size 3 feet x 3 feet as per above specification	Each	1		
2	Supply & Installation of L&T make electronic Timer	Each	2		
3	Transportation Charges	L.S	1		
4	Total Amount				
5	GST as applicable _____%				
6	Gross Amount				

Note: Bidders are advised to visit the premises before quoting rate, quoted rates are final and no increase of rates is allowed.

Successful Bidder need to provide manufacturer warranty card for the Glow Sign Board and LED Light for a period 5 years, If Sign Board gets faded or LED not working during the warranty period the supplier need to replace the same free of cost under warranty within a reasonable time period.

Place:

Date:

Signature & Seal of the Bidder

Quotation
Price Bid

Schedule of Quantities					
S & I of Glow Sign Board for Perundurai Road Branch at 50A/2 Perundurai Road Near Erode Medical Centre Hospital ERODE.					
S.No	Description	Unit	Qty	Item Rate	Amount
1	<p>Supply & Installation of Glow Sign Board with Vinyl Fascia of make: LG Hausys Translucent Vinyl with 5 years warranty, Flex Material of make: LG Flex with 5 years warranty and LED Modules of make: LT / ADS 12v Modules. (minimum 3 Modules for each square feet with 7000 or 8000 K colour Temperature) with IP 67 water Proof rating, 50,000 burning hours & 5 years warranty and the LED modules are powered using suitable LED Power Driver of make: LT / ADS (OEM's make of LED) with Driver Wattage: 30w – 200w. LED Module & LED Power driver should be Dust Proof & IP 67 water proof.</p> <p>Specification of Box: Box should be made of depth 7" on all sides made of 24 gauge Powder coated GI sheet GI sheet on TOP, Bottom and Sides and of 26 Gauge Powder coated GI sheet as Back Panel</p> <p>Frames of size 1"x1" (25mm x 25mm approx.) made of 18 Gauge double framed Square pipe painted with white enamel paint over a coat of anti-rust coating and for edge to edge illumination 1"x1" (25mm x 25mm approx.) Aluminium angle to be provided. All joints to be filled with silicon to prevent water from dripping inside the box and need to provide access door for maintenance of Power Supply and LEDs.</p> <p>The Cost include removing of existing Glow Sign Board, installation of new Board including supporting angles / poles, scaffolding, labour, tools etc., for proper completion of the work.</p>				
a	Glow Sign Board of Size 28 feet x 4 feet as per above specification	Sqft	112		
b	Glow Sign Board of Size 8 feet x 3 feet as per above specification	Sqft	21		
2	Supply & Installation of L&T make electronic Timer	Each	2		
3	Transportation Charges	L.S	1		
4	Total Amount				
5	GST as applicable _____%				
6	Gross Amount				

Note: Bidders are advised to visit the premises before quoting rate, quoted rates are final and no increase of rates is allowed.

Successful Bidder need to provide manufacturer warranty card for the Glow Sign Board and LED Light for a period 5 years, If Sign Board gets faded or LED not working during the warranty period the supplier need to replace the same free of cost under warranty within a reasonable time period.

Place:

Date:

Signature & Seal of the Bidder

Quotation
Price Bid

Schedule of Quantities					
S & I of Glow Sign Board for Shevapet Branch at 87, Sri Ram Krupa Appuchetty Street Shevapet Salem					
S.No	Description	Unit	Qty	Item Rate	Amount
1	<p>Supply & Installation of Glow Sign Board with Vinyl Fascia of make: LG Hausys Translucent Vinyl with 5 years warranty, Flex Material of make: LG Flex with 5 years warranty and LED Modules of make: LT / ADS 12v Modules. (minimum 3 Modules for each square feet with 7000 or 8000 K colour Temperature) with IP 67 water Proof rating, 50,000 burning hours & 5 years warranty and the LED modules are powered using suitable LED Power Driver of make: LT / ADS (OEM's make of LED) with Driver Wattage: 30w – 200w. LED Module & LED Power driver should be Dust Proof & IP 67 water proof.</p> <p>Specification of Box: Box should be made of depth 7" on all sides made of 24 gauge Powder coated GI sheet GI sheet on TOP, Bottom and Sides and of 26 Gauge Powder coated GI sheet as Back Panel</p> <p>Frames of size 1"x1" (25mm x 25mm approx.) made of 18 Gauge double framed Square pipe painted with white enamel paint over a coat of anti-rust coating and for edge to edge illumination 1"x1" (25mm x 25mm approx.) Aluminium angle to be provided. All joints to be filled with silicon to prevent water from dripping inside the box and need to provide access door for maintenance of Power Supply and LEDs.</p> <p>The Cost include removing of existing Glow Sign Board, installation of new Board including supporting angles / poles, scaffolding, labour, tools etc., for proper completion of the work.</p>				
a	Glow Sign Board of Size 20 feet x 4 feet as per above specification	Sqft	80		
b	Glow Sign Board of Size 8 feet x 3 feet as per above specification	Sqft	21		
c	Double sided Glow Sign Board of Size 5 feet x 3 feet as per above specification	Each	2		
2	Supply & Installation of L&T make electronic Timer	Each	2		
3	Transportation Charges	L.S	1		
4	Total Amount				
5	GST as applicable _____%				
6	Gross Amount				

Note: Bidders are advised to visit the premises before quoting rate, quoted rates are final and no increase of rates is allowed.

Successful Bidder need to provide manufacturer warranty card for the Glow Sign Board and LED Light for a period 5 years, If Sign Board gets faded or LED not working during the warranty period the supplier need to replace the same free of cost under warranty within a reasonable time period.

Place:

Date:

Signature & Seal of the Bidder

Quotation
Price Bid

Schedule of Quantities					
S & I of Glow Sign Board for Thindal Branch at Opp To Vidhya Nagar Mel Thindal, Thindal,Erode.					
S.No	Description	Unit	Qty	Item Rate	Amount
1	<p>Supply & Installation of Glow Sign Board with Vinyl Fascia of make: LG Hausys Translucent Vinyl with 5 years warranty, Flex Material of make: LG Flex with 5 years warranty and LED Modules of make: LT / ADS 12v Modules. (minimum 3 Modules for each square feet with 7000 or 8000 K colour Temperature) with IP 67 water Proof rating, 50,000 burning hours & 5 years warranty and the LED modules are powered using suitable LED Power Driver of make: LT / ADS (OEM's make of LED) with Driver Wattage: 30w – 200w. LED Module & LED Power driver should be Dust Proof & IP 67 water proof.</p> <p>Specification of Box: Box should be made of depth 7" on all sides made of 24 gauge Powder coated GI sheet GI sheet on TOP, Bottom and Sides and of 26 Gauge Powder coated GI sheet as Back Panel</p> <p>Frames of size 1"x1" (25mm x 25mm approx.) made of 18 Gauge double framed Square pipe painted with white enamel paint over a coat of anti-rust coating and for edge to edge illumination 1"x1" (25mm x 25mm approx.) Aluminium angle to be provided. All joints to be filled with silicon to prevent water from dripping inside the box and need to provide access door for maintenance of Power Supply and LEDs.</p> <p>The Cost include removing of existing Glow Sign Board, installation of new Board including supporting angles / poles, scaffolding, labour, tools etc., for proper completion of the work.</p>				
a	Glow Sign Board of Size 15 feet x 4 feet as per above specification	Sqft	60		
b	Glow Sign Board of Size 8 feet x 4 feet as per above specification	Sqft	32		
c	Double sided Glow Sign Board of Size 3 feet x 3 feet as per above specification	Each	1		
2	Supply & Installation of L&T make electronic Timer	Each	2		
3	Transportation Charges	L.S	1		
4	Total Amount				
5	GST as applicable _____%				
6	Gross Amount				

Note: Bidders are advised to visit the premises before quoting rate, quoted rates are final and no increase of rates is allowed.

Successful Bidder need to provide manufacturer warranty card for the Glow Sign Board and LED Light for a period 5 years, If Sign Board gets faded or LED not working during the warranty period the supplier need to replace the same free of cost under warranty within a reasonable time period.

Place:

Date:

Signature & Seal of the Bidder

Quotation
Price Bid

Schedule of Quantities					
S & I of Glow Sign Board for Thottani Branch at 129/4, Thottani, Koorapalayam Pirivu Nanda College of Pharmacy Campus Erode - Perundurai Main Road Thottani					
S.No	Description	Unit	Qty	Item Rate	Amount
1	<p>Supply & Installation of Glow Sign Board with Vinyl Fascia of make: LG Hausys Translucent Vinyl with 5 years warranty, Flex Material of make: LG Flex with 5 years warranty and LED Modules of make: LT / ADS 12v Modules. (minimum 3 Modules for each square feet with 7000 or 8000 K colour Temperature) with IP 67 water Proof rating, 50,000 burning hours & 5 years warranty and the LED modules are powered using suitable LED Power Driver of make: LT / ADS (OEM's make of LED) with Driver Wattage: 30w – 200w. LED Module & LED Power driver should be Dust Proof & IP 67 water proof.</p> <p>Specification of Box: Box should be made of depth 7" on all sides made of 24 gauge Powder coated GI sheet GI sheet on TOP, Bottom and Sides and of 26 Gauge Powder coated GI sheet as Back Panel</p> <p>Frames of size 1"x1" (25mm x 25mm approx.) made of 18 Gauge double framed Square pipe painted with white enamel paint over a coat of anti-rust coating and for edge to edge illumination 1"x1" (25mm x 25mm approx.) Aluminium angle to be provided. All joints to be filled with silicon to prevent water from dripping inside the box and need to provide access door for maintenance of Power Supply and LEDs.</p> <p>The Cost include removing of existing Glow Sign Board, installation of new Board including supporting angles / poles, scaffolding, labour, tools etc., for proper completion of the work.</p>				
a	Glow Sign Board of Size 6 feet x 3 feet as per above specification	Sqft	18		
b	Glow Sign Board of Size 8 feet x 3 feet as per above specification	Sqft	21		
c	Double Sided Glow Sign Board of Size 3 feet x 3 feet as per above specification	Each	1		
2	Supply & Installation of L&T make electronic Timer	Each	2		
3	Transportation Charges	L.S	1		
4	Total Amount				
5	GST as applicable _____%				
6	Gross Amount				

Note: Bidders are advised to visit the premises before quoting rate, quoted rates are final and no increase of rates is allowed.

Successful Bidder need to provide manufacturer warranty card for the Glow Sign Board and LED Light for a period 5 years, If Sign Board gets faded or LED not working during the warranty period the supplier need to replace the same free of cost under warranty within a reasonable time period.

Place:

Date:

Signature & Seal of the Bidder

Quotation
Price Bid

Schedule of Quantities					
S & I of Glow Sign Board for Manjini Branch at 4/59/1 PERAMBALUR MAIN ROAD GOVERNOR THOPPU MANJINI ATTUR TK					
S.No	Description	Unit	Qty	Item Rate	Amount
1	<p>Supply & Installation of Glow Sign Board with Vinyl Fascia of make: LG Hausys Translucent Vinyl with 5 years warranty, Flex Material of make: LG Flex with 5 years warranty and LED Modules of make: LT / ADS 12v Modules. (minimum 3 Modules for each square feet with 7000 or 8000 K colour Temperature) with IP 67 water Proof rating, 50,000 burning hours & 5 years warranty and the LED modules are powered using suitable LED Power Driver of make: LT / ADS (OEM's make of LED) with Driver Wattage: 30w – 200w. LED Module & LED Power driver should be Dust Proof & IP 67 water proof.</p> <p>Specification of Box: Box should be made of depth 7" on all sides made of 24 gauge Powder coated GI sheet GI sheet on TOP, Bottom and Sides and of 26 Gauge Powder coated GI sheet as Back Panel</p> <p>Frames of size 1"x1" (25mm x 25mm approx.) made of 18 Gauge double framed Square pipe painted with white enamel paint over a coat of anti-rust coating and for edge to edge illumination 1"x1" (25mm x 25mm approx.) Aluminium angle to be provided. All joints to be filled with silicon to prevent water from dripping inside the box and need to provide access door for maintenance of Power Supply and LEDs.</p> <p>The Cost include removing of existing Glow Sign Board, installation of new Board including supporting angles / poles, scaffolding, labour, tools etc., for proper completion of the work.</p>				
a	Glow Sign Board of Size 33 feet x 4 feet as per above specification	Sqft	132		
b	Glow Sign Board of Size 15 feet x 3 feet as per above specification	Sqft	45		
c	Double Sided Glow Sign Board of Size 3 feet x 3 feet as per above specification	Each	1		
2	Supply & Installation of L&T make electronic Timer	Each	1		
3	Transportation Charges	L.S	1		
4	Total Amount				
5	GST as applicable _____%				
6	Gross Amount				

Note: Bidders are advised to visit the premises before quoting rate, quoted rates are final and no increase of rates is allowed.

Successful Bidder need to provide manufacturer warranty card for the Glow Sign Board and LED Light for a period 5 years, If Sign Board gets faded or LED not working during the warranty period the supplier need to replace the same free of cost under warranty within a reasonable time period.

Place:

Date:

Signature & Seal of the Bidder

Quotation
Price Bid

Schedule of Quantities					
S & I of Glow Sign Board for Thippampatti Branch at Kammalapatti Main Road Kullappanaickanur Thippampatti.					
S.No	Description	Unit	Qty	Item Rate	Amount
1	<p>Supply & Installation of Glow Sign Board with Vinyl Fascia of make: LG Hausys Translucent Vinyl with 5 years warranty, Flex Material of make: LG Flex with 5 years warranty and LED Modules of make: LT / ADS 12v Modules. (minimum 3 Modules for each square feet with 7000 or 8000 K colour Temperature) with IP 67 water Proof rating, 50,000 burning hours & 5 years warranty and the LED modules are powered using suitable LED Power Driver of make: LT / ADS (OEM's make of LED) with Driver Wattage: 30w – 200w. LED Module & LED Power driver should be Dust Proof & IP 67 water proof.</p> <p>Specification of Box: Box should be made of depth 7" on all sides made of 24 gauge Powder coated GI sheet GI sheet on TOP, Bottom and Sides and of 26 Gauge Powder coated GI sheet as Back Panel</p> <p>Frames of size 1"x1" (25mm x 25mm approx.) made of 18 Gauge double framed Square pipe painted with white enamel paint over a coat of anti-rust coating and for edge to edge illumination 1"x1" (25mm x 25mm approx.) Aluminium angle to be provided. All joints to be filled with silicon to prevent water from dripping inside the box and need to provide access door for maintenance of Power Supply and LEDs.</p> <p>The Cost include removing of existing Glow Sign Board, installation of new Board including supporting angles / poles, scaffolding, labour, tools etc., for proper completion of the work.</p>				
a	Glow Sign Board of Size 15 feet x 3 feet as per above specification	Sqft	45		
b	Glow Sign Board of Size 8 feet x 3 feet as per above specification	Sqft	21		
c	Double Sided Glow Sign Board of Size 3 feet x 4 feet as per above specification	Each	2		
d	Glow Sign Board of Size 6 feet x 3 feet as per above specification	Sqft	18		
2	Supply & Installation of L&T make electronic Timer	Each	1		
3	Transportation Charges	L.S	1		
4	Total Amount				
5	GST as applicable _____%				
6	Gross Amount				

Note: Bidders are advised to visit the premises before quoting rate, quoted rates are final and no increase of rates is allowed.

Successful Bidder need to provide manufacturer warranty card for the Glow Sign Board and LED Light for a period 5 years, If Sign Board gets faded or LED not working during the warranty period the supplier need to replace the same free of cost under warranty within a reasonable time period.

Place:

Date:

Signature & Seal of the Bidder