SPECIFICATIONS - Annexure 'A'

Category B

Code No: 11.303

Item Name: Savings Bank Pay Order Book (100 Lvs)

Material	Wrapper : 50 GSM Kraft Paper
Specification	Text: 70 JK / TNPL / WEST COAST Maplitho Paper as per BIS
	Specification IS: 1848.
Finished	8 x 3 5/8 Inches- 100 Sheet to one Book with wrapper.
Size	
Process	Printing / Gathering / Perforation / Pasting/ Finishing / Packing
No. of Color	Wrapper : 1 color Black- One Side
	Text : 2 + 1 -color Blue Tint / Black + Black – F/B
No. of	10,000 books
copies	
Type of	Perforation at Spine side on each text sheet. & Side Pinning Or Pasting to
Finishing	be done on each 100 Lvs.
Packing	Every 25 Books should be packed in a good quality polythene covered and
Method	for every 2 packets PP Mono twine Bundling should be done. A printed
	label should be pasted on each box.

Code No: 12.902

Item Name: TDR - Envelope

	•
MATERIAL	110 GSM JK / Bilt Art Paper as per BIS specifications IS: 1848.
Finished Size	8 ¾ x 6 ¼ Inches
Extra Open Flap	1 inches
area	
Bottom Pasting	¾ inches
area	
Overlap Pasting	½ inches
area	
Lamination	10 micron BOPP Gloss Lamination - Front side
Type of	Printing / Lamination / Die cutting / Pasting / Finishing / Packing.
Process	
No. of Color	4 color – One Side
No. of copies	1,00,000/- Nos
PACKING	Every 50 nos to be paper banded and every 250 nos to be packed in 90
	GSM Kraft paper. And printed label to be pasted on each packet.

Art Work will be provided by the Bank. However, if there is any change or for some items if art work is not available, designing / artwork shall be done by bidder (@ no extra charges) as per terms. Hard or soft copy of the document will be shared with the vendor.

Under Specified Paper Mills, only "A" Grade Paper to be used.

Code No: 17.102

Item Name: CASH BALANCE BOOK

	T
Material	Text: 80 GSM AZURELAID LEDGER PAPER OF West Coast /
Specification	Ballarpur / Seshasayee Paper as per BIS Specification IS:1848
	2 lb Straw Board & Spine Edge and Foredge Calico Cloth with Marble
	sheet wrapper covered. Cloth Jointed End Paper to be used.
Finished Size	9 x 11 inch
Type of Process	Printing / Folding / Sewing / Case Binding / Finishing / Packing.
No of pages	1 Pages to a Set – 300 Set one Book / Serially Numbered
No. of Color	1-color Black – F/B.
No. of copies	200 books
Type of	Each section to have 3 independent stitching, cloths joined end paper
Finishing	to be used; cloth should be used for backlining (spine). Two tapes to
	be used for sewing end paper to be sewn as a section. Printed label to
	be pasted on each book. Fevicol should be used for all pasting
	purposes.

Code No: 20.237

Item Name: ATM CASH BALANCE BOOK

Material	Text: 80 GSM AZURELAID LEDGER PAPER OF West Coast / Ballarpur/
Specification	Seshasayee as per BIS Specification IS:1848
	2 lb Straw Board & Spine Edge and Foredge Calico Cloth with Marble
	sheet wrapper covered. Cloth Jointed End Paper to be used.
Finished Size	9 x 11 inch
Type of	Printing / Folding / Sewing / Case Binding / Finishing / Packing.
Process	
No of pages	3 – page to be a set / 100 Set to be One Book / Serially Numbered
No of Oolo	4 D E/D
No. of Color	1-color Black – F/B.
No. of copies	100 books
Type of	Each section to have 3 independent stitching, cloths joined end paper to
Finishing	be used; cloth should be used for backlining (spine). Two tapes to be used
	for sewing end paper to be sewn as a section. Printed label to be pasted
	on each book. Fevicol should be used for all pasting purposes.

Code No: 23.110

Item Name: INSURANCE REGISTER

Material Specification	Text: 60 GSM Ballarpur / West Coast / TNPL Paper as per BIS
	Specification IS:1848
	2 lb Straw Board & Spine Edge and Foredge Calico Cloth with
	Marble sheet wrapper covered. Cloth Jointed End Paper to be
	used.
Finished Size	9 x 11 inch – 101 folios to a book to be serially numbered.
Type of Process	Printing / Perforation / Gathering / Sewing / Case Binding /
	Finishing / Packing.
No. of Color	1-color Black – F/B
No. of copies	100 books
Type of Finishing	Each section to have 3 independent stitching, cloths joined end
	paper to be used; cloth should be used for backlining (spine).
	Two tapes to be used for sewing end paper to be sewn as a
	section. Colour to be sprayed on edges. Printed label to be
	pasted on each book. Fevicol should be used for all pasting
	purposes.

Code No: 26.145

Item Name: 1 QUIRE NOTE BOOK

Material	Text: 60 GSM Ballarpur/ TNPL /West Coast / Seshasayee Maplitho
Specification	paper as per BIS specification IS 1848
	1 ½ Ib Straw Board & Spine Edge and Foredge Corner Calico Cloth
	with Marble sheet wrapper covered. Cloth Jointed End Paper to be
	used.
Finished Size	8 1/4 x 12 1/2 Inches – 92 Pages to a book & To be serially
	numbered
Type of Process	Offset - Printing / Folding / Gathering / Sewing / Case Binding/
	Finishing / Packing.
No. of Color	Text : 1-color – F/B
No. of copies	300 books
Type of Finishing	Each section to have 3 independent stitching, cloths joined end
	paper to be used; cloth should be used for backlining (spine). Two
	tapes to be used for sewing end paper to be sewn as a section.
	Printed label to be pasted on each book.
	Fevicol should be used for all pasting purposes.

Art Work will be provided by the Bank. However, if there is any change or for some items if art work is not available, designing / artwork shall be done by bidder (@ no extra charges) as per terms. Hard or soft copy of the document will be shared with the vendor.

Under Specified Paper Mills, only "A" Grade Paper to be used.

Code No: 26.146

Item Name: 2 QUIRE NOTE BOOK

Material	Text: 60 GSM Ballarpur/ TNPL /West Coast / Seshasayee Maplitho
Specification	paper as per BIS specification IS 1848
	1 ½ Ib Straw Board & Spine Edge and Foredge Corner Calico Cloth
	with Marble sheet wrapper covered. Cloth Jointed End Paper to be
	used.
Finished Size	8 x 13 Inches – 192 Pages to a book & To be serially numbered
Type of	Offset - Printing / Folding / Gathering / Sewing / Case Binding/ Finishing
Process	/ Packing.
No. of Color	Text: 1-color – F/B
No. of copies	300 books
Type of	Each section to have 3 independent stitching, cloths joined end paper to
Finishing	be used; cloth should be used for backlining (spine). Two tapes to be
	used for sewing end paper to be sewn as a section. Printed label to be
	pasted on each book. Fevicol should be used for all pasting purposes.

Category C Items

Code No: 11.111

Item Name: OPG.FORM FOR PER.CIF - WITH FULL KYC

Material	Text - 70 GSM West Coast/ Ballarpur/TNPL / Seshasayee Maplitho
Specification	paper as per BIS specifications IS: 1848.
	Wrapper – 90 GSM Ribbed Kraft Paper half wrappers covered with
	Calico Cloth with book.
	½ Ib Straw Board at bottom & Spine Edge Ordinary Calico Cloth.
	Calico cloth size should be front and back side 50 x 216 mm
Finished Size	8 ½ x 11 Inches / 100 sheets to a pad
Type of Process	Offset - Printing / Gathering / Binding / Finishing / Packing.
No. of Color	TEXT-1-color Black– F/B
No. Of Pages	Text - 2 page
No. of copies	1000 pads
Type of Finishing	100 sheets should be gathered in one pad & glued on spine area and
	covered with straw board with Wrapper & Calico Cloth.
	Note: Fevicol Should be used for all the pasting purpose.
Packing Method	PP mono Twine Bundling to be done with every 10 pads.
	A Printed Label to be pasted on either one side of the bundle.

Art Work will be provided by the Bank. However, if there is any change or for some items if art work is not available, designing / artwork shall be done by bidder (@ no extra charges) as per terms. Hard or soft copy of the document will be shared with the vendor.

Under Specified Paper Mills, only "A" Grade Paper to be used.

Code No: 11.132

Item Name: Application for NEFT/RTGS

Material	Text - 70 GSM West Coast/TNPL/ Seshasayee / Ballarpur Maplitho
Specification	paper as per BIS specifications IS: 1848.
	Wrapper – 80 GSM Ribbed Kraft Paper half wrappers covered with
	Calico Cloth with book.
	1/2 lb Straw Board at bottom & Spine Edge Ordinary Calico Cloth. Calico
	cloth size should be front and back side 50 x 216 mm
Finished Size	8 ½ x 11 Inches / 100 sheets to a pad
Process	Offset - Printing / Gathering / Binding / Finishing / Packing.
No. of Color	TEXT-1-color Black– F/B
No. Of Pages	Text - 2 page / Bilingual
No. of copies	1000 pads
Type of	100 sheets should be gathered in one pad & glued on spine area and
Finishing	covered with straw board with Wrapper & Calico Cloth.
	Note: Fevicol Should be used all the pasting purpose.
Packing Method	PP mono Twine Bundling to be done with every 10 pads

Code No: 13.202

Item name: DEPOSIT CUM LOAN CHALLAN

Material	60 GSM WEST COAST/ TNPL MAPLITO PAPER as per BIS specification IS:
Specification	1848.
Finished Size	4 1/4 x 11 Inches / 100 Challans to be stapled
Type of Process	Offset - Printing / Gathering / Side Pinning / Finishing / Packing.
No. of Color	TEXT-1-color Black- F/B
No. Of Pages	Text - 2 page – Bilingual
No. of copies	Qty: 15,00,000 ; Language – Marathi / Hindi / English
Type of Finishing	Side Pinning to be done (The Pinning Position should be Center of the spine
	area) and Perforation to be done for easy tear off purpose.
Packing Method	Every 500 Challan should be wrapped with Paper Band & PP mono Twine
	Bundling to be done with every 2000 challans.

Code No: 17.204

Item Name: Paper Band Cum Denomination Slip

	<u> </u>
Material	70 gsm West Coast/Ballarpur/ Seshasayee /TNPL MAPLITHO PAPER as
Specification	per BIS Specification IS:1848
Finished Size	19 X 41 CM
Type of	Offset - Printing / Die cutting / Screen Pasting / Finishing / Packing.
Process	
No. of Color	1-color blue – one side (at the centre of the Vertical band 7x7 cm)
No. of copies	1,00,000 slips
Type of	Adhesive should be used for screen pasting on the top edge releasing
Finishing	sheet size 1.5 x 3.5 inches & on the right edge of Releasing sheets size
	1.5 x 2.5 inches. Note: End to End Adhesive should be provided.
	Releasing Sheet without Proper adhesive will be rejected.
Packing	Every 100 slips to a paper band at two edge place.2000 slips to be
Method	packed in a Card board box. And printed label to be pasted on each
	packet.

Code No: 24.258

Item Name: NOMINATION FORM

Material	Text - 70 gsm West Coast/Ballarpur/Seshasayee/TNPL Maplitho paper
Specification	as per BIS specifications IS: 1848. Wrapper – 80 GSM Ribbed Kraft
	Paper half wrappers covered with Calico Cloth with book.
	1/2 lb Straw Board at bottom & Spine Edge Ordinary Calico Cloth. Calico
	cloth size should be front and back side 50 x 216 mm
Finished Size	8 ½ x 11 Inches / 100 sheets to a pad
Process	Offset - Printing / Gathering / Binding / Finishing / Packing.
No. of Color	TEXT-1-color Black- ONE SIDE
	Soft COPY WILL BE SUPPLIED BY THE BANK.
No. Of Pages	Text - 1 page
No. of copies	500 PADS
Finishing	100 sheets should be gathered in one pad & glued on spine area and
	covered with straw board with Wrapper & Calico Cloth.
	Note: Fevicol Should be used for all the pasting purpose
Packing	PP mono Twine Bundling to be done with every 10 pads
Method	

Code No: 30.923

Item Name: ENVELOPE MEDIUM (10.5 X 4.5 INCH)

Material	90 GSM Seshasayee / Mysore / Andhra Ripped Kraft Paper as per
Specification	BIS Specification IS: 1848
Finished Size	10 ½ x 4 ½
	Note: 1 inches gum strip should be there in edge open flap area.
Extra Open Flap area	1
Bottom Pasting area	1/2
Overlap Pasting area	1/2
Type of Process	Printing / Die cutting / Pasting / Finishing / Packing.
No. of Color	1- Color
Type of Finishing	A good adhesive should be used for pasting purpose.
Qty	25,000
Packing Method	Every 50 Covers should be wrapped with paper band and every 250
	Covers should be packed in good Kraft paper. Printed label to be
	pasted on each box.