

**Zonal Office: Chandigarh** 

#### **NOTICE INVITING TENDER**

## Sub: COMPETITIVE TENDER FOR INTERIOR FURNISHING AND ELECTRICAL WORK AT NEW PREMISES OF SECTOR 105 MOHALI BRANCH DISTT SAS NAGAR (PUNJAB) UNDER CHANDIGARH ZONE

Competitive sealed Tenders are invited in the prescribed format from the contractors who are already empanelled with our bank executed interior furnishing in last three years.

Formats of Tenders document is enclosed for submission of interior furnishing and Electrical work of **Sector 105 Mohali branch**, Distt-SAS Nagar. Full details and tender document are available in Bank's website <a href="https://www.indianbank.in">www.indianbank.in</a> or can be obtained from Zonal Office Chandigarh. Duly filled tenders should be submitted as per following schedule:

1	Issue of Tender Document	From 27.05.2025 to 10.06.2025
2	Submission of Tender	On or before 10.06.2025 up to 3:00PM
3	Opening of Tender	On 10.06.2025 at 04:00 PM
4	Estimated cost of work	Rs 14.40 Lacs
5	Date of Commencement	3 Days from the date of issue of letter awarding the job
6	Time of Completion	2 Weeks
7	Defect Liability Period	12 Months (from the date of virtual completion as certified by the architect/employer
8	Earnest Money	Rs.15000/- in form of DD/IOI in favour of Indian Bank payable at Chandigarh.  *Firms registered with MSME/NSIC with valid certificate issued by GOI are exempted from submitting EMD along with Tender.
9	Liquidated Damages for delay	1.0% of the contract value per week subject to Max.of 10 % of accepted contract amount.  (If the work is not completed to the satisfaction of the Employer within the stipulated period the contractor shall be bound to pay to the employer a sum equivalent to 1.0% of the contract value per week subject to ceiling of 10% of the accepted contract amount by way of liquidated damages and not as penalty during which the work remains un-commenced or unfinished after expiry of the completion date.
10	Payment Terms	Running advance will be made after completion of 75 % of work. Payment will be made on satisfactory completion of the job on the basis of actual measurements. Income tax will be deducted as per the rules. Retention money 10% will be deducted the bill and to be released after 12 months from the date of virtual completion provided no defects is observed during this period.
11	Retention Money	10% of total bill amount (exclusive GST) (Including Earnest money)
12	Other Terms & Conditions	As perTender document

The Bank will not be bound to accept the lowest tender and reserves the right to accept or reject any or all the tender without assigning any reason whatsoever. Late/delayed tender shall not be accepted after due date and time of submission of tender.

Zonal Manager

# INDIAN BANK TENDER DOCUMENT

**FOR** 

INTERIOR FURNISHING
&
ELECTRICAL WORKS

OF INDIAN BANK AT

**SECTOR 105 MOHALI** 

OFFICE OF THE
ZONAL MANAGER
INDIAN BANK, ZONAL OFFICE,
SECTOR 17, CHANDIGARH - 160017

#### **ARCHITECTS:**

#### **GURDEV GROUP OF ARCHITECTS**

SCO 1094-95, SECTOR 22-B, CHANDIGARH – 160 022 PHONE: 0172-2712201 MOBILE: 094170-08450

#### **DETAILS OF TENDER**

#### TENDER FOR THE FURNISHING & ELECTRICAL WORKS IN INDIAN BANK AT **SECTOR 105 MOHALI**

1. Details of work to be done Interior / Furnishing & Allied

Electrical works for the furnishing of Indian Bank

Sector 105 Mohali

2. Form of Contract Item wise rate

3. **Earnest Money** Rs. 15,000/- Fifteen thousand only)

:

in form of Demand draft in favour of Indian Bank, payable at Chandigarh.

\*Firms registered with MSME/NSIC with valid certificate issued by GOI are exempted from submitting EMD along

with Tender.

Period of contract / 4.

time of Completion

3 Weeks

5. Last Date & time for receiving:

of sealed tender.

10.06.2025 at 3:00 p.m.

Liquidated damages for non-: 6.

Completion of work in time

1.0% of the contract value per week

subject to a max of 10% of the

Contract value.

7. **Defect Liability Period** 12 months (Twelve months) from the

Date of virtual completion as certified

by Architect / employer.

8. Retention amount for 12 months: 10% of the total bill amount (excluding GST).

9. Period of submitting of

Final bill.

15 days from the date of completion.

10. Mobilization Advance /

Secured Advance

50 % running advance may be given after

completion of 75% of work as approved by

Architect.

11. Place and date of opening:

of tender

10.06.2025 at 4:00 p.m. at

Indian Bank Zonal office Chandigarh 2<sup>nd</sup> floor SCO 49-50, Sec 17, Chandigarh

Zonal Manager, Indian Bank, Zonal Office, Chandigarh.

### TENDER FOR THE FURNISHING & ELECTRICAL WORKS IN INDIAN BANK AT SECTOR 105 MOHALI

#### **GENERAL CONDITIONS**

- 1. The Contractor shall sign each page of this tender.
- 2. Payment to the Contractor Agency shall be made as per actual work done at site.
- 3. If any item found executed not as per tender and specifications, the same shall not be paid to the contractor and contractor shall not be allowed to remove the said item in any case.
- 4. Quantity of work may increase or decrease at site as per requirement, which shall not affect the rates quoted by the contractor.
- 5. Furnishing works including electrical works etc. shall be done to the complete satisfaction of Bank and Architect-in-charge.
- 6. All teak / Cedar wood / rubber wood to be used should be knotless which is to be polished with all background surface preparation courses maintaining the visibility of wood grains.
- 7. The rates to be quoted shall include the cost of material, labor charges, carriage, sales tax, or any / all other taxes any required hardware etc.
- 8. The contractor agency shall keep particular vigil on his workers / carpenters / painters etc. to maintain very good workmanship of all items, failing which no payment shall be made and no claim of material / labor used shall be made to him in any case, and the same work shall be executed by him again without charging any extra cost.
- 9. All rates shall be quoted in words & figures & any cutting over writing shall be signed.
- 10. All items to be executed as per drawings, if any change is required, the same shall be brought to the notice of Architect-in-Charge.
- 11. Any tender / quotation containing clerical or arithmetical mistakes shall be rejected.
- 12. Any addition, alteration or correction shall be signed and stamped properly.
- 13. Contractor agencies are advised (before quoting the rates) to inspect the site of the proposed work. He must go through all drawings and specifications and documents.
- 14. The Bank reserves the right to accept / reject any tender / quotation without assigning any reason.
- 15. The Contractor agency should have already executed works of furnishing interiors & exterior, civil works of very good workmanship.
- 16. Quality of material and workmanship rejected by the Architect / Concerned Authorities shall be removed immediately by the contractor and rectified / replaced.

- 17. No advance payment shall be made to the Contractor on supply of any material supplied at site for execution. Payment shall only be made on execution of any concerned / particular item.
- 18. The rates shall include the cost of coat of anti-termite treatment on all wooden frame work and all commercial ply / board used for partitions and paneling, furniture etc. The contractor/s shall have to dismantle & dispose the existing counters, tables & partitions within the quoted cost of the total furnishing works.
- 19. Rates for partitions, paneling, wall cladding and false ceiling shall include cutting and making good of necessary cut-outs/chiseling to be made for electrical conduits, switch boards etc.
- 20. Bank shall not be responsible for any loss or damage to the contractor/labor due to any natural calamity during the course of construction. Contractor is liable to make good all the damages if any, till the work is completed and handed over to the Bank authorities.
- 21. Any payment to the contractor on account of execution of work, whether it is running payment or final, shall be verified by the Architect-in-Charge.
- 22. Unless, otherwise mentioned all materials to be used shall be I.S.I. marked. Failure to do so, the work may be rejected and in that case contractor shall have to remove the defective materials and replace / re-do the work for which no claim shall be entertained.
- 23. The total work shall be supervised by the Architect-in-Charge and he/she shall be kept fully informed by the contractor regarding the progress of work.
- 24. Bank may award the work in part or whole to a single party or any other party.
- 25. It may please be noted that the Bank is not bound to allot the work to the lowest party. And as such, the allotment of work shall be based on workability of rates quoted by the contractor on account of quality work.
- 26. The bank reserves the right to reject any or all the tenders without assigning any reason whatsoever.
- 27. The earnest money deposited shall not carry any interest and will be refunded to the unsuccessful tenderers.
- 28. Earnest money paid by the contractor shall be forfeited by the Bank if contractor fails to undertake the job if he is communicated about acceptance his rates/tender.
- 29. The contractor shall take all the necessary precautions while working and to safe guard adjacent property, Bank's property, Bank's Employees, and traffic persons.
- 30. All the rates quoted are inclusive of removal of existing counters, partitions, wiring, rubbish/ debris collected during the progress of work, rejected materials etc.
- 31. The contractor shall not directly or indirectly sublet the work to other party without written permission of the Bank.

- 32. The quantities mentioned in schedule are provisional and likely to increase/decrease to any extent or may be omitted thus altering the aggregate value of the contract. No claim for loss of profit / business shall be entertained on this account.
- 33. The Bank reserves the right to distribute the work for which quotations have been called, among more than one parties, if found necessary. No claim in this respect shall be considered and the contractor agrees to cooperate with other agencies appointed by the Bank.
- 34. All the workers of the contractor must be properly covered by an insurance policy under "Workman's Compensation act" and "Fatal Accidents Act". The contractor at his own expenses arrange to effect and maintain until the virtual completion of the contract, insurance policy in the joint name of Bank and the contractor against this risk to be retained by the Bank until the virtual completion of the work, and indemnify the Bank from all the liabilities arising out of such events. In case of delay, contractor shall arrange to extend insurance policy till work is completed.
- 35. All the work should be completed within the specified period in the tender. If the work is delayed due to the reasons beyond the control of the contractor, he should keep intimating the Bank explaining, therein the reasons for such delays, immediately and if in the opinion Bank's authorities the delay is justified, the contractor shall be granted extension in time limit.
- 36. The contractor shall furnish well in time before work commence at his own cost, color samples, samples of materials or workmanship that may be called by Bank's Architect / Engineer for approval. Rates quoted shall cover for such preliminary work.
- 37. All the glass panes, door handles/ hinges, electric fittings, fans, furniture, records, floors etc. are to be thoroughly cleaned after the work is completed.
- 38. The rates quoted by the contractor shall be firm throughout the duration of contract (including extension of time if any granted) and will not be subject to any fluctuation due to variation in cost of material and labor.
- 39. Conditional tenders are liable to be rejected.
- 40. The successful tenderer is bound to carry out any item of work necessary for the completion of the job even those such items are not included in schedule of quantities.
- 41. If in any case of work required to be abandoned, the contractor shall not be entitled for any claims and he will be paid as per the actual work done till that period, if deemed fit.
- 42. Decision of the Bank shall be final and binding on any matter connected with the work. The matter of any dispute shall be decided after mutual discussions based on the terms and conditions of this contract. However, if the matter cannot be resolved then the same shall be referred to the respected qualified person in agreed to both the parties and his opinion shall be binding on both the parties. However, this is precourse to any legal action in this regard.

- 43. If at any stage during the progress of work, it is observed that the contractor is not progressing the work with due diligence, care of lagging much behind the schedule or fails to gear up the work despite instructions from Bank's Architect, the Employer (Bank) reserves the right to terminate the contract with 7 days' notice. In such case the contractor shall be liable to pay the Employer any extra cost involved for the completion of the said work and will not obstruct any way in completing the work through other agency. After completion of entire work the contractor shall be paid for the actual work executed by him at the quoted rates after deducting any claims, damages. In case of such termination the security deposit held by the Bank will be forfeited.
- **44.** Contractor shall follow all rules / regulations in force and should possess the license for employing labor and also follow all safety measures, labor bye laws and shall be responsible for any lapse.
- **45.** At any stage i.e. during the execution of work, any kind of change reqd. whether it is in design or specification, the same has to be in-corporate by the contractor.

CONTRACTOR INDIAN BANK

#### **AGREEMENT**

This agreement made at day Bank, Zonal Office Chandigarh , having Chandigarh			
(herein after called the Employer whic	ch expression s	hall include their	ir heirs, executors,
administrators and assignees)	of the	one part	and M/S
	(herein after co	alled the 'Contrac	ctor') of the other
part. Whereas the employer is desirous the specifications describing the work to be a and WHEREAS the said drawings, the specification of the parties have execute upon and subject to the condition quantities at the respective rates mention part of the tender document.	done, to be pre difications and the dereto and WHEF dons set forth her	epared by their ap ne price schedule REAS the contractein and the said	pproved Architects of quantities have stor has agreed to priced schedule of

#### NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- 1. In consideration of the said contract, payments to be made to the said conditions execute and complete the works shown upon the said Drawings and such Further detailed drawings as may be furnished to him by the said Architects and described in the specifications and the said priced schedule of quantities.
- 2. The employer shall pay the contractor such sums as shall become payable hereunder at the times and in the manner specified in the said conditions.
- 3. The said contract comprised the building above mentioned and all subsidiary works connect there within the same site as may be ordered to be done from time to time by the said Architects even, through such works may not be shown on the Drawings or described in the said specification or the priced schedule of quantities.
- 4. The Employer through Architect reserves to himself the right of altering the drawing and nature of the work and adding to or omitting any items of works, check of measurement, payment certificate, variation arising in view of change of scope of work and approval of rates of extra substituted items. The decision of the Employer
- 5. The Employer in consultation with the Architect reserves the right to exercise control on quality of work, check of measurement, payment certificate, variation arising, in view of change of scope of work and approval of rates of extra submitted items. The decision of the Employer shall be final and binding this regard balance retention money being deducted from my /our bills in accordance with the conditions of contract.
- 6. The following documents shall be deemed to form and constructed as part of this agreement along with the amendments , negotiated and confirmed in various subsequent latter exchanged as mentioned hereinafter and parties hereto will respectively abide by and submit themselves to the conditions and stipulations and perform the agreement on their parts respectively in such conditions contained .
  - i) Invitation to Tender.
  - ii) Instruction to Tenderers .
  - iii) General Conditions of the contract.

shall be final and binding in this regard.

iv) Schedule of Quantities.

	v) Employer letter date/
	vi) Contractors letter date//_ to the Employer in acceptance of the award of contract .
7.	
	to have arisen at Chandigarh only, the court in Chandigarh shall have jurisdiction to determine the same.
8.	
Witnes	ss our hand this
SIGNE	ED BY THE SAID
	OYED)
	ERESENCE OFESS
SIGNE	ED BY THE SAID
	TRACTOR)
	ERESENCE OFESS
, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	

### TENDER FOR THE FURNISHING & ELECTRICAL WORKS IN INDIAN BANK AT SECTOR 105 MOHALI

### SPECIFICATIONS / BRANDS / MAKE OF ITEMS FOR FURNISHING WORK TO BE USED.

a) Board / Ply : Conforming to ISI standards.

b) Laminate 1mm th : Century, Greeenlam, Merino, AllCA, SUNMICA

c) Door Closer / Floor spring : Everite, Doorking, Sandhu, Nitco.d) Drawer & Keyboard, Slide : Earl Bihari, Ebco (Telescopic)

Rails

e) Glue for fixing commercial : Fevicol (Pidilite)

Board / Laminate

f) Glass : Triveni, Modi Float, Saint Gobain, Asahi.

g) Mortice Latch & Lock : Godrej, Harrison. h) Vertical Blinds : Vista Levelor / Mac.

i) Tapestry/leather foam : Harmony, Vimal, Bhor or as approved

j) Aluminium Sections : Jindal/Mahavir/Hindalco

k) False Ceiling : Gypsum Board
I) Grid ceiling : Armstrong

I) Synthetic Enamel : Asian, Nerolac, ICI, Berger m) Emulsion Paint/Plastic Paint : Asian, Nerolac, ICI, Berger

### SPECIFICATIONS / BRANDS / MAKE OF ITEMS FOR ELECTRICAL WORK TO BE USED.

- SFU/MCCB/ Change over switch/DB : L&T/ MDS/ Legrand/Havells.

- Voltmeter/Ampere meter : AE/L&T.

- Armored Cable : Gloster/ CCI/Polycab.

- PVC Insulated Wires : Polycab /Finolex/RR Cables/Havells.

- Telephone cable : Finolex/Delton/Havells.

- Data cables & I.O's : Lucent/D-link.

- Modular switch / socket / call Bell : North west / Havells /Anchor Roma.

- Light fittings & Lamps : Philips/Crompton/Wipro.

- Ceiling fan/Wall bracket fan/Exhaust : Crompton/Orient/Khaitan/Bajaj.

CONTRACTOR INDIAN BANK

#### TENDER FOR THE FURNISHING & ELECTRICAL WORKS IN INDIAN BANK AT SECTOR 105 MOHALI

Α	FURNISHING WORKS				
S	DESCRIPTION	QTY	UNIT	RATE	AMT
No					
1	PPGI METAL SHEET FALSE CEILING: Providing & fixing in position false ceiling in Armstrong 600 x 600 mm PPGI Metal microlook layin standard perforated tiles silhouette 38 made of 120 gsm prepainted galvanised iron, Grade-GPL as per IS277 (2018) with coating durability as per IS 4246 color as approved by Bank/architect with 15mm exposed grid system (Grid frame shall have black groove at bottom) by Armstrong Co. with suspenders. Making necessary framework for A.C. ducting, if any, and necessary cutouts for diffusers and light fittings, taping and finishing to proper line & level, including making grooves and trap doors for A.C unit.	220	Sqft.		
2	CUSTOMISED CIRCULAR DESIGN WITH COVE (HUNG FROM LANTER) AND PROVISION FOR FIXING CUSTOMISED LIGHTING AT BOTTOM:  Providing & Fixing Circular false ceiling at 9'-0" ht. (as per drg.) of India Gypsum Ltd. using 12.5mm thick Gypboard, paper tape, jointing compound, G.I. Sections to be placed at 4'-0" C/C in one direction and at 1'-6" C/C in other direction. The false ceiling shall be finished properly after cutting / making holes for fixing light fixtures including three coats of oil bound distemper paint etc. complete as per drgs.	150	Sqft.		
3	Providing & Fixing false ceiling at 9'-0" ht. (as per drg.) of India Gypsum Ltd. using 12.5mm thick Gypboard, paper tape, jointing compound, G.I. Sections to be placed at 4'-0" C/C in one direction and at 1'-6" C/C in other direction. The false ceiling shall be finished properly after cutting / making holes for fixing light fixtures including three coats of oil bound distemper paint etc. complete as per drgs.	800	Sqft.		
4	Making Cove in Gyp false ceiling (1'-6"XRft).	250	Sft.		
5	P/F Charcol ceiling / wall paneling including all frame work as reqd for Gypsum board ceiling/wall paneling respectively.	120	Sqft		
6 i	TOUGHENED GLASS DOORS & PARTITION (for Bank / ATM entry and Manager Cabin and Manager Table Top): Providing & fixing 12 MM thick toughened glass for door and fixed glazing, with complete patch fittings such as handles, lock and L-brackets etc. The job shall also include etching design.	360	Sqft		
ii	P/F floor spring for toughened glass doors.	5	Nos		
7	P/F CUSTOMISED CIRCULAR TOUGHENED GLASS CABIN & CIRCULAR DOOR (for Bank"s clients' Room): Providing & fixing 12 MM thick toughened glass for door and fixed glazing, with complete patch fittings such as handles, lock and L-brackets etc. The job shall also include etching design.	225	Sqft.		

8	<b>P/F Customised Circular 4 seater Sofa</b> (half round) with planter space finished with approved fabric / raxine as per design	1	Nos		
4(i)	Low ht. partitions with 12 mm thick glass.	90	Sqft.		
(ii)	Full ht partition with/without 5mm th. Glass.	70	Sqft.		
(iii)	a) Cash-Cabin's pts (7'-3" high)	60	Sqft.		
(iv)	b) Cash cabins' as well as single windows' front ptn. with 12mm th. Glass.	25	Sqft.		
(v)	Partition in strong room.	80	Sqft.		
(vi)	Rear partition, door for banking hall.	30	Sqft.		
(vii)	Cost Mortice locks (with handles)	2	No		
(viii)	Cost of Multipurpose locks for storages, drawers etc.	25	No		
(ix)	Cost door closers.	4	No		
(x)	Cost of Knight Latches	1	No		
5(i)	P/F wall paneling with Bison Board (anti-termite) 6mm thick sheet on wall as base ply, then framework of alum sections 1" x 2" placed @ 2'-0" c/c horizontally & vertically @ 1'-0" C/C, finished with 6mm thick commercial/Bison board ply finished with 1.00 mm thick laminate of (Merino, Century, Greenlam, .). The paneling shall be closed with 2" x 1" rubber wood / teak-wood beading.	850	Sqft.		
ii	P/F wall (Box paneling with/without cove) with Bison Board (anti-termite) 6mm thick sheet on wall as base ply, then framework of alum sections 1" x 2" placed @ 2'-0" c/c horizontally & vertically @ 1'-0" C/C, finished with 6mm thick commercial/Bison board ply finished with 1.00 mm thick laminate of (Merino, Century, Greenlam, .). The paneling shall be closed with 2" x 1" rubber wood / teak-wood beading.	300	Sqft		
6	Banking Counters with 1½" thick post-form factory made Tops: Providing & fixing SWO Banking Counters as per design of size 4'-0" x 2'-10" x 2'-6" ht. & 3'-3" ht. (2 heights). The workstation shall the keyboard, drawer, and complete shelf fro CPU at bottom. The work stn. Shall be made of 19mm thick (of Lexus / Burma / Unity make all conforming to ISI standards) commercial board, with rubber -wood Gola of size ½" x ¾ ", finished with 1mm thick laminate of (Merino, Century, Greenlam, .) approved shade / colour complete hardware, inside shall be painted with synthetic enamel paint complete in all respects as required by Architect-in-Charge.	4	R.ft		
	TOTAL				
В	FURNITURE & FIXTURE				
1(i)	Tables with 1½" thick post-form factory made Tops: Providing & fixing office tables straight/round with/without drawer and storage below of size 2'-4½" (wide), 2'-6" (high) with the provision of key board, with sliding channels of Ebco, complete shelf for CPU at bottom and foot rest. The table shall be made of 19mm thick (of Lexus / Burma / Unity make all conforming to ISI standards) commercial board, 1mm thick laminate (Merino, Century, Greenlam, .) with rubber -wood gola of size 1½" x 3/4" polish, painting inside only, side golas etc., with hardware such as hinges, catchers and handles.	18	R.ft		

(ii)	Side Racks with 1½" thick post-form factory made Tops: Providing and fixing side rack, 2'-3" ht. as per design. These racks shall have two drawers with storage below and be made of 19mm thick (of Lexus / Burma / Unity make all conforming to ISI standards) commercial board, 1mm thick laminate (Merino, Century, Greenlam, .) with rubber -wood gola of size 1 ½" x ¾" polish, painting inside only, side golas, handles, catchers, hinges etc.	12	Rft.	
2	Storage with 1½" thick post-form factory made Tops: Providing & fixing storage along wall 1'-4" deep made of 19mm thick (of Lexus / Burma / Unity make all conforming to ISI standards) commercial board, 1mm thick laminate (Merino, Century, Greenlam, .) inside painting, complete finished with goals, hardware etc., drawers, front openable shutters all lockable, handles, hinges as per requirements / design / drg.	120	Sft.	
3	Tables with 1½" thick post-form factory made Tops: Providing & fixing Manager table of size 6'-0" x 2'-9"/2'-3" x 2'-6" ht. (to be made as per detailed drg. with turn @ 45 degree) with rubber-wood Gola of size 1 ½" x ¾". as per drgs. With complete drawers, storage cabinet, key board, with sliding channels of Ebco, foot rest, space for CPU & Monitor, all as per drg. / design, the table shall be made with 19mm thick (of Lexus / Burma / Unity make all conforming to ISI standards) commercial board, 1mm thick laminate (Merino, Century, Greenlam, .) inside of table/rack shall be painted with synthetic paint, the other hardware, such as handles, locks, hinges etc. shall be complete in all respects.	6	Rft.	
4	Providing & Fixing Cash — counters 2'-9" wide, with two levels i.e. 2'-6" & 4'-0" ht. shall be made with 19mm thick (of Lexus / Burma / Unity make all conforming to ISI standards) commercial board, 1mm thick laminate (Merino, Century, Greenlam, .). The lower portion on cashier side there will be provision of 3 nos. drawers with sliding channels of Ebco. for cash, stationery, key board, etc. Inside of cash counters shall be painted with synthetic enamel paint as per color scheme, rubber -wood beadings / gola etc.	6	Rft.	
5	Providing & fixing writing stand of size 3'-0"x1'-0"x1'-7.5" high (face area) as per design drg. Made of 19mm thick (of Lexus / Burma / Unity make all conforming to ISI standards) commercial board, 1mm thick laminate (Merino, Century, Greenlam, .). with rubber wood lipping etc.	3	Rft.	
6(i)	Providing & fixing notice board of size 2'-6"x 4'-0" finished with ivory colour 1mm th. laminate, 1"x1" th. rubber wood beading on all sides.	1	No	
(ii)	Providing & fixing soft boards of size 3'-6"x 2'-0" (covered with openable glass shutters) on 10mm th. comm. ply 12mm th. soft board finished with cotton fabric, 1"x2" rubber wood beading.	1	No	
(iii)	Providing & Fixing cheque drop box and complaint box of size 18" x 27" as per detail.	2	No	
	TOTAL			

С	MISCELLANEOUS WORKS			
1	Pin-up board finished with cotton cloth & rubber wood beading.	0	Sqft.	
2	Providing and laying texture paint of "Heritage" Co. Granules type (in customers' area only) as per colour scheme.	300	Sqft.	
3	Providing and laying wall paper as per sample approved.	40	Sqft	
4	P/F Zebra blinds of vista / Mac of approved shade / colour.	300	Sqft.	
5	Painting work on walls (internal / external walls) with special repairs & cemented ceiling, toilets, strong room, stationery pantry, with oil bound distemper paint and enamel paint on shutters and grills. (whole premises) Berger, Nerolac, Asian.	1500	Sqft	
D	ELECTRICAL WIRING			
9	POINTS: Providing laying, fixing & testing of electrical points including wiring fire retardant PVC insulated copper wire flame guard multistrand copper conductor from MCB's to switches and switches to fixture, plate type switches, socket & M.S. Modular boxes with rust proof treatment size to accommodate the required nos. of switches & sockets plus circuit wiring from switches to lights/fans/fixtures etc. wherever required complete with earthing 1.00 mm2 multi strand wire in 25mm dia. Unbreakable PVC conduit ISI marked with specials under floor / wall & above false ceiling or making truff under / along work — stations including chase cutting, disposal of melba away from the site and repair of the same with cement mortar, copper conductor wires only will be used of approved make.			
a)	Electrical wiring with metal clads to be fixed/embedded in wall for Air-Conditioning:  P / F 32 Amp wiring with MCB from D/B to site of outdoor and indoor A/C Unit with 2.5mm sq. fire retardant PVC insulated copper wire flame guard multi-strand copper conductor, with 1 mm earth wire including metal clads.	9	No	
b)	Electrical wiring for UPS input-output with metal clads: P / F 32 Amp wiring with MCB 32 Amp. from D/B to the location of UPS/UPS room for input and output power supply (with 2 sets of 3-pin switch-socket of 15 Amp for each UPS) with 2 runs of 6mm sq. and one run of 1.5 sq. mm as earth wire fire retardant PVC insulated copper wire flame guard multi-strand copper conductor, with 4 Nos Metal-Clads.	2	No	
c)	15 Amp wiring with 2.5mm sq. fire retardant PVC insulated copper wire flame guard multi-strand copper conductor & metal clad enclosure sockets.	8	No	
d)	5 Amp plug point wiring with 1.5mm sq. fire retardant PVC insulated copper wire flame guard multi-strand copper conductor Plate switches, sockets, plugs. Etc.	10	No	

e)	Call-bell point wiring including Ding-dong bell with 1.5mm sq. fire	1	No		
	retardant PVC insulated copper wire flame guard multi-strand				
	copper conductor including plate switches, sockets, etc.				
f)	Wall Fan (5amp. switch socket for wall fans), lights & exhaust fan	45	No		
	point wiring with 1.5mm sq. from D/B to switches & fittings fire				
	retardant PVC insulated copper wire flame guard multi-strand				
	copper conductor including plate switches, sockets, etc. (For				
10	payment no. of switches shall be counted).	3	No		
10	Wiring & fixing telephone point to be left from table to outside for	3	No		
	the connection from BSNL or so: Incl. Providing and fixing of PVC conduit in wall floor incl. Telephone cable, M.S. box and two pin				
	telephone sockets on or R.J. – 11 plates out let incl. Testing and				
	commissioning etc. as required.				
11	Signage wiring (material & labour) – P&F of 2x4mm and 1x1mm	2	No		
11	copper fire retardant PVC insulated copper wire flame guard multi-	2	INO		
	strand copper conductor PVC conduiting of ISI make complete				
	with all accessories like Saddles, bends modular switches etc.				
	TOTAL				
E	ELECTRICAL FITTINGS & FIXTURES				
1	Providing & Fixing 2' x 2' recessed mounted LED Luminaire LCTLR-	2	No		
	36-CDL of Crompton or panel light.				
2	Providing & Fixing 15 W LED ROUND DOWNLIGHTER LCND-15-CDL	44	No		
	of Crompton.				
3i	Providing & fixing LED tube lights 1x36W of Philips.	8	No		
ii	P/F circular / half circular customised LED lights 9"/12" wide in	40	Rft.		
	Clients' room as well as customers' area.				
iii	P/F circular customised LED lights 18" dia.	2	Nos		
iv	P/F circularcustomised LED lights 9" dia.	2	Nos		
4(i)	Providing & Fixing (Metal Body wall fans: Crompton Greaves / Orient / Bajaj / Havells.	8	No		
(ii)	Exhaust Fans 12" Dia: 1400 rpm	3	No		
	(Double ball bearing) Heavy duty Crompton Greaves / Orient /				
	Bajaj / Havells.				
(iii)	P/fixing ceiling fans 48" dia.	2	No		
(iv)	Cost of modular regulators of Havells / Anchor ROMA makes.	2	No		
5	Providing and fixing 10 way D/B for Telephone distributions.	0	No		
6	Providing & fixing main electrical dist. Board duly earthed, with all				
	internal electrical and generator connections with 10 sq.mm multi				
	strand copper wire, all hardware nickel coated, which shall include				
	the following items.				
(i)	Amp Meter and voltmeter set	1	SET		
(ii)	Kit-kats 160 Amp.	3	No		
(iii)	Aluminum bus bar 160 Amp proper tinned.	1	No		]
(iv)	160 Amp. Main switch MCCB type.	1	No		
(v)	Change –over 160 Amp. 3-Phase of Havells make.	0	No		
(vi)	Providing and fixing different rated MCB,s for lights, fans, power supply and AC's. of Havells make.	24	No		
(vii)	Providing and fixing TPN's of 100 Amp of Havells make.	4	No		
, ,	0 min min 0 min 1 mi	•		i .	

(viii)	Making double-door powder coated M.S. Distribution board 3'x4' to accommodate the above noted electrical items.	12	Sqft.	
	UPS SUPPLY	0		
(ix)	Providing and fixing (MCB type) DP of 63 Amp of Havells make for UPS supply.	6	No	
(x)	Providing and fixing different rated MCB,s for UPS supply of Havells make.	14	No	
(xi)	P/F single phase 8-way D/B (Quote the cost of Box only) for UPS supply for MCB's.	2	No	
7(i)	Providing & fixing main electrical cable 4- core al. cable armored from elect. pole to meter & elect. panel 35mm dia.	20	Mtr	
(ii)	P/F generator wire/cable 16mm 4-core Alum. Cable armoured.	20	Mtr	
(iii)	P/F 16mm 4-core Alum. Cable from bus-bar to ATM.	10	Mtr	
8	INVERTER WIRING  P/L inverter wiring for Fans, lights switch boards with 1.5 mm sq. wiring from inverter output.	5	JOB	
9	MASTER  10 way double door Single phase MCB Box fitted with: i) 63 Amp TPN isolators: 2 Nos. ii) 32 Amp DP: 1 No. to be installed at the main gate of the Bank to switch off main supply for lights, power/AC's and UPS supply (output) except router, Camera and UPS's Charging lines. Complete wiring with 4x6 sqmm multistrand PVC copper wire for the above said MASTER SWITCHES.	0	SET	
10(i)	P/L copper pipe with 2.5 mm fire retardant PVC insulated copper wire flame guard multi-strand copper conductor complete insulation upto outdoor unit required for 1.5 ton split type A.C.s from the place of external units upto the location of inside units.	300	Rft.	
(ii)	Providing and laying 25mm dia. PVC pipe heavy duty Diplast make for drainage of water of inside units.	150	Rft.	
	TOTAL			
F	DATA-CABLING, & UPS CABLING			
1	UPS  POINTS: P/L & testing electrical three point wiring /circuit wiring having individual circuits for computers with 2.5mm2 fire retardant PVC insulated copper wire flame guard multi-strand copper conductor in unbreakable PVC conduits 25mm dia wall thickness 2mm thick with specials under floor / wall & above false ceiling including chase cutting, disposal of malba away from the site and repair of the same with cement mortar, incl. Switches & socket M.S. switch boxes with rust proof treatment size to accommodate the required nos. of Modular switches, sockets etc. & plate type sockets with indicator three in one plate including earthing with 1.00 mm2 fire retardant PVC insulated copper wire flame guard multi-strand copper conductor complete in all respect.			
i)	Set of 6 amp. 4 sockets & 1 switch (Set of 4 Sockets shall be provided under the table and switch of these four sockets shall be provided on the above / side of table for easy access).  Note: -The server shall have 2 sets of "output supply" from individual UPS.	10	Sets	

(ii)	UPS supply to tube lights: Point wiring / circuit wiring with 1.5mm sq. fire retardant PVC insulated copper wire flame guard multi-strand copper conductor from D/B to switches & fittings multi strand PVC copper wire including plate switches, sockets, etc. (for payment no. of switches shall be counted).	4	No	
(iii)	Providing and fixing 16 Amp 3-pin power tops with 4.00 mm2 copper wire for UPS in-put	2	No	
2	GEL TYPE CHEMICAL EARTHING (Distance between each pit shall be min 1.5meter) (Generator + UPS + Raw Power = 3 nos) Supplying and installation of copper Gel Earthing station having length 3000 mm including bore-well, chamber with cover and all required civil allied works each earth pit to filled with 2 bags in 30 Kg pack of "Black-Fill Compound" (BFC) EARTHING CONDUCTORS: Wiring with 1x10 sqmm PVC insulated copper conductor wire of 650/1100 volts grade (Finolex make flame guard quality) as earth wire with concealed/exposed PVC pipe including making all the connections.	2	No	
3(i)	Providing, laying, testing and commissioning CAT-VI/ Lucent / D-link computer networking cable in PVC conduit in floor or wall from server room to each table with I.O.'s (Socket)	12	No	
(ii)	Supplying of patch chords for computers 1m & 2m length.	20	No	
4(i)	Providing & fixing, testing and commissioning existing 24-port switch and patch panel / M.S. rack.	1	No	
	TOTAL			
	SUMMARY OF COSTS			
Α	FURNISHING WORKS			
В	FURNITURE & FIXTURE			
С	MISCELLANEOUS WORKS			
D	ELECT WIRING			
Е	ELECTRICAL FITTINGS & FIXTURES			
F	DATA-CABLING WORKS			
	NET TOTAL			

Quote Discount, if any	= (-)	Rs
NET TOTAL	=	Rs
Add 18% GST	=	Rs
Total Amt with GST	=	Rs
(Rupees		,

CONTRACTOR INDIAN BANK