

ARCHITECTURAL DRAWINGS

ARCHITECTS

OSCAR, PONNI & RAHUL ARCHITECTS



The site plan illustrates the layout of a proposed building and its surroundings. Key features include:

- Proposed Building:** A large rectangular structure with a footprint of 75960 x 7710. It is surrounded by a 9M access road.
- Private Land:** Located to the north and east of the proposed building, with dimensions 30580 x 15945 and 11575 x 5710.
- Access Road:** A 9M wide access road runs along the bottom and left sides of the site.
- Area Calculations:**
 - Proposed Building Area:** 75960 x 7710 = 585,271.6 sq.m.
 - Private Land Area:** 30580 x 15945 = 487,650.1 sq.m.
 - Access Road Area:** 9M x 7710 = 69,390 sq.m.
- Watermark:** A large diagonal watermark reading "TENDER PAPER ONLY" is overlaid on the entire plan.



PROJECT:
INDIAN BANK SELF EMPLOYMENT
TRAINING INSTITUTE BUILDING FOR
MUS INDIAN BANK RURAL
DEVELOPMENT TRAINING
INSTITUTE, CUDALORE DISTRICT,

CLIENT:
M/S INDIAN BANK LIMITED, COCHIN

PRINCIPAL ARCHITECTS

OSCAR & POLINA ARCHITECTS

Mr. J. Victor Caracciolo, Principal
Architect
Oscar & Polina Architects
1401 N. 10th Street, Suite 200
Tulsa, Oklahoma 74103
Tel.: 918-462-8338, FAX: 918-462-8339
E-mail: oscar@oscarpolina.com
Web: www.oscarpolina.com

DRAWING TITLE	
SITEPLAN	
SCALE	1:500
DATE	24-06-2023
DRAWN BY	ARCHITECT
CHECKED BY	REV. NO.
PROJECT NAME	
PRINCIPAL ARCHITECTS	
Owner & Project Address	

TEMPERATURE



ENTRY

EXIT

8M ACCESS ROAD



N

FOR TENDER

ITEM	DESCRIPTION	QTY	UNIT	AMOUNT
1	1.000 FFL	1.000	FL	1.000
2	1.000 FFL	1.000	FL	1.000
3	1.000 FFL	1.000	FL	1.000
4	1.000 FFL	1.000	FL	1.000
5	1.000 FFL	1.000	FL	1.000
6	1.000 FFL	1.000	FL	1.000
7	1.000 FFL	1.000	FL	1.000
8	1.000 FFL	1.000	FL	1.000
9	1.000 FFL	1.000	FL	1.000
10	1.000 FFL	1.000	FL	1.000
11	1.000 FFL	1.000	FL	1.000
12	1.000 FFL	1.000	FL	1.000
13	1.000 FFL	1.000	FL	1.000
14	1.000 FFL	1.000	FL	1.000
15	1.000 FFL	1.000	FL	1.000
16	1.000 FFL	1.000	FL	1.000
17	1.000 FFL	1.000	FL	1.000
18	1.000 FFL	1.000	FL	1.000
19	1.000 FFL	1.000	FL	1.000
20	1.000 FFL	1.000	FL	1.000
21	1.000 FFL	1.000	FL	1.000

NOTES: 1. ALL WORK SHALL BE DONE IN ACCORDANCE WITH THE SPECIFICATIONS AND DRAWINGS. 2. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS. 3. THE CONTRACTOR SHALL MAINTAIN ACCESS TO ALL ADJACENT PROPERTIES AT ALL TIMES.


CLIENT: THE HON. MINISTER, EDUCATION, GOVT. OF INDIA

PRINCIPAL ARCHITECT: Mr. A. K. Sharma, Architect, 123, Main Road, New Delhi-110001

GROUND FLOOR PLAN

DATE: 10/10/2023
SCALE: 1:500
DRAWN BY: A. K. Sharma
CHECKED BY: A. K. Sharma
APPROVED BY: A. K. Sharma





STATE	RECEIVED	DATE
AL	1953.5.20	
AR	1953.5.20	
CA	1953.5.20	
CO	1953.5.20	
CT	1953.5.20	
DE	1953.5.20	
FL	1953.5.20	
GA	1953.5.20	
HI	1953.5.20	
IL	1953.5.20	
IN	1953.5.20	
IO	1953.5.20	
KS	1953.5.20	
LA	1953.5.20	
MA	1953.5.20	
MD	1953.5.20	
ME	1953.5.20	
MI	1953.5.20	
MN	1953.5.20	
MO	1953.5.20	
MS	1953.5.20	
MT	1953.5.20	
NE	1953.5.20	
NH	1953.5.20	
NJ	1953.5.20	
NM	1953.5.20	
NY	1953.5.20	
OH	1953.5.20	
OK	1953.5.20	
OR	1953.5.20	
PA	1953.5.20	
RI	1953.5.20	
SC	1953.5.20	
SD	1953.5.20	
TN	1953.5.20	
TX	1953.5.20	
UT	1953.5.20	
VA	1953.5.20	
VT	1953.5.20	
WA	1953.5.20	
WI	1953.5.20	
WV	1953.5.20	
WY	1953.5.20	
ZZ	1953.5.20	

FOR TENDER

PROJECT:
INDIAN BANK SELF EMPLOYMENT
TRAINING INSTITUTE BIALCING FOR
MS INDIAN BANK RURAL
DEVELOPMENT TRAINING
INSTITUTE, CUDDAPORE DISTRICT.

These findings fully support a broad-based strategy

DECEAL & PIONEER METEORITES
Box 1, Yorkton, Saskatchewan
S4N 1A1, Canada
E-mail: deceal@deceal.com
Tel: (306) 783-2222
Fax: (306) 783-2222
Web: www.deceal.com
E-mail: info@deceal.com

Drawings Title

TERRACE FLOOR PLAN

Scale 1/8" = 1'-0" (Metric)

Date 04/04/01


Drawn by AEC/DOUGLAS

Checked by EDC/ML

File Path:

Principal Architects

Ogden & Proulx Architects




FOR TENDER

PROJECT:
INDIAN BANK SELF EMPLOYMENT
TRAINING INSTITUTE BUILDING FOR
AND INDIAN BANK RURAL
DEVELOPMENT TRAINING
INSTITUTE, CUDDALORE DISTRICT.



CLIENT:
MIDWINTER BANK HOLDING CORPORATION

OSCAR & POLINA ARCHITECTS
No. 2, Vinnikova St.
Erfurt, Germany
Germany 031 3364
Tel: 0314-4273 1912, 3204 0247
Email: oscar@oscarpolina.com
Web: oscarandpolina.com
oscar@oscarpolina.com

DRAWING TITLE	
NORTH ELEVATION & WEST ELEVATION	
REVISED	DATE
1	11-04-2020
DESIGNED BY	CHECKED BY
DWG. NO. AEC-10-000	007A
PROJECT NO.	REV. A/E
PROJECT ARCHITECTS	
OWNER & PROJECT ARCHITECTS	



FOR TENDER		PROJECT: INDIAN BANK ZONAL OFFICE NEW BROAD MARKET, CHANDIGARH INDUSTRIAL, CHANDIGARH DISTRICT.	CLIENT: INDIAN BANK (INDUSTRIAL) CHANDIGARH.	PRINCIPAL ARCHITECTS: D. S. SINGH & SONS ARCHITECTS PLOT NO. 1, PHASE II, INDUSTRIAL AREA, CHANDIGARH INDIA	DRAWING TITLE: SOUTH ELEVATION WEST ELEVATION
--------------------------	--	---	--	---	---



N

FOR TENDER



PROJECT
INDIAN BANK DEL. EMPLOYMENT
AND SOCIAL BANK BUILDING
INDIAN BANK DEL. EMPLOYMENT
AND SOCIAL BANK BUILDING
INDIAN BANK DEL. EMPLOYMENT
AND SOCIAL BANK BUILDING

CLIENT
INDIAN BANK DEL. EMPLOYMENT
AND SOCIAL BANK BUILDING

DESIGN ARCHITECTS
INDIAN BANK DEL. EMPLOYMENT
AND SOCIAL BANK BUILDING
INDIAN BANK DEL. EMPLOYMENT
AND SOCIAL BANK BUILDING

SECTION - AA & SECTION - BB
DRAWING TITLE
INDIAN BANK DEL. EMPLOYMENT
AND SOCIAL BANK BUILDING
INDIAN BANK DEL. EMPLOYMENT
AND SOCIAL BANK BUILDING





DRAWING TITLE
GROUND FLOOR
TOILET DETAIL 01

DATE	FILE	ISSUED	REVISION
11-01-2011			
BY: JLM	SEC: JLM-0049	CHANGED	DETA
REV. N/A		REV. N/A	

PROJECT NAME
LABORATORY, ADD-ON DETAIL
Owner: E. Piment Architecture

N

PROJECT
INDIAN BANK SELF EMPLOYMENT
TRAINING INSTITUTE BUILDING FOR
MRS INDIAN BANK RURAL
DEVELOPMENT TRAINING
INSTITUTE, CHUDALORE DISTRICT.

PRINCIPAL ARCHITECTS

DECH & POHIA ARCHITECTS
No. 2, Vithayalpur Road,
Garrison Road, Chingal,
Chennai 600 026, India.
Tel: 8144323 151, 8785 1232
Email: cpo@dech.com,
info@dech.com,
www.dech.com

DRAWING TITLE
FIRST FLOOR
GENTS TOILET DETAIL 01

SCALE	1:50	DRAWN	ROOMA
DATE	14-03-2023	1 CHECKED	DEENA
ORIG. FILE	14-03-2023-01	REV. NO.	



FILE PATH :

PRINCIPAL ARCHITECTS
Oscar & Pooni Architects



14/09/24

N



FOR TENDER

PROJECT: INDIAN BANK SELF FINANCING
INDIAN BANK INSTITUTE FOR LEADERSHIP
DEVELOPMENT TRAINING
INDUSTRIAL COMPLEX, CHANDIGARH

CLIENT: MRS. INDIAN BANK (INDUSTRIAL COMPLEX)

PRINC. P.A. ARCHITECTS
OSMA & POND ARCHITECTS
B-1, PHASE-III, INDUSTRIAL
COMPLEX, CHANDIGARH
INDIA
PH: 98150-12345
WWW.OSMAANDPONDARCHITECTS.COM

DRAWING TITLE
FIRST FLOOR
TOILET DETAIL OF
INDIAN BANK
INDUSTRIAL COMPLEX
CHANDIGARH
DATE: 14/09/24
DRAWN: OSMA
CHECKED: POND
SCALE: 1/4" = 1'-0"



STRUCTURAL DRAWINGS


ARCHITECTS

OSCAR, PONNI & RAHUL ARCHITECTS






FOR TENDER



N	FOR TENDER PROJECT: INDIAN RAILWAY R&S EMPLOYMENT PROJECT FOR THE CONSTRUCTION OF NEW RAILWAY STATION AT CHITRAKOOT, DISTRICT CHITRAKOOT, DISTRICT.	CUSTOMER: MR. INDIA RAILWAY R&S EMPLOYMENT	PHYSICAL ARCHITECTS INDIA RAILWAY R&S EMPLOYMENT PROJECT FOR THE CONSTRUCTION OF NEW RAILWAY STATION AT CHITRAKOOT, DISTRICT CHITRAKOOT, DISTRICT.	DRAWING TITLE PRATY RAILWAY CHITRAKOOT DETAIL 02 DATE: 12/01/2018 DRAWN: 12/01/2018 CHECKED: 12/01/2018 DESIGNED: 12/01/2018
---------------------------------------	--	---	--	--




Structural Consultant:
SG
CONSULTANTS
Dr. R. GANESH, M.Tech
Mobile : 9789455270
email : ganeshramu1987@gmail.com



SCHEDULE OF COLUMNS:

MARK	COLUMN SIZE	REINFORCEMENT	TIE	TOTAL NOS.
C1	3750	6/20Y	BH4130C/C	2
C2	230 X 300	4X16+2X12Y	BH4130C/C	12
C3	230 X 300	6X16	BH4130C/C	12
C4	230 X 375	6X16Y	BH4130C/C	8
C5	230 X 375	4X20Y+2X12Y	BH4130C/C	4
C6	230 X 450	4X20Y+4X16Y	BH4130C/C	12
C7	230 X 450	6/20Y	BH4130C/C	7

COLUMN LAYOUT



FOR TENDER

1. General information
 2. For further details, please refer to the specifications and drawings.
 3. The contractor shall be responsible for the design and construction of the staircase section.
 4. The M25 grade concrete and Fe 500 grade steel shall be used.
 5. The staircase shall be designed for 1000 kg/m² load.

REGISTERED ENGINEER

REV.	DATE	DESCRIPTION	DRAWN BY
1			

REFERENCES:

PROPOSED CONSTRUCTION OF TRAINING CENTRE FOR INDISETI AT CUDALORE


COLUMN LAYOUT AND DETAILS STAIRCASE SECTION

DEPARTMENT	STRUCTURE
Design	R. Ganesh
Detail	R. Ganesh
Checked	R. Ganesh
Date	02.05.2025
Sheet size	A2

Structural Consultant:

SG CONSULTANTS

B.R. GANESH M.Tech
 Mobile : 9789455270
 email : ganeshramu1987@gmail.com




GRADE BEAM REINFORCEMENT DETAILS

[illegible]

GRADE BEAM REINFORCEMENT DETAILS

ITEM NAME		SIZE		TOP VIEW (CROSS-SECTION)				SECTION VIEW (CROSS-SECTION)				TYPICAL DIMENSIONS	
ITEM	DESCRIPTION	W	D	LEFT	MID-SPAN	RIGHT	LEFT	MID-SPAN	RIGHT	W	D	W	D
CB10	200	400	200	100	200	100	100	200	100	200	400	200	400
CB11	250	500	250	125	250	125	125	250	125	250	500	250	500
CB12	300	600	300	150	300	150	150	300	150	300	600	300	600
CB13	350	700	350	175	350	175	175	350	175	350	700	350	700
CB14	400	800	400	200	400	200	200	400	200	400	800	400	800
CB15	450	900	450	225	450	225	225	450	225	450	900	450	900
CB16	500	1000	500	250	500	250	250	500	250	500	1000	500	1000
CB17	550	1100	550	275	550	275	275	550	275	550	1100	550	1100
CB18	600	1200	600	300	600	300	300	600	300	600	1200	600	1200
CB19	650	1300	650	325	650	325	325	650	325	650	1300	650	1300
CB20	700	1400	700	350	700	350	350	700	350	700	1400	700	1400
CB21	750	1500	750	375	750	375	375	750	375	750	1500	750	1500
CB22	800	1600	800	400	800	400	400	800	400	800	1600	800	1600
CB23	850	1700	850	425	850	425	425	850	425	850	1700	850	1700
CB24	900	1800	900	450	900	450	450	900	450	900	1800	900	1800
CB25	950	1900	950	475	950	475	475	950	475	950	1900	950	1900
CB26	1000	2000	1000	500	1000	500	500	1000	500	1000	2000	1000	2000
CB27	1050	2100	1050	525	1050	525	525	1050	525	1050	2100	1050	2100
CB28	1100	2200	1100	550	1100	550	550	1100	550	1100	2200	1100	2200
CB29	1150	2300	1150	575	1150	575	575	1150	575	1150	2300	1150	2300
CB30	1200	2400	1200	600	1200	600	600	1200	600	1200	2400	1200	2400



FOR TENDER

- * Try designing deformation joints
- * Case covers for reinforcement shall be
 - 1. For footings driven to full penetration
 - 2. For columns driven to full penetration
 - 3. For beams driven to full penetration
- * Minimum bar length shall be 50diameter of the main bar for all R.C. works
- * Use M20 grade concrete and Fe 500 grade steel for all R.C. works
- * This Barlap is designed for C-11 beam
- * S.B.C confirmed 3000N/mm² for labeled footing

DATE	OPENED	RECEIVED	DATE
DEC 10			
DEC 11			
DEC 12			
DEC 13			
DEC 14			
DEC 15			
DEC 16			
DEC 17			
DEC 18			
DEC 19			
DEC 20			
DEC 21			
DEC 22			
DEC 23			
DEC 24			
DEC 25			
DEC 26			
DEC 27			
DEC 28			
DEC 29			
DEC 30			
DEC 31			
JAN 1			
JAN 2			
JAN 3			
JAN 4			
JAN 5			
JAN 6			
JAN 7			
JAN 8			
JAN 9			
JAN 10			
JAN 11			
JAN 12			
JAN 13			
JAN 14			
JAN 15			
JAN 16			
JAN 17			
JAN 18			
JAN 19			
JAN 20			
JAN 21			
JAN 22			
JAN 23			
JAN 24			
JAN 25			
JAN 26			
JAN 27			
JAN 28			
JAN 29			
JAN 30			
JAN 31			
FEB 1			
FEB 2			
FEB 3			
FEB 4			
FEB 5			
FEB 6			
FEB 7			
FEB 8			
FEB 9			
FEB 10			
FEB 11			
FEB 12			
FEB 13			
FEB 14			
FEB 15			
FEB 16			
FEB 17			
FEB 18			
FEB 19			
FEB 20			
FEB 21			
FEB 22			
FEB 23			
FEB 24			
FEB 25			
FEB 26			
FEB 27			
FEB 28			
FEB 29			
MAR 1			
MAR 2			
MAR 3			
MAR 4			
MAR 5			
MAR 6			
MAR 7			
MAR 8			
MAR 9			
MAR 10			
MAR 11			
MAR 12			
MAR 13			
MAR 14			
MAR 15			
MAR 16			
MAR 17			
MAR 18			
MAR 19			
MAR 20			
MAR 21			
MAR 22			
MAR 23			
MAR 24			
MAR 25			
MAR 26			
MAR 27			
MAR 28			
MAR 29			
MAR 30			
MAR 31			
APR 1			
APR 2			
APR 3			
APR 4			
APR 5			
APR 6			
APR 7			
APR 8			
APR 9			
APR 10			
APR 11			
APR 12			
APR 13			
APR 14			

**PROPOSED CONSTRUCTION OF
TRAINING CENTRE FOR INDSETI
AT CUDDALORE**

GRADE BEAM LAYOUT AND DETAILS


STRUCTURAL WORKING DRAWING	
Department	STRUCTURE
Drawn	R.Ganesh
Detail	R.Ganesh
Checked	R.Ganesh
Date	09.10.2024
Sheet size	A 2

Structural Consultant:

 SG
CONSULTANTS

Dr. R. GANESH, M.Tech
Mobile : 9789455270
email : ganeshramu1987@gmail.com





GROUND FLOOR ROOF BEAM REINFORCEMENT DETAILS

BEAM MARK	SLAB	TOP REINFORCEMENT	BOTTOM REINFORCEMENT	SHEAR STIRRUPS
B1	200	12mm @ 150mm	12mm @ 150mm	12mm @ 150mm
B2	200	12mm @ 150mm	12mm @ 150mm	12mm @ 150mm
B3	200	12mm @ 150mm	12mm @ 150mm	12mm @ 150mm
B4	200	12mm @ 150mm	12mm @ 150mm	12mm @ 150mm
B5	200	12mm @ 150mm	12mm @ 150mm	12mm @ 150mm
B6	200	12mm @ 150mm	12mm @ 150mm	12mm @ 150mm
B7	200	12mm @ 150mm	12mm @ 150mm	12mm @ 150mm
B8	200	12mm @ 150mm	12mm @ 150mm	12mm @ 150mm
B9	200	12mm @ 150mm	12mm @ 150mm	12mm @ 150mm
B10	200	12mm @ 150mm	12mm @ 150mm	12mm @ 150mm
B11	200	12mm @ 150mm	12mm @ 150mm	12mm @ 150mm
B12	200	12mm @ 150mm	12mm @ 150mm	12mm @ 150mm
B13	200	12mm @ 150mm	12mm @ 150mm	12mm @ 150mm
B14	200	12mm @ 150mm	12mm @ 150mm	12mm @ 150mm
B15	200	12mm @ 150mm	12mm @ 150mm	12mm @ 150mm
B16	200	12mm @ 150mm	12mm @ 150mm	12mm @ 150mm
B17	200	12mm @ 150mm	12mm @ 150mm	12mm @ 150mm
B18	200	12mm @ 150mm	12mm @ 150mm	12mm @ 150mm
B19	200	12mm @ 150mm	12mm @ 150mm	12mm @ 150mm
B20	200	12mm @ 150mm	12mm @ 150mm	12mm @ 150mm
B21	200	12mm @ 150mm	12mm @ 150mm	12mm @ 150mm

GROUND FLOOR ROOF SLAB REINFORCEMENT DETAILS

SLAB MARK	SLAB	TOP REINFORCEMENT	BOTTOM REINFORCEMENT	SHEAR STIRRUPS
S1	200	12mm @ 150mm	12mm @ 150mm	12mm @ 150mm
S2	200	12mm @ 150mm	12mm @ 150mm	12mm @ 150mm
S3	200	12mm @ 150mm	12mm @ 150mm	12mm @ 150mm
S4	200	12mm @ 150mm	12mm @ 150mm	12mm @ 150mm
S5	200	12mm @ 150mm	12mm @ 150mm	12mm @ 150mm
S6	200	12mm @ 150mm	12mm @ 150mm	12mm @ 150mm
S7	200	12mm @ 150mm	12mm @ 150mm	12mm @ 150mm
S8	200	12mm @ 150mm	12mm @ 150mm	12mm @ 150mm
S9	200	12mm @ 150mm	12mm @ 150mm	12mm @ 150mm
S10	200	12mm @ 150mm	12mm @ 150mm	12mm @ 150mm
S11	200	12mm @ 150mm	12mm @ 150mm	12mm @ 150mm
S12	200	12mm @ 150mm	12mm @ 150mm	12mm @ 150mm
S13	200	12mm @ 150mm	12mm @ 150mm	12mm @ 150mm
S14	200	12mm @ 150mm	12mm @ 150mm	12mm @ 150mm
S15	200	12mm @ 150mm	12mm @ 150mm	12mm @ 150mm
S16	200	12mm @ 150mm	12mm @ 150mm	12mm @ 150mm
S17	200	12mm @ 150mm	12mm @ 150mm	12mm @ 150mm
S18	200	12mm @ 150mm	12mm @ 150mm	12mm @ 150mm
S19	200	12mm @ 150mm	12mm @ 150mm	12mm @ 150mm
S20	200	12mm @ 150mm	12mm @ 150mm	12mm @ 150mm
S21	200	12mm @ 150mm	12mm @ 150mm	12mm @ 150mm



FOR TENDER

General Information
 1. The above information is for the purpose of information only and is not to be used for any other purpose.
 2. The above information is for the purpose of information only and is not to be used for any other purpose.
 3. The above information is for the purpose of information only and is not to be used for any other purpose.

REGISTERED ENGINEER

REMARKS:

PROPOSED CONSTRUCTION OF
 TRAINING CENTRE FOR INDETI
 AT CUDALORE


GROUND FLOOR ROOF BEAM
 AND SLAB LAYOUT & DETAILS

STRUCTURAL WORKING DRAWING
 Drawn: R. Ganesh
 Checked: R. Ganesh
 Date: 07/10/2024
 Sheet size: A2

Structural Consultant:

SG CONSULTANTS

B. R. GANESH M. Tech
 Mobile: 9789455270
 email: ganeshtaramu1987@gmail.com



SL.NO	SLAB NAMES	THK	TYPE	BOTTOM REINFORCEMENT	TOP REINFORCEMENT	DISTRIBUTION	REMARKS
1	S1, S2, S12	150	2-Way	SHORT SPAN (BENT UP)	LONG SPAN (BENT UP)	8Y@200C/C	-
2	S4, S9, S10, S13, S14, S15, S16, S17, S18	150	2-Way	10Y@150C/C	8Y@150C/C	8Y@200C/C	-
3	S3, S5, S6, S7, S8, S11	150	1-Way	12Y@150C/C	8Y@150C/C	8Y@200C/C	-

TERRACE FLOOR BEAM REINFORCEMENT DETAILS									
BEAM MARK	SIZE	TOP REINFORCEMENT	MID SPAN	RIGHT	BOTTOM REINFORCEMENT	MID SPAN	RIGHT	SLAB REINFORCEMENT	
B1	200 x 400	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2-4Y @ 150C/C	
B2	200 x 400	2X14Y	2X14Y	4X18Y	2X14Y	2X14Y	2X14Y	2-4Y @ 150C/C	
B3	200 x 400	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2-4Y @ 150C/C	
B4	200 x 400	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2-4Y @ 150C/C	
B5	200 x 400	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2-4Y @ 150C/C	
B6	200 x 400	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2-4Y @ 150C/C	
B7	200 x 400	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2-4Y @ 150C/C	
B8	200 x 400	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2-4Y @ 150C/C	
B9	200 x 400	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2-4Y @ 150C/C	
B10	200 x 400	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2-4Y @ 150C/C	
B11	200 x 400	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2-4Y @ 150C/C	
B12	200 x 400	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2-4Y @ 150C/C	
B13	200 x 400	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2-4Y @ 150C/C	
B14	200 x 400	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2-4Y @ 150C/C	
B15	200 x 400	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2-4Y @ 150C/C	
B16	200 x 400	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2-4Y @ 150C/C	
B17	200 x 400	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2-4Y @ 150C/C	
B18	200 x 400	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2-4Y @ 150C/C	
B19	200 x 400	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2-4Y @ 150C/C	
B20	200 x 400	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2-4Y @ 150C/C	
B21	200 x 400	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2-4Y @ 150C/C	
B22	200 x 400	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2-4Y @ 150C/C	
B23	200 x 400	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2-4Y @ 150C/C	
B24	200 x 400	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2-4Y @ 150C/C	
B25	200 x 400	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2-4Y @ 150C/C	
B26	200 x 400	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2X14Y	2-4Y @ 150C/C	

FOR TENDER

* * * * *

Check cover to reinforcement not be less than 25mm for all reinforcement.

Minimum top length and the reinforcement of the main bar for all 8 C.C. work.

Use M25 grade concrete and Fe 500 grade steel for all 8 C.C. work.

The Building is designed for G + 1 floor.

* * * * *

OWNER: RECORD ENGINEER

REV.	DATE	DESCRIPTION	OWN. APP.
1	09.10.2024	REVISION	

PROPOSED CONSTRUCTION OF TRAINING CENTRE FOR INDISETI AT CUDDALORE

TERRACE FLOOR BEAM AND SLAB LAYOUT & DETAILS

STRUCTURAL WORKING DRAWING

Drawn	R.Ganesh
Checkd	R.Ganesh
Date	09.10.2024
Sheet size	A 2

Structural Consultant:

SG CONSULTANTS

B.R.GANESH, M.Tech
Mobile : 9789452770
email: ganeshramu1987@gmail.com



SCALE: 1:100

**INDIAN BANK SELF EMPLOYMENT TRAINING INSTITUTE (INDSETI) AT CUDDALORE, TAMIL NADU-
SUMMARY**

PRICE SUMMARY - CIVIL & MEP WORKS

Sl.No.	Description	Amount (Rs.) (EXCLUDING GST)	GST		Grand Total.(INCLUDING GST)
	CIVIL & MEP WORKS				
I	CIVIL WORKS				
A	MAIN BUILDING		0.18	0.00	-
B	UG SUMP Size 3.30 x 2.10 x 1.80m - 12400 lts capacity		0.18	0.00	-
C	SEPTIC TANK Size 3.30 x 2.10 x 1.80m - 12400 lts capacity		0.18	0.00	-
D	CONSTRUCTION OF COMPOUND WALL		0.18	0.00	-
E	EXTERNAL DEVELOPMENT		0.18	0.00	-
II	MEP WORKS				-
F	ELECTRICAL WORKS		0.18	0.00	-
G	PLUMBING WORKS		0.18	0.00	-
H	FIRE PROTECTION SYSTEM		0.18	0.00	-
III	LIFT WORKS				
I	LIFT WORKS		0.18	0.00	-
TOTAL - CIVIL & MEP WORKS		-		-	-

RUPEES IN WORDS -