

INTERIOR FURNISHING, S&I OF FURNITURES AND ELECTRICAL WORKS IN INDIAN BANK SALEM MAIN BRANCH PREMISES SALEM BAZAAR STREET, SALEM-636001.

---

INDIAN BANK

**REQUEST FOR QUOTATION (RFQ)**

FOR

INTERIOR FURNISHING, S&I OF FURNITURES AND ELECTRICAL WORKS IN INDIAN BANK SALEM MAIN BRANCH PREMISES SALEM BAZAAR STREET SALEM-636001.

Ref:No: ZO:SLM:SALEM MAIN BRANCH -01

Date : 26.12.2025

From:

.....  
.....  
.....

This Bid document contains 22 pages

**I N D E X**

<b>Sr. No.</b>	<b>DESCRIPTION</b>	<b>PAGE No.</b>
1	INDEX	2
2	NOTICE INVITING QUOTATION	3-5
3	GENERAL RULES AND INSTRUCTION FOR THE GUIDANCE OF BIDDERS	6 - 8
4	TECHNICAL BID	9
5	DECLARATION	10
6	QUOTATION	11 - 21
7	CONCEPTUAL DRAWINGS	20

**INDIAN BANK**

**NOTICE INVITING QUOTATION**

Indian Bank, Zonal Office, Salem invites sealed Quotation (Single bid System) for 'INTERIOR FURNISHING, S&I OF FURNITURE AND ELECTRICAL WORKS in Proposed Indian Bank SALEM MAIN Branch, Salem Bazaar Street, Salem-636001, from the experienced and technically qualified contractors.

1.	Name of work	Invitation of quotation for 'INTERIOR FURNISHING, S&I of Furniture AND ELECTRICAL WORKS in Proposed Indian Bank Salem Main Branch, Salem Bazaar Street, Salem-636001 from the experienced and technically qualified contractors.
2.	Estimated cost of work	<b>Rs.8.20 Lakh for interior furnishing works, Rs.4.50 lakhs for S&amp;I of Furnitures, Rs.3.5 lakhs for Electrical works</b>
3.	Period of completion	<b>15 days</b> reckoned from the date of issue of the Work Order
4.	Validity of Quotation	60 Days from the date of opening
5.	Defects Liability Period	6 Months from the date of virtual completion of work
6.	Initial Security Deposit (I.S.D)	<b>2% of the work order value</b>
7.	Retention Money/ Security Deposit	<b>5% of the Final Bill Amount</b> (No interim bill will be permitted).
8.	Retention Money/ Security Deposit period	Retention Money will be paid after expiry of defect liability period of one year from the date of payment of final bill.
9.	Liquidated Damages	<b>1% per week</b> of the Contract Value for the delay subject to a maximum total of <b>5%</b> of Contract value
10.	Tender Documents	The Tender Documents can be downloaded from the Bank's website ( <a href="http://www.indianbank.in">www.indianbank.in</a> under Tenders column)
11.	Cost of Tender Document	<b>Nil</b>
12.	Earnest Money Deposit	<b>Nil</b>
13.	Last date of submission of RFQ	<b>26.12.2025</b> upto 16.00Hrs. at Indian Bank, Zonal Office, Premises, Estate & Expenditure dept, Third Floor, No. Divya Towers, Shevapet, Salem, 636 001.
14.	Date of opening RFQ	<b>02.01.2026</b> at 16.30Hrs. at Indian Bank, Zonal Office, Premises, Estate & Expenditure dept, Third Floor, No. Divya Towers, Shevapet, Salem, 636 001.

Note:

1. Technical bid and Price bid should be submitted in single sealed covers.
2. The bank reserves the right to reject any tender/bid without assigning any reason.
3. The rates quoted by the tenderer shall be based only on the specifications and conditions of the tender documents.
4. Bank is not liable to make any payment to tenderers for preparation to submit the tender/bid.

**DEPUTY GENERAL MANAGER (P&E)**

Indian Bank, Zonal Office, Salem,  
Third Floor, Divya Towers,  
Shevapet, Salem – 636 001.  
Ph: 0427 – 2216499.  
Email: zosalem@indianbank.co.in

Signature & Seal of the Tenderer

Note:

### **1.0 GENERAL**

Bidders are advised to acquaint themselves fully with the description of work, scope of services, time schedule and terms and conditions including all the provisions of the RFQ document before firming up their Quotation.

Though adequate care has been taken while preparing this RFQ Document, the Bidders shall satisfy themselves that the document is complete in all respects. Intimation of any discrepancy shall be given to this office immediately. If no intimation is received from any Bidder within the last dated of submission of RFW, it shall be considered that the Tender Document is complete in all respects.

### **2.0 SUBMISSION OF BID**

The Bidders shall submit their quotation in line with this RFQ Document.

RFQ Document should be in a proper sealed envelope superscripted as 'INTERIOR FURNISHING, S&I OF FURNITURE AND ELECTRICAL WORKS in Proposed Indian Bank Salem Main Branch, Salem Bazaar Street, Salem-636001.

More than one bid from same owner shall be summarily rejected.

### **3.0 SITE PARTICULARS**

Bidders are advised to inspect and examine the site and its surroundings between **10 am to 5 pm** on any of the working days of the Bank and satisfy themselves before submitting their bids as to nature of work, site conditions, flooring conditions, means of access to the site etc. Non-familiarity with the site conditions will not be considered a reason either for extra claims or for not carrying out the work in strict conformity with the specifications. For site visit you may contact Branch Manager (Erode Branch) in 0424-2253268.

### **4.0 SCOPE OF WORK**

4.0 'INTERIOR FURNISHING, S&I OF FURNITURE AND ELECTRICAL WORKS in Proposed Indian Bank Salem Main Branch, Salem Bazaar Street, Salem-636001.

4.1 Rates quoted shall be deemed to be inclusive of manpower, material, machinery, tools and tackles, installation, all taxes (except GST), duties, cartage, freight loading & unloading, insurance etc.

4.2 No escalation of whatsoever nature shall be payable in future.

4.3 Only GST will be paid by the Bank. Any other tax shall be payable by the contractor.

4.4 Bank reserves the right to modify/ relax/ withdraw any of the terms and conditions of the contract if it is found necessary in the interest/ benefit of the Bank.

4.5 Prospective Bidders are requested to remain updated for any notices / amendments/ clarifications etc. to the Tender Document through our Banks website. No separate notifications will be issued for such notices / amendments / clarifications etc. in the print media or individually.

4.6 The contract as a whole or part thereof is NON TRANSFERABLE.

## **5.0 MINIMUM ELIGIBILITY CRITERIA**

- 5.1 The bidder should be in Business for the Past 3 Years.
- 5.2 Self attested Copy of GST & PAN number.
- 5.3 24 x 7 local service set –up in Salem or inTamilnadu (address proof to be furnished).
- 5.4 Affidavit/ undertaking certifying that the firm has not been blacklisted by anyone (page -10 of this RFQ).

The contractor should have the technical competence, sound financial resources, experience, equipments, manpower and reputation to perform the contract to the satisfaction of Bank.

## **6.0 EVALUATION CRITERIA/ FINAL SELECTION**

- 6.1 Bids submitted without the requisite documents for 5.0 (Minimum Eligibility Criteria) will be summarily rejected and the price quoted by them will not be considered for evaluation. Qualified parties have no right to claim for award of the work. Bank reserves the right to cancel or award the work to any party / Bidder. Bidders who wish to attend the opening of the bids may ensure their presence on the mentioned date and time as specified in the Date sheet.
- 6.2 The lowest bidder (L-1) shall be considered for award of work for each nature of work such as Interior Furnishing, S&I of Furniture and Electrical works, though not binding and the decision of the Bank in this regard will be final and binding.
- 7.0 The bank reserves the right to reject any tender/ bid without assigning any reason.
- 8.0 The rates quoted by the bidder shall be based only on the specifications and conditions of the bid documents.
- 9.0 Bank is not liable to make any payment to bidders for preparation to submit the tender/bid.

## **DEPUTY GENERAL MANAGER (P&E)**

Indian Bank, Zonal Office, Salem,  
Third Floor, Divya Towers,  
Shevapet, Salem – 636 001.  
Ph: 0427 – 2216499  
Email: zosalem@indianbank.co.in

**GENERAL RULES AND INSTRUCTION FOR THE GUIDANCE OF BIDDERS**

1. Bids, which should always be placed in sealed cover, with the name of the work written on the envelope "INTERIOR FURNISHING'INTERIOR FURNISHING, S&I OF FURNITURE AND ELECTRICAL WORKS in Proposed Indian Bank Salem Main Branch, Salem Bazaar Street, Salem-636001.
2. The Indian Bank does not bind itself to accept the lowest or any quote/ bid and reserves to itself the right of accepting the whole or any part of the quote/ bid and the tenderer/ bidder shall be bound to perform the same at the rate quoted.
3. The rate quoted by the Tenderer/ bidder shall be net, up to the stage of incorporation and handing over site. All taxes on material or on finished works like work's contract tax, Turn-over Tax, including taxes that may be newly introduced subsequent to the tender/ bid etc. in respect of this contract shall be payable by the Tenderer/ bidder and the Indian Bank will not entertain any claim whatsoever in this respect except the GST to the overall bid amount.
4. The Tenderer/ bidder shall give a list of his relatives working with the Indian Bank along with their designations and addresses.
5. No employee of the Indian Bank is allowed to work as a contractor for a period of two years of his retirement from Indian Bank service, without the previous permission of the Indian Bank. The contract is liable to be cancelled if either the contractor or any of his employees is found at any time to be such a person who had not obtained the permission of the Indian Bank as aforesaid before submission of the tender/ bid or engagement in the Tenderer/ bidders service.
6. The tender/ bid for works shall remain open for acceptance for a period of 90 days from the date of opening of Tender/ bid. If any tenderer/ bidder who withdraws his tender/ bid before the said period, then the Indian Bank shall be at liberty to debar the contractor from the panel.
7. **Retention money shall be deducted from the final bill @ 5 % of the gross value of the bill.** This will be refunded after completion of the Defect Liability Period of 12 months, provided he has satisfactorily carried out all the work and attended to all the defects in accordance with the conditions of the contract. No interest is allowed on retention money.
8. The acceptance of a quote will rest with the Indian Bank and the Indian Bank reserves to itself the authority to reject any or all of the quotes received without the assignment of a reason. Quotes in which any of the prescribed conditions are not fulfilled (or) are incomplete in any respect are liable to be rejected. The Indian Bank reserves the right to accept the quote in full or in part and the tenderer/ bidder shall have no claim for revision of rates or other conditions if his quote is accepted in parts.
9. Canvassing in connection with quotes is strictly prohibited and the tenders/ bids submitted by the Tenderer/ bidders who resort to canvassing will be liable to rejection.  
  
All rates shall be quoted on the proper form of the quote alone. **All the entries to be made legibly in ink only.** Rates written in pencil or any other mode shall not be considered for evaluation and will be rejected.
10. An item rate quote containing percentage below/ above will be summarily rejected. However, where a tenderer/ bidder voluntarily offers a rebate for payment along with sealed quote, the same may be considered.
11. On acceptance of the tender/ bid the name of the accredited representative(s) of the Tenderer/ bidder who would be responsible for taking instructions from the Indian Bank shall be communicated to the Indian Bank.
12. Special care should be taken to write the rates in figures as well as in words and the amounts in figures only, in such a way that interpolation is not possible. The total amount should be written both in words and in figures.

13. The Contractor shall comply with and give all notices required under any law, rules, regulations, or bye-law of Parliament, State Legislature or Local Authority relating to works. If needed, the Contractor has to obtain required permission/ approval from the required statutory bodies/ organizations.
14. The Contractor shall be required to maintain the site and the building areas in a neat and clean condition at all times to the satisfaction of the Employer. The Contractor shall especially take care of their materials free from getting drenched or damaged.
15. Debris and unwanted items have to be neatly stacked at site and then periodically removed (maximum of one week), carried away by the Contractor and disposed off as per the rules and regulations of the Local Authorities concerned. No debris shall be thrown loose from upper floors. No floor, roof or other part of the building shall be over-loaded with debris or materials as to render it unsafe.
16. Employer reserves the right to insist on selection of material, workmanship, detailing and finishes, paint which they consider, is appropriate, and suitable for the intended use. The contractor is not eligible to claim extra on this account.
17. Employer will require the contractor to produce, samples of all the materials, accessories/ finishes prior to procurement/ manufacture. The samples of the materials for the work shall be got approved from the Employer. Failure to comply with these instructions can result in rejection of the work/ materials.
18. The Tenderer/ bidder should note that he should execute his part of work without causing any damage to any component of the building and also without disturbing the occupants or other contractors. Any damage so caused shall be made good at the cost & risk of the tenderer/ bidder.
19. The successful tenderer/ bidders shall include, in the quoted price, all allied works and no extra payments will be made for any such case arises.
20. **The successful contractor shall also be responsible for the safety and security of all their men & materials** and also for ensuring fire prevention steps at all times in the working premises including their part of the work. The successful contractor has to place full time representative at site, the representative should have thorough subject knowledge. **Bank will not be responsible for any untoward accident caused by the negligence of the contractor.**
21. **Only one interim bill will be permitted after completion of works.** The bills in proper forms must be duly accompanied by detailed measurements in support of the quantities of work done and must show deductions for all previous payments, retention money etc. The Employer after detailed scrutiny of the interim bill shall certify full payment within **10 days** of the date of receipt of bill from the Contractor subject to submission of documentation as required.
22. **The contractor should ensure payment of minimum wages + VDA to all laborers / workmen staff employed by him inline with central/ state labour wage act whichever higher.**
  - a) The Contractor shall at all times indemnify and keep indemnified the Employer against all losses, claims, damages or compensation including under the provisions of the payment of the Wages Act 1936, Minimum Wages Act 1948, Employer's Liability Act 1938, Workman's Compensation Act 1923, the Maternity Benefit Act 1961, the Bombay Shops and Establishments Act 1947, Industrial Disputes Act 1947, and Contract Labour (Regulation and Abolition) Act 1970 and Employees State Insurance Act 1948, Motor Vehicles Act 1988 or any modifications thereof or under any other law relating thereto and rules made there under from time to time or as a consequence of any accident or injury to any workman or other person in or about the work whether in the employment of the Employer or Contractor or not, and also against all costs, charges and expenses of any suit, action or proceedings whatsoever out of such accident or injury or combination of any such claims.

23. The contractor shall effect the insurance necessary and indemnify the Employer entirely from all responsibility in this respect. The insurance must be placed with a Insurance Company approved by the Employer and must be jointly in the name of the contractor and the Employer and the policy lodged with the latter. The scope of insurance is to include damage or loss to the contract itself till this is made over in a complete state. Insurance is compulsory and must be effected from the very initial stage. The contractor shall also be responsible for anything which may be executed from damage to any property arising out of incidents, negligence, or defects carrying out of this contract.
24. The Employer shall be at liberty and is hereby empowered to deduct the amount of any damages, compensations, costs, charges and expenses arising or accruing from or in respect of any such claim for damages from any sums due or to become due to the contractor.
25. The contractor shall maintain all registers as required by the Regional Labour Commissioner and should furnish the same to the Bank or its representative as and when required.
26. If the work is not started within **4 days** from the date of issue of work order then Employer may terminate the work order without assigning any reason. If during the execution of the work, the progress of work is not considered to be satisfactory; and not in proportion to the commitment made, inconsistent with the period of completion of the work provided in the Time schedule, then the Bank may terminate the work order by giving an immediate final notice to the contractor.
27. The time allowed for completing the works is **15 days** to be reckoned from the date of Work Order. Tenderer/ bidders shall submit a programme (time schedule) for executing the entire project and shall furnish the details of their scheme indicating the proposed deployment of their machinery and resources.
28. If the Contractor fails to complete any or all the works by the date/s named in "Date of Completion" or within any extended time (in case Bank Permits) then the Contractor shall pay or allow the Employer the sum to be worked out at **1.0%** of contract value per week to be recovered as Liquidated Damages (and not by way of penalty) for the delay, beyond the said date or extended time, as the case may be, during which the works shall remain unfinished and such damages may be deducted from any moneys due or which may become due to the Contractor. The maximum amount of Liquidated damages shall be **5%** of contract value. The contractor shall be bound to extend validity of Insurance Cover till such period of completion as may be considered necessary at their cost.

**DEPUTY GENERAL MANAGER (P&E),**

Indian Bank Zonal Office Salem,  
Third Floor,  
Divya Towers, Shevapet,  
Salem – 636 001.

Signature & Seal of the Bidder



**DETAILS**

<b>S. No.</b>	<b>Particulars</b>	<b>Details to be filled</b>
<b>1</b>	Name & Designation of Contact Person	
<b>2</b>	Mobile No (s) of the Contact Person / Firm	
<b>3</b>	Address for Communication	
<b>4</b>	Office / Local service set-up in Chennai address	
<b>5</b>	E-mail address of Contact Person / Firm	

**(Signature of Authorized Signatory)**  
**Name & Designation**  
**Contact No.**  
**NAME OF THE AGENCY WITH SEAL**

**DECLARATION**

**To**

**DEPUTY GENERAL MANAGER (P&E)**

Indian Bank, Zonal Office, Salem,  
Third Floor, Divya Towers,  
Shevapet, Salem – 636 001.

I hereby declare as below:

- 1) All the information furnished by me/ us here above is correct to the best of my knowledge and belief.
- 2) I/We have no objection if enquiries are made about the work listed by me/ us in the accompanying sheets/ annexures.
- 3) I/We agree that the decision of Indian Bank in selection of L-1 bidder will be final and binding to me/ us.
- 4) I/We hereby confirm that my/ our firm has not been disqualified / debarred / blacklisted by any Governments, Semi-governments, PSUs, Banks including any of the Offices/ Branch of Indian Bank/ erstwhile Allahabad Bank as on the date of publication of this notice.
- 5) I/We hereby confirm that all information, particulars, copies of certificates and testimonials submitted are correct and genuine. I am / We are, therefore, liable to face appropriate actions as deemed fit by the Indian Bank in the event of any of the information, particulars, copies of certificates and testimonials are not found correct and genuine.

**PLACE :**

**DATE:**

**NAME & DESIGNATION**

**NAME OF THE TENDERER WITH SEAL**

Quotation  
Price Bid

Schedule of Quantities					
INTERIOR FURNISHING in Indian Bank Salem Main Branch, Salem Bazaar Street, Salem-636001.					
S.No	FURNISHING WORK	Qty	Unit	Rate	Amount
	<b>FALSE CEILING</b>				
1.	<p><b>Custom Made Full Height Solid Partition:</b> Supply and set in position of custom made double skin full height partitions as per shape and size shown in the drawing. <b>Frame Work Detail:</b> Aluminium Box section of 2mm thickness of 50 X 50mm,vertically at about 60cm centers varied along columns wall ends, junctions of walls, as necessary. Horizontally of the same size of frames at floor level,750 mm, 1500 mm,2100 mm, and roof level. 50 X 25 mm at 60cm centres <b>Skin membrane:</b> To be finished with 6mm thick BWP grade plywood on each face with grooves, as per drawings/instructions. <b>Finishing:</b> 1.0mm thick laminate of same or combination shades with grooves in both faces as per instructions. Skirting- 100mm high laminate of approved make &amp; shade all as directed. <b>Top Border:</b> 150mm high laminate of approved make &amp; shade all as directed. Measurement for the partition area shall be considered from floor level to false ceiling level only.</p>	575	SQFT		
2.	<p><b>Custom Made Full Height Partly Glazed Partition:</b> Supply and set in position of custom made double skin full height partitions as per shape and size shown in the drawing. <b>Frame Work Detail:</b> Aluminium Box section of 2mm thickness of 50 X 50mm, vertically at about 60cm centers varied along columns wall ends, junctions of walls, as necessary. Horizontally of the same size of frames at floor level,750 mm, 1500 mm,2100 mm, and roof level. 50 X 25 mm at 60cm centres. <b>Skin membrane:</b> To be finished with 6mm thick BWP grade plywood on each face with grooves, as per drawings/instructions. <b>Finishing:</b> 1.0mm thick laminate of same or combination shades with grooves in both faces as per instructions. Skirting- 100mm high laminate of approved make &amp; shade</p>	270	SQFT		

	<p>all as directed.</p> <p>Glazing: 12mm thick clear float glass fixed with polished teak / steam beech wood / glazing beads of approved shape (finished 12 x 25mm) at level 900mm to 2100mm. The Glass to be finished with Fostered sticker of approved pattern.</p> <p><b>Top Border:</b> 150mm high laminate of approved make &amp; shade all as directed.</p> <p>Measurement for the partition area shall be considered from floor level to false ceiling level only. Glass area will be measured and paid seperately after deducting from the solid partition measurement.</p>				
3.	<p><b>Custom Made Full Height Partly Grill Partition:</b></p> <p>Supply and set in position of custom made double skin full height partitions as per shape and size shown in the drawing.</p> <p><b>Frame Work Detail:</b> Aluminium Box section of 2mm thickness of 50 X 50mm,vertically at about 60cm centers varied along columns wall ends, junctions of walls, as necessary. Horizontally of the same size of frames at floor level,750 mm, 1500 mm,2100 mm, and roof level. 50 X 25 mm at 60cm centres.</p> <p><b>Skin membrane:</b> To be finished with 6mm thick BWP grade plywood on each face with grooves, as per drawings/instructions.</p> <p><b>Finishing:</b> 1.0mm thick laminate of same or combination shades with grooves in both faces as per instructions. Skirting- 100mm high laminate of approved make &amp; shade all as directed.</p> <p><b>Aluminium. grill:</b> Readymade anodized aluminium grill of approved design and quality fixed with continuous teak wood I steam beach beads of approved shape (finished 35 x25mm) duly polished by NC lacquer finish. (for Cash Cabin Side, Front and top portion of Partitions)</p> <p><b>Top Border:</b> 150mm high laminate of approved make &amp; shade all as directed.</p> <p>Measurement for the partition area shall be considered from floor level to false ceiling level only.</p>	150	SQFT		
4	<p><b>SOLID DOORS:</b> Supplying and fixing in position 32 mm thick solid core hot pressed phenol formaldehyde bonded partly glazed flush door shutter of approved make finished up to 900 mm from floor level with 1.00 mm thick laminate of approved quality on both sides of the door shutter &amp; beading on edges. The upper portion of the shutter is to be provided with 6 mm thick clear float glass fixed with white steam beech wood glazing beads of approved design, complete as per drawing. Rate to</p>	147	SQFT		

	include cost of hardware fittings e.g. mortise lock, hinges, handles, door closer etc. of approved make and quality. (Manager cabin door)				
5	<p><b>Gypsum Board False Ceiling:</b> Providing and fixing of M/F suspended false ceiling as the detail given in the drawings. With G.I frame work and 12.5 mm tapered gypsum board panels to form grids of 45.7 X 122 cm as per manufactures specification including provision for stepped shaped ceiling for lighting trough comprising</p> <p>Frame work of intermediate channels (M.F.T) at 122 cm centers along one direction M/F ceiling section MF5 at 45.7 cm center along other direction. Perimeter channels (MF 6A) along walls alround perimeter side of the ceiling. The intermediate channels suspended from ceiling,through starp hangers 25 X 0.5 mm (MF 8)at 122 cm centers connected to soffit cleats p534 (27 X 37 X 25 X 1.6mm) the cleats connected to ceiling through metal expansion rawl plugs 1/2" dia and 17/16" long with additional perimeter channels (MF 6A)for light fittings, Air conditioners Ducts,vertical drops, offset etc. 12.5mm thick gyp board with tapered edges fixed to underside of suspended grid with 25 mm screws to from grids with 2 coats of plastic emulsion paint of approved color over a putty and primer etc, complete.</p>	1100	SQFT		
6	<p><b>False Ceiling (Grid System).</b></p> <p>Providing and fixing in true horizontal level false ceiling Grid of 15 mm of approved make, of mineral board acoustical ceiling panels TEGULAR type with black silhouette grid using hot dipped galvanized steel section exposed surface chemically cleaned capping prefinished in baked polyester paint wall angle of size 3000 x 19 x 19mm used in the periphery of the ceiling fixed to the wall partition RC column band walls with the help of screws at 600mm C/C.</p> <p>Main runner of size 3000 x 15 x 32 mm suspended at a 1200mm C/C. by using 2mm / 3mm dia GI wire hanger securely fixed to the structural soffit of RC slab by using 6mm anchor fastener at every 1200mm, (max) and 1200mm long cross tee of size 15 x 32 mm to be interlocked between in main runner at 600mm C/C (max) to form a grid of 600 x 600mm.</p> <p>600mm long cross tee of size 15 x 32 mm fixed in between 1200 mm long cross tee for forming a grid of 600 x 600 mm. Finally laying 15 mm THICK PRIMA FINE FISSURED MICROLOOK EDGE. Fire rating of 60 minutes as per BS 476/23 of 1987, Noise reduction co-efficient (NRC) of 0.55, light Reflectance of &gt; 84%, sound attenuation of 34 db, Thermal conductivity K - 0.052-0.057 W/m<sup>0</sup>K, weight of 3.53</p>	1350	SQFT		

	kg/m2 and Humidity Resistance of RH - 99%.				
7	<b>Vertical Blinds</b> Providing and fixing 100mm wide vertical blinds of Vista Make or equivalent quality and colour shade and pattern. Rate shall include necessary scotch guard treatment on both side. The overlaps should be uniform and adequate. Basic cost of blinds should not be less than Rs.1200 per Sqm	275	SQFT		
8	Providing and fixing 1'-6" high, 12mm thick clear float glass railing on clerical counters with S. S. decorative posts of 50mm dia all as directed by the Bank.	50	SQFT		
9	Providing and fixing Flap Door of min. size: 3' (B) X 2' 6" (H) made of block board with approved lamination on both side, of required size with hinges/tower bolts/stopper/handles etc complete.	10	SQFT		
10	<b>Column and wall Paneling</b> Providing and fixing cladding around the columns / walls to detail as per drawing frame work Aluminium Box section of 2mm thickness of 50 X 25mm & comprising 6mm thick BWP grade plywood on each face with grooves, as per drawings/instructions. <b>Finishing:</b> 1.0mm thick laminate of same or combination shades with grooves in both faces as per instructions. Skirting- 100mm high laminate of approved make & shade all as directed. Skirting- 100mm high laminate of approved make & shade all as directed.	600	SQFT		
11	<b>MISC.ITEMS :-</b> Supply and erecting wall mounted customer writing ledge of approx. size 1200x230mm, top made of 12mm thick float glass and sides/bottom etc., made of 19mm thick BWP grade block board finished with 1mm thick laminate of approved shade and quality. Inner faces shall be painted with two coats of synthetic enamel paint of approved shade & quality over a coat of primer. Rate to include making of suitable nos. of boxes of suitable sizes to keep different types of slips/leaflets etc. finishing edges with 6mm thick polished steam beach wood lipping.	1	EACH		
12	Supplying and erecting cheque drop box/ suggestion box (overall size 400mmx150mmx600mm) made of 19mm thick BWP grade ply board and curved portion at top made out of 90mmx90mm C.P. teak / steam beach wood section. A slit opening of 10mmx 150mm is to be provided at the top of the box. An openable shutter of 259mmx262mm size made of 19mm thick BWP grade block board is to be	1	EACH		

**INTERIOR FURNISHING, S&I OF FURNITURES AND ELECTRICAL WORKS IN INDIAN BANK SALEM MAIN BRANCH PREMISES SALEM BAZAAR STREET, SALEM-636001.**

	provided. The entire exposed timber surface including all free edges is to be finished with 1mm thick laminate sheet of combination shade. Inner faces shall be painted with two coats of synthetic enamel paint of approved shade & quality over a coat of primer. Rate to include cost of necessary hardware fittings e.g. hinges, lock, knob, etc. of approved design and quality.				
13	Total amount (excluding GST)				
14	GST @ %				
15	Gross Total				

Total Amount in words: Rupees \_\_\_\_\_ only + **applicable GST.**

(Amount excluding of GST but including discount, if any will be considered for evaluation of financial bid)

Place:

Date:

Quotation  
Price Bid

Schedule of Quantities					
INTERIOR FURNISHING in Indian Bank Salem Main Branch, Salem Bazaar Street, Salem-636001.					
S.No	FURNISHING WORK	Qty	Unit	Rate	Amount
I	<b>OFFICE TABLES</b>				
a	<b>TYPE A - BM TABLE - 1650MM X 750MMX750MM ALONG WITH SIDE TABLE 450MMX900MM</b>	1	NOS.		
	Supplying and erecting BM TABLE of size 750mm deep and 750mm high including drawer-cum-cabinet unit for files, space for computer CPU, wire managers, modesty panel, tea tray etc. made with 25 mm thick BWP grade block board on top and 19mm thick BWP grade block board on supporting sides / front with necessary well-seasoned Malaysian Sal / Kail/ Mirandi wood frame work, finished on top with mirror polished 10mm thick toughened glass with rounded edges and sides with 1.0 mm thick laminate of approved shade and quality, including providing and fixing 450mm long key board tray of approved shade, hardware and accessories at each of the counter. All exposed edges of block board are to be provided with half round teak wood moldings duly polished and 100mm high laminate of approved make & shade all as directed. Inner faces shall be 1.00 mm thick white laminate of approved shade and quality. Skirting: 100mm high laminate of approved make & shade all as directed. Rate to include charges for brass hardware fittings as well as fixtures like sliding gear for drawers of 'Earl Behari' or equivalent approved make.				
b	<b>TYPE B -Officer TABLE - 1350MM X 750MMX750MM ALONG WITH SIDE TABLE 450MMX900MM:</b> Supplying and erecting Officer TABLE of size 750mm deep and 750mm high including drawer-cum-cabinet unit for files, space for computer CPU, wire managers, modesty panel, tea tray etc. made with 25 mm thick BWP grade block board on top and 19mm thick BWP grade block board on supporting sides / front with necessary well-seasoned Malaysian Sal / Kail/ Mirandi wood frame work, finished on top and sides with 1.0 mm thick laminate of approved shade and quality, including providing and fixing 450mm long key board tray of approved shade, hardware and accessories at each of the counter. All exposed edges of block board are to be provided with half round teak wood moldings	2	NOS.		



	duly polished and 100mm high laminate of approved make & shade all as directed. Inner faces shall be 1.00 mm thick white laminate of approved shade and quality. Skirting: 100mm high laminate of approved make & shade all as directed. Rate to include charges for brass hardware fittings as well as fixtures like sliding gear for drawers of 'Earl Behari' or equivalent approved make.				
<b>c</b>	<b>TYPE C - OFFICE TABLE Running counter- 1275MM X 600MMX750MM</b>	9	NOS.		
	Providing and erecting in position Cash / Work Station of approx. size 1275x600x750mm, made of 19mm thick block board pasted with 1.00mm laminate inclusive of a 350mm wide customer top at 1155 mm level. Writing top & customer top should be finished with mirror polished; 18mm thick granite slab (Jet black) with rounded edges and sides with 1.0mm thick laminate of approved shade/make. Both should have sufficient gap in between to accommodate computer monitor up to full depth. The workstations shall be supported from the partition system made of 19mm thick BWP grade block board finished with 1.00mm thick laminate of approved shade/make. Free edges shall have 18 mm thick, polished white or steam beach wood mouldings of half-round profile as per drawings and instructions and 100mm high laminate of approved make & shade all as directed. Each cash workstation shall comprise of the drawer unit, Tea tray at top, Cash drawers with approved telescopic channels for drawer-slides, automatic locks (keys in duplicate), wire managers, space for computer CPU, modesty panel and other necessary hardware and accessories including satin finish S.S. handles of approved quality. Inner face of cash counter to be provided with 16G, M.S. sheet, painted with two coats of synthetic enamel paint of approved shade & make, over a coat of approved steel primer. Inner faces shall be finished with 1.0mm thick white laminate of approved shade & quality. Skirting: 100mm high laminate of approved make & shade all as directed.				
<b>d</b>	<b>TYPE D -CONFERENCE MEETING TABLE - 2400MM X 900MMX750MM</b>	1	NOS.		
	Supplying and erecting Officer TABLE of size 900mm deep and 750mm high including drawer-cum-cabinet unit for files, space for computer CPU, wire managers, modesty panel, tea tray etc. made with 25 mm thick BWP grade block board on top and 19mm thick BWP grade block board on supporting sides / front with necessary well-seasoned Malaysian Sal / Kail/ Mirandi wood frame work, finished on top and sides with 1.0 mm thick laminate of approved shade and quality, including providing and fixing 450mm long key board tray of approved shade, hardware and accessories at each of the counter. All exposed edges of block board are to be provided with half round teak wood moldings duly polished and 100mm high laminate of approved make & shade all as directed.				

	Inner faces shall be 1.00 mm thick white laminate of approved shade and quality. Skirting: 100mm high laminate of approved make & shade all as directed. Rate to include charges for brass hardware fittings as well as fixtures like sliding gear for drawers of 'Earl Behari' or equivalent approved make.				
<b>II</b>	<b>STORAGES</b>				
<b>a</b>	<b>TYPE S1 - BACK STORAGE - As per site needed L X 450DX 700/1200HT.</b>	180	SQFT		
	Free standing side credenza of above mentioned size with openable shutters in 19mm thk prelaminated particle board , 19mm thk prelam mdf board for verticals & bottom, back of 9mm thk prelam particle board, with back to be inserted in the groves provided in the verticals top and bottom, with pvc edge banding on all exposed edges, 25mm thk top in post formed laminated on facing edge and other three sides edge banded, adjustable shelves at app 16" c/c.with 19 mm. with pre laminated particle board & all necessary fittings like 4" long ss brushed finish handles, tower bolts, self closing hafele make hinges, godrej make/hafele make locks & any miscellaneous items. the bottom facing skirting to be in same laminate finished as per scope drawings				
<b>b</b>	<b>TYPE S2 - BACK STORAGE - As per site needed L X 450DX 2400HT.</b>	200	SQFT		
	Free standing side credenza of above mentioned size with openable shutters in 19mm thk prelaminated mdf board , 19mm thk prelam mdf board for verticals & bottom, back of 9mm thk prelam particle board, with back to be inserted in the groves provided in the verticals top and bottom, with pvc edge banding on all exposed edges, 25mm thk top in post formed laminated on facing edge and other three sides edge banded, adjustable shelves at app 16" c/c.with 19 mm.pre laminated particle board & all necessary fittings like 4" long ss brushed finish handles, tower bolts, self closing hafele make hinges, godrej make/hafele make locks & any miscellaneous items. the bottom facing skirting to be in same laminate finished as per scope drawings				
	Total amount (excluding GST)				
	GST @            %				
	Gross Total				



**INTERIOR FURNISHING, S&I OF FURNITURES AND  
ELECTRICAL WORKS IN INDIAN BANK SALEM MAIN  
BRANCH PREMISES SALEM BAZAAR STREET, SALEM-  
636001.**

---

Total Amount in words: Rupees \_\_\_\_\_ only +  
**applicable GST.**

(Amount excluding of GST but including discount, if any will be considered for evaluation of financial bid)

Place:

Date:

**Quotation**

**Price Bid**

Schedule of Quantities					
Electrical works in Indian Bank Salem Main Branch Premises Salem Bazaar Street, Salem-636001					
S.No	Electrical Works	Qty	Unit	Rate	Amount
1	Supplying and drawing circuit line by 2 x 6 sqmm + 1 x 2.5 sqmm FRLS PVC insulated copper wire by 19mm pvc pipe fully concealed and mending good the damages ( For UPS Incoming & UPS to DB)	Rmt	30		
2	Supplying and drawing circuit line by 2 x 4 sqmm + 1 x 2.5 sqmm FRLS PVC insulated copper wire by 19 mm pvc pipe fully concealed and mending good all the damages) (for AC).	Rmt	100		
3	Supplying and drawing circuit line by 2 x 2.5 sqmm + 1 x 1.5 sqmm FRLS PVC insulated copper wire by 19mm PVC pipe fully concealed and mending good the damages.	Rmt	250		
4	Making point wiring for fan & light by 2 x 1.5 Sqmm + 1 x 1 sqmm FRLS PVC insulated single core copper wire by 19 mm pvc in concealed manner including modular type switch & socket 6Amp, M.S.box, plate and cover plate. Top plate and cover plate.				
5	Single point controlled by single switch.	Each	35		
6	Double point controlled by single switch.	Each	6		
7	Plug point 6Amp	Each	10		
8	Call bell point	Each	2		
9	Supplying and fixing 2 Nos 3 pin 6 Amp Socket and 1 No 15 Amp controlling switch of modular type and connection including M.S box, cover plate and top plate in one board.	Each	4		
10	Supplying and fixing 3 Nos 3 pin 6 Amp Socket and 1 Nos 6 - 10 Amp controlling switch of modular type including M.S box, cover plate and top plate in one board.	Each	13		
11	Supplying and fixing 1 No 3 pin 6 Amp Socket with 1 no 6 Amp controlling switch of modular type including M.S Box, cover plate and top plate for raw supply.	Each	13		
12	Supplying and fixing 1 No 6 pin 6/16 Amp Socket with controlling switch of modular type including M.S.Box, cover plate and top plate	Each	5		

**INTERIOR FURNISHING, S&I OF FURNITURES AND ELECTRICAL WORKS IN INDIAN BANK SALEM MAIN BRANCH PREMISES SALEM BAZAAR STREET, SALEM-636001.**

13	Supplying and fixing 2 Nos 40 Amp DP MCB in suitable enclosure for UPS Incoming & outgoing.	Each	3		
14	Supplying and fixing Air-conditioner Starter with 25 Amp SPN MCB & Socket of North West/ Havel's make in suitable steel enclosures including 20Amp 3 pin plug top.	Each	7		
15	Installation of following light fixture complete with lamps, tubes, fixing arrangement in false ceiling including making connection etc.				
a)	LED Down lighter	Each	15		
b)	Tube light fittings	Each	8		
c)	Wall Bracket Metal Fan/Ceiling fan	Each	10		
16	Supply and drawing LAN-cable CAT-6 (D-link or eqv. make) in the PVC pipe.	Rmt	400		
17	Termination of LAN-Cable in one end by RJ45 Computer Jack & mounting of modular type including supplying and fixing suitable IO Box in concealed manner (D-link, Roma, Crabtree, MK or eqv. make in Each suitable enclosures)	Each	12		
18	Supply & Fixing patch chords (Cat-6) D-link or eqv. Make				
a)	3' long	Each	15		
b)	6' long	Each	15		
c)	Termination of LAN-Cable in other end by RJ45 socket.	Each	15		
19	<b>Total</b>				
20	<b>GST</b>				
21	<b>Gross Total</b>				

**Approved List of Materials:**

PVC insulated Copper Wire Each (FRLS grade) : Finolex/Polycab/Havels/RR Kabel  
Electric Cables: Havels / Gloster.  
ELCB+ MCB or RCCB : L&T/Siemens/GE/ Havels/MDS/ Merlin Gerin/Leagrand  
MCBs/MCCBs/DBs : L&T/Siemens/GE/ Havels / MDS / Merlin Gerin/Leagrand  
ModularSwitches/Socket: Anchor ROMA / Crabtree / M.K.  
PVCConduit/Pipe: AKG / Precision / Prestoplast / Asian  
Earthing for Bldg. & UP S: Earth Electrode as per IS: 3043-1978 / Chemical Earthing  
(Earthing resistance should be less than 2 Ohms)  
Changeover Switch : KEW Lugs Dowells/Jainson/Equ.  
Low Tension SFU with HRC fuse : L & T I Siemens  
Metal Clad Sockets : Siemens/MDS /Equ.

**INTERIOR FURNISHING, S&I OF FURNITURES AND ELECTRICAL WORKS IN INDIAN BANK SALEM MAIN BRANCH PREMISES SALEM BAZAAR STREET, SALEM-636001.**

