

TENDER DOCUMENT FOR INTERIOR FURNISHING WORK PURI BRANCH

Name of the Tenderer:

Tender Name: INTERIOR FURNISHING WORK FOR PURI BRANCH

Address of the site: Indian Bank , Grand Road , Puri

Last Date of Submission of Tender: 22.11.2012

Time of Submission of Tender: 2.00pm

**Place of Submission of the Tender: : Indian Bank, Zonal Office, B2 (East),
1st Floor, Saheednagar, Bhubaneswar
– 751 007.**

**Implementing Agency: Indian Bank, Zonal Office, B2 (East),
Saheednagar, Bhubaneswar – 751 007.**

NOTICE INVITING TENDER

1. Sealed item rate tenders in duplicate are invited on behalf of the Deputy General Manager & Zonal Manager, Indian Bank, Zonal Office, Bhubaneswar for the following works:
 - a) Name of the Work: **INTERIOR FURNISHING WORK- PURI BRANCH**
 - b) Time of completion: **21** days from work order date
 - c) Estimated cost of the work: **Rs 4,44,000.00**
 - d) Earnest Money: **Rs.4400/- (Rupees Four Thousand Four Hundred only)** Refundable.
2. Tender documents can be obtained by downloading from the Bank's website or from the Architect's office before **Dt.12.11.2012**
3. Drawing can be seen and clarifications if any required can be obtained from the Architect's office during the office time i.e 10 AM to 5 PM on all working days but before **Dt 21.11.2012**
4. Time, date & place of submission of Tender: Before 2PM on **Dt.22.11.2012** at Indian Bank. Zonal Office, B2 East, Saheed Nagar, 1st Floor, Bhubaneswar 751007
5. Time, date & place of opening of Tender: At 3.30 PM on **Dt.22.11.2012** at Indian Bank, Zonal Office 2 East 1st Floor Saheed Nagar, Bhubaneswar 751007.
(Tender will be opened in presence of such tenderer who desire to attend)
- 5A. Issue of tender documents shall be restricted to only pre qualified contractors/approved panel contractors.
6. The earnest money shall be deposited in the form of Bank Draft/ Banker's cheque from any schedule Bank drawn in favour of "Indian Bank" Payable at Bhubaneswar. Tender without earnest money in proper form will be rejected.
7. Latest income tax & sales tax clearance certificate shall have to be enclosed with the tender.
8. A tender submitted shall remain valid for a period of **6 months** from the date of opening. The validity of the tenders may be extended beyond the stipulated period without assigning any reasons. All the prices shall be firm during this period and also the delivery period of contract. No escalation shall be entertained.
9. Tenders are to be submitted on the printed forms issued by us/architect/download papers. The contractors should quote the **rates in figures as well in words**. The amount of each item shall be worked out and the requisite total shall be given. The initials of the tenderer shall attest all corrections. In case of any discrepancy/difference the rate quoted in words in the original copy of tender and the amount derived there from shall prevail and shall be binding.
10. Tender in duplicate will have to be submitted in two parts PART A and PART B

separately super scribed sealed and both contained in another sealed envelope, super scribed with the name of the work.

PART A: Shall contain all technical, financial and general stipulations proposed by the Contractor as well drawing if required and the earnest money in required shape.

PART B: Shall contain the offered price with the tender documents duly filled, in Duplicate.

11. Will be opened on the date and time as stipulated above. Discussion of the stipulation, if any, will be held subsequently on the same day in the office at B2, East, Saheednagar, Bhubaneswar. The accredited representative of the tenderer should attend the discussions. Clarifications arising out of such discussion shall be submitted by the tenderer in a sealed cover marked as PART C and will be opened simultaneously. In case the tenderer or accredited representative fails to attend the discussion at the stipulated date and time, even if the offer is condition less than the PART B i.e. the price bid of the tenderer will not be opened, thus rendering invalid under the discretion of the Bank. No claim whatsoever in this regard will be entertained. Clarifications given by the representative will be deemed to have given by the accredited representative of the tenderer.
12. Indian Bank is not bound to accept the lowest tender and reserves the right to accept either in full or in part any tender and to reject any or all the tenders without assigning any reason thereof.
13. Please note that the Cost of preparing the proposal including visit / visits to the Bank is not reimbursable. The Bank is not bound to accept any of the proposals submitted and the Bank has the right to reject any proposal without assigning any reason thereof.

**Deputy General Manager &
Zonal Manager**

FORM OF TENDER

To
The Deputy General Manager & Zonal Manager
Indian Bank,
B2(East), Saheed Nagar,
Zonal Office
Bhubaneswar.

Dear sir,

Sub: Tender for _____,

1. I/We refer to the tender notice issued by Indian Bank, Zonal Office, B2 (East), Saheednagar, and Bhubaneswar in connection with the above.
2. I/We do offer to perform, provide, execute. Complete or maintain the works in conformity with drawing, conditions of contract. Specifications bill of quantities for the sum of Rs. _____ (Rupees _____) only at the respective rate quoted in the bill of quantities.
3. I/We has satisfied my self/ourselves to the site conditions, examined the drawings and all aspects of the tender conditions, subject to above. I/We do here by agree, should this tender to accept in whole or in part to:
 - A. Abide by and fulfill all the terms and provisions for the said conditions annexed here to:
 - B. Complete the works within 15 days, as stipulated, in one or two shifts if considered necessary at no extra cost to the owner.
2. I/We have deposited the **earnest money** of Rs. _____ (Rupees _____) only which, I/We note will bear any interest and is liable for forfeiture.
 - (a) If the office is withdrawn within the validity period of acceptance or
 - (b) If the contract is not executed within 7 days from the date of award of contract, or
 - (c) If the work is not commenced within 7 days after issue of the work order.
3. The acceptance of this tender shall constitute a binding of contract and any failure as mentioned in No 4 above constitute a breach of contract by us, and the tender acceptance authority shall be entitled to have the work executed at our risk and cost and obtain and extra cost expenditure incurred by them from us.
4. I/We understand that you are not bound to accept the lowest or any tender you receive.
5. Our bankers are:
 - (a) _____
 - (b) _____

6. Name of the Partners/Directors of our firm

- i) _____
- ii) _____
- iii) _____

Name of Partners/Directors of our Firm

Authorized Signatory _____

Name of the person having the power of attorney to sign the contract (Certified true copy of the power of attorney should be attached)

Signature and address of witness

- i) _____
- ii) _____

Yours faithfully,

Signature of the Tenderer

INSTRUCTIONS FOR TENDERERS

1. If considered appropriate, the Bank reserves the right to issue addendum (s) or amendment (s) to any Condition/specification/schedule to all tenderers before the date of submission. Tender submitted by the tenderers shall be deemed to cover the effect of such addendum (s) / amendment(s). The tender should contain the prescribed information and the same should be signed as laid down hereunder:

1.1 If the tender is submitted by an individual, it shall be signed by him with his full name and current business address.

1.2. If the tender is submitted by a proprietary firm, it shall be signed by the proprietor above his full name and full name of his firm with its name and current business address.

1.3. If the tender is submitted by the firm in partnership, it shall be signed by all the partners of the firm above their full name and current business address or by partner holding the power of attorney for the firm for signing the tender. In case of partnership firm a certified copy of the partnership deed and current business address of all the partners of the firm shall also accompany the tender.

1.4. If the tender is submitted by a limited company or a limited corporation, it shall be signed by a duly authorized person holding the power of attorney for signing the tender in which case a certified copy of Memorandum & Articles of Association and the current business address of all the Directors of the firm shall also accompany the tender.

1.5. If the tender is submitted by a group of firms, the sponsoring firm shall submit complete information pertaining to each firm in the group and state along with the bid as to which of the firm shall have the responsibility on tendering and for completion of the contract and furnish evidence admissible in law in respect of authority assigned to such firm on behalf of the group of firms for tendering and for completion of the contract. The full information and satisfactory evidence pertaining to the participation of each members of the group of firm in the tender shall be furnished along with the tender.

1.6. While a tenderer signs a tender in an Indian language the tendered amount and the total amount tendered should also be written in the same language. In case of illiterate tenderer, the rates and the amount tendered should be attested by a witness.

2. The earnest money deposited will be returned without interest to the unsuccessful tenderers soon after the decision to award the work is taken or after the expiry of the validity period of the Bid retaining the EMD of L-1, L-2 & L-3.

3. The bidder is to submit relevant documents / papers in support of their declarations / confirmations.

4. The bidder should have in the same line of activity for minimum three years & have done the same work in other public sector organization (Banks).

5. The company should not have incurred continuous Loss during the last three years.

6. LOWEST TENDER NOT NECESSARILY TO BE ACCEPTED:

7. The Bank is not bound to accept the lowest or any tender or to assign any reason for non-acceptance.

8. The tenderer whose tender is not accepted shall not be entitled to claim any costs, charges, damages and expenses of and incidental to or incurred by him through or in connection with his submission of tenders, even though the Bank may decide to modify / withdraw the tender.

9.. The Bank reserves the right to accept the tender either in whole or in part at the same prices quoted by the tenderer.

SECTION-III

1. **ACCEPTANCE OF ORDER:** Bank has a right to cancel the order if the same is not accepted within a period of 7 days from the date of the order and the earnest money deposited will be forfeited.

TAXES: The prices quoted will be inclusive of all taxes, cartage, statutory levies etc.

2. **VALIDITY PERIOD OF BID / APPROVED PURCHASE PRICE:**

1.1 Bids shall remain valid for the period of 6 MONTHS after the last date for submission of bids prescribed by the Bank. A bid valid for shorter period shall be rejected by the Bank as 'Non Responsive'.

1.2 The offer along with approved rate will be valid for one year from the date of awarding the Contract. The bank however reserves the right to call for fresh quotes at any time during the above period if considered necessary.

2. **PLACING OF ORDERS:** Zonal Office of the Bank will place the orders.

3. **PAYMENT:** Payment will be made after successful completion of the work. Joint measurement will be done in the presence of the approved panel Engineer & bank's representative. Retention amount equivalent to 5 % of the total bill amount will be kept for one year & TDS will be deducted as per the IT rules prevalent at the time of the payment.

4. **WARRANTY:** All the works done will be of warranty period of one year from the date of the final payment of the Bill.

5. **SIGNING OF CONTRACT:** The successful bidder shall be required to enter into contract with the bank within 7 days of the award of the tender or within such extended period as may be specified by Indian Bank, Corporate Office, on the basis of the tender document, the tender of the successful bidder, the letter of acceptance and such other terms and conditions as may be determined by the Bank to be necessary for the due performance of the work in accordance with the bid and the acceptance thereof, with terms and conditions shall be contained in a Memorandum of Understanding to be signed at the time of execution of the form of contract.

6. **GOVERNING LAW AND DISPUTES:** All disputes or differences whatsoever arising between the parties out of or in relation to the construction, meaning and operation or effect of these tender documents or breach thereof shall be settled amicably. If however, the parties are not able to solve them amicably, the same shall be settled by arbitration in accordance with the applicable Indian Laws, and the award made in pursuance thereof

shall be binding on the parties. The arbitrator/arbitrators shall give a reasoned award. Any appeal will be subject to the exclusive jurisdiction of courts at Bhubaneswar. The vendor shall continue work under the contract during the arbitration proceedings unless otherwise directed in writing by the Bank or unless the matter is such that the work cannot possibly be continued until the decision of the arbitrator or the umpire, as the case may be, is obtained. The venue of the arbitration shall be Chennai.

7. SETTLEMENT OF DISPUTES:

1. If any dispute or difference of any kind whatsoever shall arise between the purchaser and the supplier in connection with or arising out of the contract, the parties shall make every effort to resolve amicably such disputes or difference by mutual consultation.

2. If after 30 days the parties have failed to resolve their disputes or difference by such mutual consultation, then either the purchaser or the supplier may give notice to the other party of its intention to commence arbitration, as hereinafter provided, as to the matter in dispute, and no arbitration in respect of this matter may be commenced unless such notice is given.

9. Any dispute or difference in respect of which a notice of intention to commence arbitration has been given in accordance with this clause shall be finally settled by arbitration. Arbitration may be commenced prior to or after delivery of the goods under the contract. Arbitration proceedings shall be conducted in accordance with the following rules of procedure. The dispute resolution mechanism to be applied shall be as follows:

(a) In case of dispute or difference arising between the Purchaser and a domestic Supplier relating to any matter arising out of or connected with this agreement, such dispute or difference shall be settled in accordance with the Arbitration and Conciliation Act, 1996. The arbitral tribunal shall consist of 3 arbitrators one each to be appointed by the Purchaser and the Supplier; the third Arbitrator shall be chosen by the two Arbitrators so appointed by the Parties and shall act as Presiding Arbitrator. In case of failure of the two arbitrators appointed by the parties to reach upon a consensus within a period of 30 days from the appointment of the Arbitrator appointed subsequently, the Presiding Arbitrator shall be appointed by the Indian Banks' Association, India which appointment shall be final and binding on the parties.

(b) If one of the parties fails to appoint its arbitrator within 30 days after receipt of the notice of the appointment of its Arbitrator by the other party, then the Indian Banks' Association, both in cases of the Foreign Supplier as well as Indian Supplier, shall appoint the Arbitrator. A certified copy of the order of the Indian Banks' Association making such an appointment shall be furnished to each of the parties.

(c) Arbitration proceedings shall be held at Bhubaneswar, India, and the language of the arbitration proceedings and that of all documents and communications between the parties shall be English.

(d) The decision of the majority of arbitrators shall be final and binding upon both parties. The cost and expenses of Arbitration proceedings will be paid as determined by the Arbitral Tribunal. However, the expenses incurred by each party in connection with the preparation, presentation etc. of its proceedings as also the fees and expenses paid to the arbitrator appointed by such party or on its behalf shall be borne by each party itself.

(e) Where the value of the contract is Rs. 10 million and below, the disputes or differences arising shall be referred to the Sole Arbitrator. The Sole Arbitrator shall be appointed by

agreement between the parties; failing such agreement, by the appointing authority namely the Indian Banks' Association.

10 Notwithstanding any reference to arbitration herein,

a) the parties shall continue to perform their respective obligation under the contract unless they otherwise agree; and

b) the purchaser shall pay the supplier any monies due to the supplier.

11. APPLICABLE LAW

The Contract shall be interpreted in accordance with the laws of India. Any dispute arising out of this contract will be under the jurisdiction of Courts of Law in Bhubaneswar.

12. USE OF CONTRACT DOCUMENTS AND INFORMATION :- The vendor shall not without the Bank's prior written consent, make use of any document or information provided by vendor in bid document or other wise except for purposes of performing contract.

13 . PENALTY: Penalty @ 1% per week of the total bill amount will be charged for late delivery, subject to maximum of 10%. For this purpose the period will commence from the expiry date of order upto the date of item delivered. The Bank reserves the right to cancel the order in case delivery is not affected within the stipulated time.

14.COST OF BIDDING: The bidder shall bear all the costs associated with the preparation and submission of its bid and Indian Bank, hereinafter referred to as the bank, will in no case be responsible or liable for these costs, regardless of the conduct or outcome of the bidding process.

15.BID CURRENCY: Prices shall be expressed in Indian rupees only. Rate for single and multiple units per order quoted by the bidder will be inclusive of all taxes. The bidder should quote the rates in figure as well as in words. The price quoted will be valid for all the orders placed by the bank. If there is any downward revision, the vendor should intimate the bank and should supply at reduced rates to the satisfaction of the Bank.

16. BIDDING PROCESS (TWO STAGE): For the purpose of the present job, a two- stage bidding process will be followed. The response to the present tender will be submitted in two parts. Technical Bid containing the General Terms and Conditions include Compliance to Technical specifications and Commercial Bid containing the Commercial offer. The bidder will have to submit the Technical Bid and Commercial Bid Portion of the Bids separately in Red lac sealed envelopes (wax seal), duly super scribing. **"Technical Bid/ Financial Bid"**.

18.1 TECHNICAL BID will also contain the Bidder's information in the format (Annexure I) as given in bid document.

18.2 TECHNICAL BID will NOT contain any pricing or commercial information at all.

18.4 Under the Second stage, the COMMERCIAL BID of only those short listed bidders, whose technical bids are responsive, shall be opened.

18.5 The Bank reserves the right to accept or reject any or all the tenders without assigning any reasons whatsoever.

18.6 The bid shall be typed or written in indelible ink and shall be signed by the bidder and the person signing the bid shall initial all pages of the bid.

19. BID SECURITY (EARNEST DEPOSIT MONEY) :

19.1. Bidder has to submit the bid earnest money of Rs.4400/-(Rupees Four Thousand Four Hundred only) in the form of Demand Draft / Bankers Payment Order favouring Indian Bank, drawn on Bhubaneswar. The bid earnest money has to be submitted along with the technical offer.

19.2. Unsuccessful bidders bid security shall be returned without any interest soon after the decision to award the work is taken or after the expiry of the validity period of the tender retaining the EMD of L-1, L-2 & L-3.

19.3. The successful bidder's bid security shall be returned upon the bidder signing the contract and execution of the order.

19.4. The Bid Security may be forfeited if a bidder

- a) Withdraws his bid during the bid validity as mentioned in the bid document.
- b) In the case of successful bidder if the bidder fails to sign the contract within the stipulated period.

20. SUBMISSION OF BIDS:

The bidder shall seal the each envelope with Red lac Seal (Wax seal).The bid should be addressed to purchaser at the following address:-

Deputy General Manager and Zonal Manager
Indian Bank, Zonal Office, 1st Floor
B2 (East)
Saheed Nagar
Bhubaneswar-751007.

DEADLINE FOR SUBMISSION OF BIDS

DEAD LINE FOR SUBMISSION OF BIDS is 22.11.2012 up to 2.00 PM Bid must be received by the Bank at the address specified in Bid document not later than the specified date and time as specified in Bid document. In event of the specified date for submission of bids being declared a holiday for the Bank, the bids will be received upto appointed time on next working day.

22. **LATE BIDS:** Any bid received by the Bank after the deadline for submission of bids prescribed by the Bank will be rejected and/or returned unopened to the bidder, if bidder desires so.

23. CONTENTS OF DOCUMENTS TO BE SUBMITTED:

The bidder shall submit the following documents:-

23.1 Documents required in Technical Bid (Sealed Cover)

i. Bidder's information as per format (Annexure I) with the undertaking that the information furnished about the company is true and to the best of knowledge and nothing has been concealed.

i . Supporting documents in respect of Qualification criteria as mentioned in the tender notice / instructions for tenderers.

- i i. Acceptance of the terms and conditions and compliance of technical specifications (Annexure II)
- iv. Any other document indicating the feature of the product such as user manual, technical specifications sheets etc.

24. BID OPENING & EVALUATION

- i. The Bank will open the bids at the time already intimated, in the presence of Bidders' representative who choose to attend in the conference room at Zonal Office, B2 (East) Saheed Nagar, Bhubaneswar-751007
- i . The bidders' representatives who are present shall sign register evidencing their attendance. In the event of the specified date of bid opening being declared a holiday for Bank, the bids shall be opened at the appointed time and place on next working date.
- i i. The commercial bid shall be opened in the presence of Bidders' representative, whose bids are considered as responsive as per the technical and other qualification criteria as underlined in the bid document.

PART 1-INTERIOR FURNISHING WORK OF SERVER ROOM

SI No	Description	Quantity	Rate	Total
1)	Full height Partition work for server room: Providing and fixing BWP ply of century/green/archid/sylvan etc and putting 1 mm lamination over the fixed ply with adhesive of reputed made leaving no void as per drawing and design over the existing frame work with additional members wherever necessary are also to be provided to achieve the design provided in the drawing at no extra cost to the owner. The old glasses shall be designed as matching with the design. The above cost is inclusive of labour, material taxes.	6.41 Sq Mtr		
	(Rupees			
2)	Full height Partition work for Battery Room & UPS Providing and fixing BWP ply of century/green/archid/sylvan etc and putting 1 mm lamination over the fixed ply with adhesive of reputed made leaving no void as per drawing and design over the existing frame work with additional members wherever necessary are also to be provided to achieve the design provided in the drawing at no extra cost to the owner.The above cost is inclusive of labour, material taxes.	4.31 sq mtr		
	(Rupees			
3(a)	False Ceiling : Opening and remaking the existing false suspended gypboard false ceiling with existing GI structure and fixing 12.5 mm tapered edge gypboard to ceiling section with 25 mm dry wall screws at 230 mm centre .Screw fixing will be done mechanically either with	6.26 Sq mtr		

	screw driver or drilling machine with suitable attachment .Finally the tapered and squared edges of the boards are jointed at finished to give a flushed finish with requisite jointing compound , paper tapes , finisher and premier suitable for Gypsum plaster boards . The entire work shall be finished as per instructions of the Architect and also finished with two or more coats of acrylic emulsion paint of approved shade and make. No extra cost shall be entertained in completing the entire work in all respect.			
(b)	<p>(Rupees</p> <p>Supplying and fixing 62mm X 62mm moulded cornice at the corner of ceiling and wall with necessary steel screws and all the joints and surface shall be completely finished by Cornice powder .</p>	13.20 RMT		
	(Rupees			
4)	<p>Partly glazed Flush doors (Server Room)</p> <p>To be made out of 2 "X1" Alluminum of OEL/JINDAL frame structure with both side 6 mm BWP ply of century/green/archid/sylvan and 1 mm lamination and maintaining 40 mm thick flush door. Necessary cuttings in the flush door for fixing 8 mm glass as shown in the drawing to be strictly followed. The exposed wood of beadings to be polished. The rate quoted should be inclusive of Godrej 6 pin lever cylindrical lock , Door closure , Door stopper , handles and necessary hardwares .</p>	1.76 Sq mtr		
	(Rupees			
5)	<p>Sliding doors for battery room</p> <p>Providing and fixing BWP ply of century/green/archid/sylvan etc and putting 1 mm lamination over the fixed ply with adhesive of reputed made leaving no void as per drawing and design over</p>	1.62 sq mtr		

	the existing frame work with additional members wherever necessary are also to be provided to achieve the design provided in the drawing at no extra cost to the owner. The old glasses shall be designed as matching with the design. The above cost is inclusive of labour, material taxes.			
	(Rupees			
6)	System Room Table Providing and fixing wall to wall long Table for Server Room Systems, with 19 mm block board of century/green/archid/sylvan make with a provision for Master Server, Router, and other server room accessories.	6.0 RFT		Available
	TOTAL			
	(Rupees			

PART-II INTERIOR FURISHING OF BRANCH PREMISES

Sl No	Description	Quantity	Rate	Total
1 (a)	<p><u>Full height partition for BM, Stationery & Pantry</u></p> <p>a) Providing and fixing 6 mm thick Phenol Bonded ply over the existing structure remodeled by opening the old structures of century/green/archid/sylvan over existing frames works executed under item No (1) above with screws at adequate intervals complete with cost of all labour and materials .</p> <p>b) Providing and fixing minimum 1.0 mm thick mat / satin finished laminates of approved colour of century/green/archid/sylvan and make to partitions, panellings, shutters and wherever directed to be fixed with suitable adhesive complete with cost of materials, labour and hardware etc, and all as per drawing and direction of Architect.</p> <p>c) Designing the old glasses as per the model with necessary rubber bidding duly polished.</p>	14.66 Sq Mtr		
	(Rupees			
1 (b)	Dismantling old partition , restructuring as per new design with additional vertical as well as horizontal members for strengthening the structure , fixing 6 mm BWP ply with 1 mm lamination and complete with necessary beading matching to the new furnishing ambience	13.95 Sq mtr		
	(Rupees			
2	<p><u>Cash Counter.</u></p> <p>A) Providing , fixing and erecting of cash counters having over all approximate size given below of 5'0" long X 2'6" height The counter tops are to rest in between the partition walls already erected (partition shall be paid separately under different head) in tow tires: upper most top and the lower level working top. The entire structure are to be made of 19 mm Block board duly laminated with edges properly sealed with 3 mm thick leaping . The upper most counter top shall be made of 8" wide X 4'6" long X 19mm thick block board. The front portion facing to public space shall be closed with 4'6"X 2'6" heigh 19 mm board and will be laminated in pattern matching with</p>	1 No		

	<p>partition wall .Each counter shall also be provided with a cabinet unit having three nos of drawers (18" wide X 15" dep) 8" deep each) towards it's elongated side resting on recessed type 3" heigh skirting in 19 mm board . The sides of drawer shall be of 12 mm ply bottom and rear side to have 6 mm ply whereas front portion of drawers are to be provided with 19 mm board. The entire exposed faces are to be laminated and inside faces are to be painted with two coats of emulsion paint over a coat of primer. Item to be completed with all necessary hardware fittings and fixures , making necessary arrangement for cable entry all as per specification to the Architect's approval .(Extra locks of Godrej make for drawers and cupboards shall be provided for Single Window Operator)</p>			
	(Rupees			
3	<p><u>Cash enclosure</u></p> <p>a) Providing and fixing 6 mm thick Phenol Bonded ply over the existing structure remodeled by opening the old structures of century/green/archid/sylvan over existing frames works executed under item No (1) above with screws at adequate intervals complete with cost of all labour and materials .</p> <p>b) Providing and fixing minimum 1.0 mm thick mat / satin finished laminates of approved colour of century/green/archid/sylvan and make to partitions, panellings, shutters and wherever directed to be fixed with suitable adhesive complete with cost of materials, labour and hardware etc, and all as per drawing and direction of Architect.</p> <p>c) Designing the old glasses as per the model with necessary rubber bidding duly polished.</p>	10.97 sq mtr		
	(Rupees			
4	<p><u>Doors Partly glazed door for cash, BM, stationery, loans</u></p> <p>a) Providing and fixing 6 mm thick Phenol Bonded ply over the existing structure remodeled by opening the old structures of century/green/archid/sylvan over existing frames works executed under item No (1) above with screws at adequate intervals complete with cost of all labour and materials .</p> <p>b) Providing and fixing minimum 1.0 mm thick mat / satin finished laminates of approved colour of century/green/archid/sylvan and make to partitions, panellings, shutters and wherever directed to be fixed with suitable adhesive complete with cost of materials, labour and hardware</p>	7.54 sq mtr		

	etc, and all as per drawing and direction of Architect. c) Designing the old glasses as per the model with necessary rubber bidding duly polished. d) Necessary locks of godrej made shall be fitted within the approved cost.			
	(Rupees			
5	Pigeon Hone for sorting of day to day vouchers made of 19 mm Block Board Ply with necessary painting of size 3'6"X4'0" with a standard section 6"X5".	1 No		Available
6	<p><u>Front Office Work station and SWO counter</u></p> <p>providing , fixing and erecting of "L" Shape Asst. Branch Manager Table having over all approximate size given below of 5'0" long wide X 5'0" deep. The counter tops are to rest in between the partition walls already erected (partition shall be paid separately under different head) in two tiers: upper most top and the lower level working top. The entire structure are to be made of 19 mm Block board duly laminated with edges properly sealed with 3 mm thick leaping . The upper most counter top shall be made of 8" wide X 4'6" long X 19mm block board . The front portion facing to public space shall be closed with 4'6"X 2'6" height 19 mm board and will be laminated in pattern with partition wall .Each counter shall also be provided with a cabinet unit having three nos of drawers (18" wide X 15" depth) 8" deep towards it's elongated side resting on recessed type 3" height skirting in 19 mm board . The sides of drawer shall be of 12 mm ply bottom rear side to have 6 mm ply whereas front portion of drawers are to be provided with 19 mm board . The entire exposed faces are to be laminated and inside faces are to be painted with two coats of emulsion paint over a coat of primer . Item to be completed with all necessary hardware fittings and fixtures , making necessary arrangement for entry all as per specification to the Engineer's approval .(Extra cost of Godrej make for drawers and cupboards shall be provided for Single Window Operator)</p>	8 Nos		
	(Rupees			
7	SWO enclosure, Low partition for loans & ABM: a) Providing and fixing 6 mm thick Phenol Bonded ply over the existing structure remodeled by opening the old structures of century/green/archid/sylvan over existing frames works executed under item No (1) above with screws at adequate intervals complete with cost of all labour and materials .	20.15 sq mtr		

	<p>b) Providing and fixing minimum 1.0 mm thick mat / satin finished laminates of approved colour of century/green/archid/sylvan and make to partitions, panellings, shutters and wherever directed to be fixed with suitable adhesive complete with cost of materials, labour and hardware etc, and all as per drawing and direction of Architect.</p> <p>c) Designing the old glasses as per the model with necessary rubber bidding duly polished.</p>			
	(Rupees			
8	<p>False ceiling</p> <p>a) Providing and fixing suspended gypboard false ceiling which includes providing and fixing G.I perimeter channels of size 27 mm , 0.5 mm thick having one flange of 20 mm and another flange of 30 mm along with perimeter of the ceiling screws fixed to bricks wall/ partitions with the help of rawal plugs and screws . Then suspending G.I intermediate channels of size 45 mm , 0.9 mm thick with tow flangs of 15 mm each from the soffit at 1200mm centres with steel G.I hanger of width 25mm , 0.5mm thick fixed to soffit with G,I cleat and steel expansion fastners .Ceiling section of 0.5 mm thickness thickness having knurled wedge of 51.5 mm and two flanges of 26mm each with leafs of 10.5 mm are then fixed to the intermediate channels at 450 mm centre . 12.5 mm tapered edge gypboard is then screwed fixed to ceiling section with 25 mm dry wall screws at 230 mm centre .Screw fixing will be done mechanically either with screw driver or drilling machine with suitable attachment .Finally the tapered and squared edges of the boards are jointed at finished to give a flushed finish with requisite jointing compound , paper tapes , finisher and premier suitable for Gypsum plaster boards . The entire work shall be finished as per instructions of the Architect and also finished with two or more coats of acrylic emulsion paint of approved shade and make. No extra cost shall be entertained in completing the entire work in all respect.</p>	110.96 SQ MTR		
	(Rupees			
	<p>b) Supplying and fixing 75mm X 75mm moulded cornice at the joint to the wall with complete finishing by Cornice powder .</p>	RMT 54.00		
	(Rupees			
9	<p>Standing Writing ledge with cheque drop Box & Writing ledge made of old material available ,with necessary hard wood stays including 6 nos of 6"X6"X4" deep pockets for voucher storage</p>	1 No		

	approximate size 1'6" X wide & 4'4" long			
	(Rupees			
10	Suggestion box with necessary locking and fixing made out of 19 mm ply with 1mm lamination.	1 No		Available
11	Providing and fixing plane float glass of 12 mm thickness on the frame works already erected , in patterns as shown in the drawing with anodized Aluminum Glazing clips or polished T.W beading all along perimeter of the glass complete with cost of all labor and materials	7.94 sq mtr		
	(Rupees			
12	Notice Board to be provided with 12mm insulin board with approved colour velbate cloth supported with necessary beadings of size 4'X2'	1 No		
	(Rupees			
13	Strong room partition : Providing and fixing 100 mm hollow core partition with Aluminum frame and rectangular section of 50X25 mm section or its approved equivalent for erection of frame work for partitions, paneling with 12mm fire resistance Bison Board etc as per drawing and design. Additional members wherever necessary are also to be provided to achieve the design provided in the drawing at no extra cost to the owner. The frame work shall be fabricated and installed in position firmly with the help of suitable All cleats , screws, clamps , rawl plugs and al necessary civil works and mending good to all damages complete with cost of all materials , labour , hardware VAT etc .			Partition existing
14	Pillar paneling as per specification made out of aluminum structure, 6 mm BWP ply and 1 mm lamination of century/green/archid/sylvan with necessary beading in the edges and complete etc as per Architect's direction & design.	22.34 sq mtr		
	(Rupees			
15	Remodeling the existing Branch Manager's Table as per the sp over all approximate size given below of 5'0"" long X 2'0" wide X are to rest in between the partition walls already erected (partition	1 No		

	<p>under different head) in tow tires: upper most top and the lower level working to The entire structure are to be made of 19 mm Block board duly laminated with edges properly sealed with 3 mm thick leaping . The most counter top shall be made of 8" wide X 4'6" long X 19mm block board . The front portion facing to public space shall be close 4'6"X 2'6" heigh 19 mm board and will be laminated in pattern with partition wall .Each counter shall also be provided with a cabinet unit having three nos of drawers (18" wide X 15" dep) 8" deep towards it's elongated side resting on recessed type 3" heigh skin in 19 mm board . The sides of drawer shall be of 12 mm ply bottom rear side to have 6 mm ply whereas front portion of drawers are provided with 19 mm board . The entire exposed faces are to be laminated and inside faces are to be painted with two coats of em paint over a coat of primer . Item to be completed with all necessary hardware fittings and fixtures , making necessary arrangement for entry all as per specification to the Engineer's approval.</p>			
	(Rupees			
16	Low height storage made out of 19 mm block board with necessary shelves of standard size, doors shall be provided with locks and auto hinxes . madeout of 19 mm BWP block board of century/green/archid/sylvan	6.05 Sq mt		
	(Rupees			
17	<p>Entrance glass door:</p> <p>a) Fixed partition: Fabricating and fixing 100 mm hollow core partition with 50X25 mm Aluminum section of OEL make or its approved equivalent for erection of frame work for partitions, paneling etc as per drawing and design. Additional members wherever necessary are also to be provided to achieve the design provided in the drawing at no extra cost to the owner. The frame work shall be fabricated and installed in position firmly with the help of suitable Al. cleats, screws, clamps, rawl plugs and al necessary civil works and mending good to all damages complete with cost of all materials, labour , hardware VAT etc .</p> <p>b) Providing and fixing 6 mm thick Phenol Bonded ply of century/green/archid/sylvan over existing frames works executed under item No (1) above with screws at adequate intervals complete with cost of all labour and materials.</p>	2.48 sq mt		

	<p>c) Providing and fixing minimum 1.0 mm thick mat / satin finished laminates of approved colour of century/green/archid/sylvan and make to partitions, panellings, shutters and wherever directed to be fixed with suitable adhesive complete with cost of materials, labour and hardware etc, and all as per drawing and direction of Architect.</p> <p>b) 12 mm glass door with necessary floor spring and 12 " SS glass handle</p>	2.58 sq mt		
	a) (Rupees			
	b) (Rupees			
18	Daftary table made out old material with necessary locking arrangement.	1 No		
	(Rupees			
19	Supplying and fixing of vertical blinds with necessary channel and sliders in the windows at site made out of 75mm wide blinds of VISTA make colour matching to the ambience of the banking hall	9.84 Sq mtr		
	(Rupees			
20	Rubbing the wall with sand paper, applying acrylic puti and applying primer and 2 coat plastic emulsion paint matching to the ambience of the furnishing.	92.93		
	(Rupees			
	Total			
	(Rupees			