ONLY EMPANELLED CONTRACTORS OF INDIAN BANK AT CHANDIGARH ZO CAN APPLY

INDIAN BANK

TENDER DOCUMENT

FOR

INTERIOR FURNISHING

&

ELECTRICAL WORKS

OF

INDIAN BANK AT

RAJPURA

OFFICE OF THE
ZONAL MANAGER
INDIAN BANK, ZONAL OFFICE, S.C.O. NO. 191-192,
SECTOR 7-C, CHANDIGARH - 160017

ARCHITECTS:

CREATIVE VISIONS

DETAILS OF TENDER

TENDER FOR THE FURNISHING & ELECTRICAL WORKS IN INDIAN BANK AT RAJPURA

1. Details of work to be done : Interior / Furnishing & Allied

electrical works for the furnishing of Indian Bank,

Shimla

2. Form of Contract : Item wise rate

3. Earnest Money : Rs. 15,000/- (Fifteen thousand only)

in form of Demand draft in favour of Indian Bank, payable at Chandigarh.

4. Period of contract / : 6 Weeks

time of Completion

Defect Liability Period

Last Date & time for receiving: 31.10.2017 at 3:30 p.m. of sealed tender.

6. Liquidated damages for non-: 10% of the contract value per week.

12 months (Twelve months) from the date of virtual completion as certified

by Architect / employer.

8. Retention amount for 12 months: 8% of the total bill.

9. Period of submitting of : 15 days from the date of completion.

Final bill.

5.

7.

10. Mobilization Advance / : No Mobilization Advance / secured

Secured Advance Advance will be given to the

Contractor.

11. Place and date of opening: 31.10.2017 at 4:00 p.m. in the

of tender Office of the Zonal Manager, Indian Bank Z.O.

Sec 7, Chandigarh

Zonal Manager, Indian Bank, Zonal Office, Sector 7, Chandigarh.

TENDER FOR THE FURNISHING & ELECTRICAL WORKS IN INDIAN BANK AT RAJPURA

GENERAL CONDITIONS

- 1. The Contractor shall sign each page of this tender.
- 2. Payment to the Contractor Agency shall be made as per actual work done at site.
- 3. Quantity of work may increase or decrease at site as per requirement, which shall not affect the rates quoted by the contractor.
- 4. Furnishing works including electrical works etc. shall be done to the complete satisfaction of Bank and Architect-in-charge.
- 5. All teak / Cedar wood / rubber wood to be used should be knotless which is to be polished with all background surface preparation coarses maintaining the visibility of wood grains.
- 6. The rates to be quoted shall include the cost of material, labour charges, carriage, sales tax, or any / all other taxes any required hardware etc.
- 7. The contractor agency shall keep particular vigil on his workers / carpenters / painters etc. to maintain very good workmanship of all items, failing which no payment shall be made and no claim of material / labour used shall be made to him in any case, and the same work shall be executed by him again without charging any extra cost.
- 8. All rates shall be quoted in words & figures & any cutting over writing shall be signed.
- 9. All items to be executed as per drawings, if any change is required, the same shall be brought to the notice of Architect-in-Charge.
- 10. Any tender / quotation containing clerical or arithmetical mistakes shall be rejected.
- 11. Any addition, alteration or correction shall be signed and stamped properly.
- 12. Contractor agencies are advised (before quoting the rates) to inspect the site of the proposed work. He must go through all drawings and specifications and documents.
- 13. The Bank reserves the right to accept / reject any tender / quotation without assigning any reason.
- 14. The Contractor agency should have already executed works of furnishing interiors & exterior, civil works of very good workmanship.
- 15. Quality of material and workmanship rejected by the Architect / Concerned Authorities shall be removed immediately by the contractor and rectified / replaced.
- 16. No advance payment shall be made to the Contractor on supply of any material supplied at site for execution. Payment shall only be made on execution of any concerned / particular item.
- 17. The rates shall include the cost of coat of anti termite treatment on all wooden frame work and all commercial ply / board used for partitions and paneling, furniture etc. The contractor/s shall have to dismantle & dispose the existing counters, tables & partitions within the quoted cost of the total furnishing works.
- 18. Rates for partitions, paneling, wall cladding and false ceiling shall include cutting and making good of necessary cut-outs/chiseling to be made for electrical conduits, switch boards etc.

- 19. Bank shall not be responsible for any lose or damage to the contractor/labour due to any natural calamity during the course of construction. Contractor is liable to make good all the damages if any, till the work is completed and handed over to the Bank authorities.
- 20. Any payment to the contractor on account of execution of work, whether it is running payment or final, shall be verified by the Architect-in-Charge.
- 21. Unless, otherwise mentioned all materials to be used shall be I.S.I. marked. Failure to do so, the work may be rejected and in that case contractor shall have to remove the defective materials and replace / re-do the work for which no claim shall be entertained.
- 22. The total work shall be supervised by the Architect-in-Charge and he/she shall be kept fully informed by the contractor regarding the progress of work.
- 23. Bank may award the work in part or whole to a single party or any other party.
- 24. It may please be noted that the Bank is not bound to allot the work to the lowest party. And as such, the allotment of work shall be based on workability of rates quoted by the contractor on account of quality work.
- 25. The bank reserves the right to reject any or all the tenders without assigning any reason whatsoever.
- 26. The earnest money deposited shall not carry any interest and will be refunded to the unsuccessful tenderers.
- 27. Earnest money paid by the contractor shall be forfeited by by the Bank if contractor fails to undertake the job if he is communicated about acceptance his rates/tender.
- 28. The contractor shall take all the necessary precautions while working and to safe guard adjacent property, Bank's property, Bank's Employees, and traffic persons.
- 29. All the rates quoted are inclusive of removal of existing counters, partitions, wiring, rubbish/debris collected during the progress of work, rejected materials etc.
- 30. The contractor shall not directly or indirectly sublet the work to other party without written permission of the Bank.
- 31. The quantities mentioned in schedule are provisional and likely to increase/decrease to any extent or may be omitted thus altering the aggregate value of the contract. No claim for loss of profit / business shall be entertained on this account.
- 32. The Bank reserves the right to distribute the work for which quotations have been called, among more than one parties, if found necessary. No claim in this respect shall be considered and the contractor agrees to cooperate with other agencies appointed by the Bank.
- 33. All the workers of the contractor must be properly covered by an insurance policy under "Workman's Compensation act" and "Fatal Accidents Act". The contractor at his own expenses arrange to effect and maintain until the virtual completion of the contract, insurance policy in the joint name of Bank and the contractor against this risk to be retained by the Bank until the virtual completion of the work, and indemnify the Bank from all the liabilities arising out of such events. In case of delay, contractor shall arrange to extend insurance policy till work is completed.
- 34. All the work should be completed within the specified period in the tender. If the work is delayed due to the reasons beyond the control of the contractor, he should keep

intimating the Bank explaining, therein the reasons for such delays, immediately and if in the opinion Bank's authorities the delay is justified, the contractor shall be granted extension in time limit.

- 35. The contractor shall furnish well in time before work commence at his own cost, colour samples, samples of materials or workmanship that may be called by Bank's Architect / Engineer for approval. Rates quoted shall cover for such preliminary work.
- 36. All the glass panes, door handles/ hinges, electric fittings, fans, furniture, records, floors etc. are to be thoroughly cleaned after the work is completed.
- 37. The rates quoted by the contractor shall be firm throughout the duration of contract (including extension of time if any granted) and will not be subject to any fluctuation due to variation in cost of material and labour.
- 38. Conditional tenders are liable to be rejected.
- 39. The successful tenderer is bound to carry out any item of work necessary for the completion of the job even those such items are not included in schedule of quantities.
- 40. If in any case of work required to be abandoned, the contractor shall not be entitled for any claims and he will be paid as per the actual work done till that period, if deemed fit.
- 41. Decision of the Bank shall be final and binding on any matter connected with the work. The matter of any dispute shall be decided after mutual discussions based on the terms and conditions of this contract. However, if the matter can not be resolved then the same shall be referred to the respected qualified person in agreed to both the parties and his opinion shall be binding on both the parties. However, this is precourse to any legal action in this regard.
- 42. If at any stage during the progress of work, it is observed that the contractor is not progressing the work with due diligence, care of lagging much behind the schedule or fails to gear up the work despite instructions from Bank's Architect, the Employer (Bank) reserves the right to terminate the contract with 7 days notice. In such case the contractor shall be liable to pay the Employer any extra cost involved for the completion of the said work and will not obstruct any way in completing the work through other agency. After completion of entire work the contractor shall be paid for the actual work executed by him at the quoted rates after deducting any claims, damages. In case of such termination the security deposit held by the Bank will be forfeited.
- **43.** Contractor shall follow all rules / regulations in force and should posses the license for employing labour and also follow all safety measures, labour bye laws and shall be responsible for any lapse.
- **44.** At any stage i.e. during the execution of work, any kind of change read. whether it is in design or specification, the same has to be in-corporated by the contractor.

CONTRACTOR INDIAN BANK

AGREEMENT

This agreement made at day of , between the	
Indian Bank, Circle Office Chandigarh, having its registered office at SCO 191-192, Sector 7, Chandig	arh
(herein after called the Employer which expression shall include their heirs, executors,	•
administrators and assignees) of the one part and M/S	
(herein after called the 'Contractor') of the other part. Whereas the	
employer is desirous that work should be executed as per drawings and specifications describing	
the work to be done, to be prepared by their approved Architects and WHEREAS the said	
drawings, the specifications and the price schedule of quantities have signed by or on behalf of	
the parties hereto and WHEREAS the contractor has agreed to execute upon and subject to the	
conditions set forth herein and the said priced schedule of quantities at the respective rates	
mentioned in the priced schedule of quantities, which as part of the tender document.	
And WHEREAS the contractor has deposited Rs	
Employer, which shall become part of security deposit to be until the expiry of the Defect	
liability period for the due observance of the contract.	
NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:	
1. In consideration of the said contract, payments to be made to the said conditions	
execute and complete the works shown upon the said Drawings and such Further	
· · · · · · · · · · · · · · · · · · ·	
detailed drawings as may be furnished to him by the said Architects and described in the	
specifications and the said priced schedule of quantities.	
2. The employer shall pay the contractor such sums as shall become payable hereunder at	
the times and in the manner specified in the said conditions.	
3. The said contract comprised the building above mentioned and all subsidiary works	
connect there within the same site as may be ordered to be done from time to time by	
the said Architects even, through such works may not be shown on the Drawings or	
described in the said specification or the priced schedule of quantities.	
4. The Employer through Architect reserves to himself the right of altering the drawing and nature of the work and adding to or omitting any items of works , check of	
measurement, payment certificate, variation arising in view of change of scope of work	
and approval of rates of extra substituted items. The decision of the Employer shall be	
final and binding in this regard.	
5. The Employer in consultation with the Architect reserves the right to exercise control on	
quality of work , check of measurement , payment certificate , variation arising , in view	
of change of scope of work and approval of rates of extra submitted items. The decision	
of the Employer shall be final and binding this regard balance retention money being	
deducted from my /our bills in accordance with the conditions of contract.	
6. The following documents shall be deemed to form and constructed as part of this	
agreement along with the amendments, negotiated and confirmed in various	
subsequent latter exchanged as mentioned hereinafter and parties hereto will	
· · · · · · · · · · · · · · · · · · ·	
· · · · · · · · · · · · · · · · · · ·	
·	
· · ·	
· · · · · · · · · · · · · · · · · · ·	
respectively abide by and submit themselves to the conditions and stipulations and perform the agreement on their parts respectively in such conditions contained. i) Invitation to Tender. ii) Instruction to Tenderers. iii) General Conditions of the contract. iv) Schedule of Quantities. v) Employer letter date/	

 $\boldsymbol{8}.$ The several parts of this contract have been read to us and fully understood by us.

Witness our hand this	. day of2017
SIGNED BY THE SAID (EMPLOYED)	
IN THE PRESENCE OF	
SIGNED BY THE SAID(CONTRACTOR)	
IN THE PRESENCE OF	

TENDER FOR THE FURNISHING & ELECTRICAL WORKS IN INDIAN BANK AT RAJPURA

SPECIFICATIONS / BRANDS / MAKE OF ITEMS FOR FURNISHING WORK TO BE USED.

a) Board / Ply : Greenply/Samrat Ply/Action-tesa only

b) Laminate : Merino, Royal touch, Sunmica: 1mm th.

c) Door Closer / Floor spring : Dorma/Ozone/Yale

d) Drawer & Keyboard, Slide : Earl Bihari, Ebco (Telescopic)

Rails

e) Glue for fixing commercial: Fevicol (Pidilite)

Board / Laminate

f) Glass : Triveni, Modi Float, Saint Gobain, Asahi.

g) Mortice Latch & Lock : Godrej, Harrison. h) Vertical Blinds : Vista Levelor / Mac

i) Tapestry/leather foam : Harmony, Vimal, Bhor or as approved

j) Aluminium Sections : Jindal/Mahavir/Hindalco

k) False Ceiling : India Gypsum marked "Gypsteel"

I) Synthetic Enamel : Asian, Nerolac, ICI, Berger m) Emulsion Paint/Plastic Paint : Asian, Nerolac, ICI, Berger

<u>SPECIFICATIONS / BRANDS / MAKE OF ITEMS</u> <u>FOR ELECTRICAL WORK TO BE USED.</u>

- SFU/MCCB/ Change over switch/DB : L&T/ MDS/ Legrand/Havells.

- Voltmeter/Ampere meter : AE/L&T.

- Armored unarmored Cable : Gloster/ **KEI WIRES**/Polycab.

- PVC Insulated Wires : Polycab /Finolex/**KEI WIRES**.

- Telephone cable : Finolex/**KEI**/Havells.

- Data cables & I.O's : Lucent/D-link/Cat-VI.

- Modular switch / socket / call Bell : Havells/Legrand.

- Light fittings & Lamps : Philips/Crompton/Wipro/Havells.

- Ceiling fan/Wall bracket fan/Exhaust : Crompton/Orient/Khaitan/Bajaj.

CONTRACTOR INDIAN BANK

$\frac{\text{TENDER FOR THE FURNISHING \& ELECTRICAL WORKS IN INDIAN BANK}}{\text{AT RAJPURA}}$

S. No.	DESCRIPTION	QTY.	UNIT	RATE	AMOUNT (RS)
A.	FURNISHING WORKS:				, ,
1.	Providing & fixing in position false ceiling in Armstrong 600 x 600 mm x 15/16 mm Dune Supreme RH 99 Prima tile as specified by Armstrong Co. with suspenders wherever required. Making necessary framework for A.C. ducting, if any, and necessary cutouts for diffusers and light fittings, taping and finishing to proper line & level, including making grooves and trap doors for A.C unit in 18mm thick M.R. Grade Plywood with Stainless Steel hinges & locks with moulding 1" x 1" for edges, if any including finishing with White Plastic Emulsion Paint etc. complete in all respects. (Note: - Only the plan area will be measured for payment. No extra payment will be made for cutouts, grooves, mouldings, steps or any type of design etc.)	300	Sqft.		
2.	Providing & Fixing false ceiling at 9'-0" ht. of India Gypsum Ltd. (GMFSC-4.1) using 12.5mm thick Gypboard, paper tape, jointing compound, G.I. Sections marked "Gypsteel" to be placed at 4'-0" C/C in one direction and at 1'-6" C/C in other direction. The false ceiling shall be finished properly after cutting / making holes for fixing light fixtures including three coats of oil bound distemper paint etc. complete as per drgs.	550	Sqft.		
3.	Providing & fixing Aluminum partitions / window (powder coated of size 2 ½" x 1 ½" x 16 guage bottom section 4 ½" x 1 ¾" x 2mm th. with 5mm th. glass. And aluminum door/s: 3'-9"X7'-0" powder coated having; External frame called chowkhat: 3¼" x 1½" x 2mm thick, Internal door frame and lock rail: 3¼" x 1 ¾" & Bottom rail: 4 ½" x 1 ¾" with 5mm thick etched glass as per design. including all fittings such as al. handles, locks, stopper, tower bolts, etc.	90	Sqft		
4.	Providing and fixing wooden partition strictly as per drgs. made of internal frame of 1 ½" x 2" partal wood placed at 2'-0" c/c vertically and horizontally with 6mm thick commercial ply (of Lexus / Burma / Unity make all conforming to ISI standards) on both sides. The partition shall with 1.00 mm thick laminate (Merino, Century, Greenlam, .) on both sides. These partitions shall have 5.00 mm / 12mm (as specified) thick glass (etching as per design) above 2'-6" ht. or 4'-0" ht with beading ½"x1 1/2". The rate of partition shall include providing & fixing door in partitions made as per the specifications of partition, but with complete hardware required such as brass handles, latches, stopper, the low ht. partition shall have rubber-wood / teak-wood gola of size 3" x ¾" which shall be polished as per shade reqd.				
i)	Low ht. partitions with 12 mm thick glass.	40	Sqft.		
ii)	a) Cash-Cabin's pts (7'-3" high)	30	Sqft.		
iii)	b) Cash cabins' as well as single windows' front ptn. with 12mm th. Glass.	30	Sqft.		
iv)	Server, ups & rear Ptn.	Nil	Sqft.		
v)	Partition in strong room.	40	Sqft.		
vi)	Rear door for banking hall.	0	Sqft.		

				1
vii)	Partition for Manager room and Record Room.	150	Sqft.	
viii)	Cost Mortice locks (with handles)	3	Nos.	
ix)	Cost of Multipurpose locks for storages, drawers etc.	10	Nos.	
x)	Cost door closers.	5	Nos.	
xi)	Cost floor springs.	1	Nos.	
xii)	Cost of Knight Latches	1	No.	
5.i)	P/F wall paneling (in customers' area only) on soft wood frame 1 ½" x 2" placed @ 2'-0" c/c horizontally & vertically @ 1'-0" C/C, finished with 6mm thick commercial ply (of Lexus / Burma / Unity make all conforming to ISI standards) finished with 1.00 mm thick laminate of (Merino, Century, Greenlam, .). The paneling shall be closed with 2" x 1" rubber wood / teak-wood beading.	300	Sqft.	
	TOTAL			
В.	FURNITURE & FIXTURE			
1.(i)	Providing & fixing office tables straight/round with/without drawer and storage below of size 2'-4½" (wide), 2'-6" (high) with the provision of key board, with sliding channels of Ebco, complete shelf for CPU at bottom and foot rest. The table shall be made of 19mm thick (of Lexus / Burma / Unity make all conforming to ISI standards) commercial board, 1mm thick laminate (Merino, Century, Greenlam, .) with rubber -wood gola of size 1 ½" x 3/4 " polish, painting inside only, side golas etc., with hardware such as hinges, catchers and handles.	10	R.ft.	
(ii)	Providing and fixing side rack, 2'-3" ht. as per design. These racks shall have two drawers with storage below and be made of 19mm thick (of Lexus / Burma / Unity make all conforming to ISI standards) commercial board, 1mm thick laminate (Merino, Century, Greenlam, .) with rubber - wood gola of size 1 ½" x ¾" polish, painting inside only, side golas, handles, catchers, hinges etc.	3	R.ft.	
2.	Providing & fixing storage along wall 1'-4" deep made of 19mm thick (of Lexus / Burma / Unity make all conforming to ISI standards) commercial board, 1mm thick laminate (Merino, Century, Greenlam, .) inside painting, complete finished with goals, hardware etc., drawers, front openable shutters all lockable, handles, hinges as per requirements / design / drg.	100 (Face Area)	Sqft.	
3.	Providing & fixing Manager table of size 6'-0" x 2'-9"/2'-3" x 2'-6" ht. (to be made as per detailed drg. with turn @ 45 degree) with rubber-wood Gola of size 1 ½" x ¾". as per drgs. With complete drawers, storage cabinet, key board, with sliding channels of Ebco, foot rest, space for CPU & Monitor, all as per drg. / design, the table shall be made with 19mm thick (of Lexus / Burma / Unity make all conforming to ISI standards) commercial board, 1mm thick laminate (Merino, Century, Greenlam, .) inside of table/rack shall be painted with synthetic paint, the other hardware, such as handles, locks, hinges etc. shall be complete in all respects.	6	Rft.	
4.	Providing & Fixing Cash – counters 2'-9" wide, with two levels i.e. 2'-6" & 4'-0" ht. shall be made with 19mm thick (of Lexus / Burma / Unity make all conforming to ISI standards) commercial board, 1mm thick laminate (Merino, Century, Greenlam, .). The lower portion on cashier side there will be provision of 3 nos. drawers with sliding channels of Ebco. for cash, stationery, key board, etc. Inside of cash counters shall be painted with synthetic enamel paint as per color scheme, rubber -wood beadings / gola etc.	5	R.ft.	
5.	Providing & fixing writing stand of size 3'-0"x1'-0"x1'-7.5" high (face	3	Rft.	

	area) as per design drg. Made of 19mm thick (of Lexus / Burma / Unity make all conforming to ISI standards) commercial board, 1mm thick laminate (Merino, Century, Greenlam, .). with rubber wood lipping etc.			
6.	Providing & fixing SWO Banking Counters straight/round as per design of size 4'-0" x 2'-10" x 2'-6" ht. & 3'-3" ht. (2 heights). The workstation shall the keyboard, drawer, and complete shelf fro CPU at bottom. The work stn. Shall be made of 19mm thick (of Lexus / Burma / Unity make all conforming to ISI standards) commercial board, with rubber -wood Gola of size ½" x ¾", finished with 1mm thick laminate of (Merino, Century, Greenlam, .) approved shade / colour complete hardware, inside shall be painted with synthetic enamel paint complete in all respects as required by Architect-in-Charge.	Nil	Rft.	
7. i)	Providing & fixing notice board of size 2'-6"x 4'-0" finished with ivory colour 1mm th. laminate, 1"x1" th. rubber wood beading on all sides.	1	Nos.	
ii)	Providing & fixing soft board of size 3'-6"x 2'-0" on 10mm th. comm. ply 12mm th. soft board finished with cotton fabric , 1"x2" rubber wood beading.	1	Nos.	
iii)	Providing & Fixing cheque drop box and complaint box of size 18" x 27" as per detail.	1	Nos.	
8.	Providing & fixing server room: Counter 2'-3" wide & 2'-6" high with key board, storage cabinet below, drawers etc. complete hardware, shall be made with 19mm thick (of Lexus / Burma / Unity make all conforming to ISI standards) commercial board, 1mm thick laminate (Merino, Century, Greenlam, .). painting etc. complete in all respects as per drgs.	Nil	Rft.	
	TOTAL			
С	MISCELLANEOUS WORKS:			
1. i)	P/F Premium quality vitrified tile flooring with cement mortar/recommended chemical at base as per flooring pattern & colour scheme (with as much as required base filling (for leveling) of cem. conc. 1 : 3 : 6 for leveling) of size 2'x2' of Naveen/Marbonite of approved colours.	Nil	Sqft.	
ii)	Skirting: 3" high of same tiles as above.	nil	r.ft.	
2.	Raising of floor level in the Entrance area with sand, P.C.C. and toe wall /steps etc.	nil	LS	
3.	Painting work on walls & cemented ceiling with Plastic emulsion paint and enamel paint on shutters and grills.	1800	Sqft.	
	TOTAL			

S. No.	DESCRIPTION	QTY.	UNIT	RATE	AMOUNT (RS)
D	ELECTRICAL WIRING				
9.	ELECTRICAL POINTS: Providing laying, fixing & testing of electrical points including wiring fire retardant PVC insulated copper wire flame guard multistrand copper conductor from MCB's to switches and switches to				

P / F 32 Amp wiring with MCB from D/B to site of outdoor and indoor A/C Unit with 4mm sq. fire retardant PVC insulated copper wire fiame guard multi-strand copper conductor, with 1 mm earth wire including DP switches. b) Electrical wiring for UPS input-output: P / F 32 Amp wiring with MCB 32 Amp, from D/B to the location of UPS/UPS room for input and output power supply (with 2 sets of 3-pin switch-socket of 15 Amp for each UPS) with 2 runs of 6mm sq. and one run of 1.5 sq. mm as earth wire fire retardant PVC insulated copper wire flame guard multi-strand copper conductor, with 3-pin power pt. i.e. switch-socket. c) 15 Amp wiring with 2.5mm sq. fire retardant PVC insulated copper wire flame guard multi-strand copper conductor wire flame guard multi-strand copper conductor Plate switches, sockets, bugs. Etc. e) Call-bell point wiring with 1.5mm sq. fire retardant PVC insulated copper wire flame guard multi-strand copper conductor Plate switches, sockets, plugs. Etc. e) Call-bell point wiring including Ding-dong bell with 1.5mm sq. fire retardant PVC insulated copper wire flame guard multi-strand copper conductor including plate switches, sockets, etc. f) Wall Fan, lights & exhaust fan point wiring with 1.5mm sq. from D/B to switches & fittings fire retardant PVC insulated copper wire flame guard multi-strand copper conductor including plate switches, sockets, etc. (For payment no. of switches shall be counted). 10. Wiring & fixing telephone point Incl. Providing and fixing of PVC conduit in wall floor incl. Telephone cable, M.S. box and two pin telephone sockets on or R.J 11 plates out let incl. Testing and commissioning etc. as required. 11. Signage wiring (material & labour) - P&F of 2x4mm and 1x1mm copper fire retardant PVC insulated copper wire flame guard multi-strand copper conductor PVC conduiting of ISI make complete with all accessories like Saddles, bends modular switches etc. 12. P/L copper pipe with 2.5 mm fire retardant PVC insulated copper wire flame guard multi-strand copper conductor comp		fixture, plate type switches, socket & M.S. Modular boxes with rust proof treatment size to accommodate the required nos. of switches & sockets plus circuit wiring from switches to lights/fans/fixtures etc. wherever required complete with earthing 1.00 mm2 multi strand wire in 25mm dia. Unbreakable PVC conduit ISI marked with specials under floor / wall & above false ceiling or making truff under / along work - stations including chase cutting, disposal of melba away from the site and repair of the same with cement mortar, copper conductor wires only will be used of approved make.		Nec		
P / F 32 Amp wiring with MCB 32 Amp. from D/B to the location of UPS/UPS room for input and output power supply (with 2 sets of 3-pin switch-socket of 15 Amp for each UPS) with 2 runs of 6mm sq. and one run of 1.5 sq. mm as earth wire fire retardant PVC insulated copper wire flame guard multi-strand copper conductor, with 3-pin power pt. i.e. switch-socket. c) 15 Amp wiring with 2.5mm sq. fire retardant PVC insulated copper wire flame guard multi-strand copper conductor & metal clad enclosure sockets. d) 5 Amp plug point wiring with 1.5mm sq. fire retardant PVC insulated copper wire flame guard multi-strand copper conductor Plate switches, sockets, plugs. Etc. e) Call-bell point wiring including Ding-dong bell with 1.5mm sq. fire retardant PVC insulated copper wire flame guard multi-strand copper conductor including plate switches, sockets, etc. f) Wall Fan, lights & exhaust fan point wiring with 1.5mm sq. from D/B to switches & fittings fire retardant PVC insulated copper wire flame guard multi-strand copper conductor including plate switches, sockets, etc. (for payment no. of switches shall be counted). 10. Wiring & Kinig telephone point Incl. Providing and fixing of PVC conduit in wall floor incl. Telephone cable, M.S. box and two pin telephone sockets on or R.J 11 plates out let incl. Testing and commissioning etc. as required. 11. Signage wiring (material & labour) - P&F of 2x4mm and 1x1mm copper fire retardant PVC insulated copper wire flame guard multi-strand copper conductor PVC conduiting of ISI make complete with all accessories like Saddles, bends modular switches etc. 12. P/L copper pipe with 2.5 mm fire retardant PVC insulated copper wire flame guard multi-strand copper conductor complete insulation upto outdoor unit required for 1.5 ton split type A.C.s from the place of external units upto the location of inside units.	a)	indoor A/C Unit with 4mm sq. fire retardant PVC insulated copper wire flame guard multi-strand copper conductor, with 1 mm earth	5	Nos.		
wire flame guard multi-strand copper conductor & metal clad enclosure sockets. d) 5 Amp plug point wiring with 1.5mm sq. fire retardant PVC insulated copper wire flame guard multi-strand copper conductor Plate switches, sockets, plugs. Etc. e) Call-bell point wiring including Ding-dong bell with 1.5mm sq. fire retardant PVC insulated copper wire flame guard multi-strand copper conductor including plate switches, sockets, etc. f) Wall Fan, lights & exhaust fan point wiring with 1.5mm sq. from D/B to switches & fittings fire retardant PVC insulated copper wire flame guard multi-strand copper conductor including plate switches, sockets, etc. (For payment no. of switches shall be counted). 10. Wiring & fixing telephone point Incl. Providing and fixing of PVC conduit in wall floor incl. Telephone cable, M.S. box and two pin telephone sockets on or R.J 11 plates out let incl. Testing and commissioning etc. as required. 11. Signage wiring (material & labour) - P&F of 2x4mm and 1x1mm copper fire retardant PVC insulated copper wire flame guard multi-strand copper conductor PVC conduiting of ISI make complete with all accessories like Saddles, bends modular switches etc. 12. P/L copper pipe with 2.5 mm fire retardant PVC insulated copper wire flame guard multi-strand copper conductor complete insulation upto outdoor unit required for 1.5 ton split type A.C.s from the place of external units upto the location of inside units. ii) Providing and laying 25mm dia. PVC pipe heavy duty Diplast make for drainage of water of inside units.	b)	P / F 32 Amp wiring with MCB 32 Amp. from D/B to the location of UPS/UPS room for input and output power supply (with 2 sets of 3-pin switch-socket of 15 Amp for each UPS) with 2 runs of 6mm sq. and one run of 1.5 sq. mm as earth wire fire retardant PVC insulated copper wire flame guard multi-strand copper	10			
insulated copper wire flame guard multi-strand copper conductor Plate switches, sockets, plugs. Etc. e) Call-bell point wiring including Ding-dong bell with 1.5mm sq. fire retardant PVC insulated copper wire flame guard multi-strand copper conductor including plate switches, sockets, etc. f) Wall Fan, lights & exhaust fan point wiring with 1.5mm sq. from D/B to switches & fittings fire retardant PVC insulated copper wire flame guard multi-strand copper conductor including plate switches, sockets, etc. (For payment no. of switches shall be counted). 10. Wiring & fixing telephone point Incl. Providing and fixing of PVC conduit in wall floor incl. Telephone cable, M.S. box and two pin telephone sockets on or R.J 11 plates out let incl. Testing and commissioning etc. as required. 11. Signage wiring (material & labour) - P&F of 2x4mm and 1x1mm copper fire retardant PVC insulated copper wire flame guard multi-strand copper conductor PVC conduiting of ISI make complete with all accessories like Saddles, bends modular switches etc. 12. P/L copper pipe with 2.5 mm fire retardant PVC insulated copper wire flame guard multi-strand copper conductor complete insulation upto outdoor unit required for 1.5 ton split type A.C.s from the place of external units upto the location of inside units. ii) Providing and laying 25mm dia. PVC pipe heavy duty Diplast make for drainage of water of inside units.	c)	wire flame guard multi-strand copper conductor & metal clad	5	Nos.		
retardant PVC insulated copper wire flame guard multi-strand copper conductor including plate switches, sockets, etc. f) Wall Fan, lights & exhaust fan point wiring with 1.5mm sq. from D/B to switches & fittings fire retardant PVC insulated copper wire flame guard multi-strand copper conductor including plate switches, sockets, etc. (For payment no. of switches shall be counted). 10. Wiring & fixing telephone point Incl. Providing and fixing of PVC conduit in wall floor incl. Telephone cable, M.S. box and two pin telephone sockets on or R.J. – 11 plates out let incl. Testing and commissioning etc. as required. 11. Signage wiring (material & labour) – P&F of 2x4mm and 1x1mm copper fire retardant PVC insulated copper wire flame guard multi-strand copper conductor PVC conduiting of ISI make complete with all accessories like Saddles, bends modular switches etc. 12. P/L copper pipe with 2.5 mm fire retardant PVC insulated copper wire flame guard multi-strand copper conductor complete insulation upto outdoor unit required for 1.5 ton split type A.C.s from the place of external units upto the location of inside units. ii) Providing and laying 25mm dia. PVC pipe heavy duty Diplast make for drainage of water of inside units.	d)	insulated copper wire flame guard multi-strand copper conductor	8	Nos.		
D/B to switches & fittings fire retardant PVC insulated copper wire flame guard multi-strand copper conductor including plate switches, sockets, etc. (For payment no. of switches shall be counted). 10. Wiring & fixing telephone point Incl. Providing and fixing of PVC conduit in wall floor incl. Telephone cable, M.S. box and two pin telephone sockets on or R.J. – 11 plates out let incl. Testing and commissioning etc. as required. 11. Signage wiring (material & labour) – P&F of 2x4mm and 1x1mm copper fire retardant PVC insulated copper wire flame guard multi-strand copper conductor PVC conduiting of ISI make complete with all accessories like Saddles, bends modular switches etc. 12. P/L copper pipe with 2.5 mm fire retardant PVC insulated copper wire flame guard multi-strand copper conductor complete insulation upto outdoor unit required for 1.5 ton split type A.C.s from the place of external units upto the location of inside units. ii) Providing and laying 25mm dia. PVC pipe heavy duty Diplast make for drainage of water of inside units.	e)	retardant PVC insulated copper wire flame guard multi-strand	1	Nos.		
Incl. Providing and fixing of PVC conduit in wall floor incl. Telephone cable, M.S. box and two pin telephone sockets on or R.J. – 11 plates out let incl. Testing and commissioning etc. as required. 11. Signage wiring (material & labour) – P&F of 2x4mm and 1x1mm copper fire retardant PVC insulated copper wire flame guard multistrand copper conductor PVC conduiting of ISI make complete with all accessories like Saddles, bends modular switches etc. 12. P/L copper pipe with 2.5 mm fire retardant PVC insulated copper wire flame guard multi-strand copper conductor complete insulation upto outdoor unit required for 1.5 ton split type A.C.s from the place of external units upto the location of inside units. ii) Providing and laying 25mm dia. PVC pipe heavy duty Diplast make for drainage of water of inside units.	f)	D/B to switches & fittings fire retardant PVC insulated copper wire flame guard multi-strand copper conductor including plate switches, sockets, etc. (For payment no. of switches shall be	35	Nos.		
copper fire retardant PVC insulated copper wire flame guard multi- strand copper conductor PVC conduiting of ISI make complete with all accessories like Saddles, bends modular switches etc. 12. P/L copper pipe with 2.5 mm fire retardant PVC insulated copper i) wire flame guard multi-strand copper conductor complete insulation upto outdoor unit required for 1.5 ton split type A.C.s from the place of external units upto the location of inside units. ii) Providing and laying 25mm dia. PVC pipe heavy duty Diplast make for drainage of water of inside units.	10.	Wiring & fixing telephone point Incl. Providing and fixing of PVC conduit in wall floor incl. Telephone cable, M.S. box and two pin telephone sockets on or R.J. – 11 plates out let incl. Testing and commissioning etc. as	5	Nos.		
i) wire flame guard multi-strand copper conductor complete insulation upto outdoor unit required for 1.5 ton split type A.C.s from the place of external units upto the location of inside units. ii) Providing and laying 25mm dia. PVC pipe heavy duty Diplast make for drainage of water of inside units.	11.	copper fire retardant PVC insulated copper wire flame guard multi- strand copper conductor PVC conduiting of ISI make complete	1	No.		
for drainage of water of inside units.		wire flame guard multi-strand copper conductor complete insulation upto outdoor unit required for 1.5 ton split type A.C.s	80	Rft.		
iii Cable from output of ups to input of ups supply 30 Rft	ii)		50	Rft.		
	iii	Cable from output of ups to input of ups supply	30	Rft		

	I TOTAL		
	IUIAL		
1			

E	ELECTRICAL FITTINGS & FIXTURES	QTY.	UNIT	RATE	AMOUNT (RS)
	FIXTURE: Lighting Fixture Supply & Installation: Supply, unpacking, assembling, testing, fixing, connecting and commissioning the following luminaries required for internal wiring of the bank premises complete in all respect.				,
i)	1X36W LED FIXTURE	13	Nos.		
ii)	1X15W LED FIXTURE	12	Nos.		
iii)	1x28w led tubelight	10	Nos.		
3. (i)	Providing & Fixing wall fans: Crompton Greaves / Orient / Bajaj / Havells.	6	Nos.		
(ii)	Exhaust Fans 12" Dia: 1400 rpm (Double ball bearing) Heavy duty Crompton Greaves / Orient / Bajaj / Havells.	1	Nos.		
4i)	Providing & Fixing ceiling fans: Crompton Greaves / Orient / Bajaj / Havells. 4' dia.	nil	Nos.		
ii)	Labour charges the fixing, commissioning of lights, fans, tubes etc. to be supplied by the Bank.	25	Nos.		
iii)	Cost of modular regulators of Havells / Anchor ROMA makes.	2	Nos.		
4.	Providing & fixing main electrical dist. Board duly earthed, with all internal electrical and generator connections with 10 sq.mm multi strand copper wire, all hardware nickel coated, which shall include the following items.				
i)	Kit-kats 100 Amp. With sheet suitable thk and size	3	Nos.		
ii)	Copper bus bar 100 Amp proper tinned.	2	Nos.		
iii)	100 Amp. Main switch MCCB type.	1	No.		
iv)	Change -over 63 Amp. 3-Phase of Havells make.	1	No.		
v)	Providing and fixing different rated MCB,s for lights, fans, power supply and AC's. of Havells make.	24	Nos.		
vi)	Providing and fixing isolators of 100 Amp of Havells make. (one for lights and one for AC's and power supply)	2	Nos.		
vii)	Providing and fixing DP of 63 Amp of Havells make for UPS supply.	6	Nos.		
viii)	Providing and fixing different rated MCB,s for UPS supply of Havells make.	14	Nos.		
ix)	P/F single phase 8-way D/B (Box only) for UPS supply for MCB's.	2	Nos.		
x)	Amp Meters, Voltmeters and phase indicators.	1	Set		
xi)	Making double-door powder coated M.S. Distribution board 4'x6' to accommodate the above noted electrical items.	24	Sqft.		

5. i)	Providing & fixing main electrical cable 4- core al. cable <u>armored</u> from elect. pole to meter 35mm dia.	20	Mtr.	
ii)	P/F generator wire/cable 16mm 4-core Alum. Cable <u>armoured.</u>	20	Mtr.	
iii)	P/F 16mm 4-core Alum. Cable from bus-bar to ATM.	10	Mtr.	
	TOTAL			
F	DATA-CABLING, & UPS CABLING			
1.	UPS POINTS: P/L & testing electrical three point wiring /circuit wiring having individual circuits for computers with 2.5mm2 fire retardant PVC insulated copper wire flame guard multi-strand copper conductor in unbreakable PVC conduits 25mm dia wall thickness 2mm thick with specials under floor / wall & above false ceiling including chase cutting, disposal of malba away from the site and repair of the same with cement mortar, incl. Switches & socket M.S. switch boxes with rust proof treatment size to accommodate the required nos. of Modular switches, sockets etc. & plate type sockets with indicator three in one plate including earthing with 1.00 mm2 fire retardant PVC insulated copper wire flame guard multi-strand copper conductor complete in all respect.			
i)	Set of 6 amp. 4 sockets & 1 switch (Set of 4 Sockets shall be provided under the table and switch of these four sockets shall be provided on the above / side of table for easy access). From both of UPS Note: -The server shall have 2 sets of "output supply" from both (2) UPS.	10 Sets	Each set	
ii)	UPS supply to tube lights: Point wiring / circuit wiring with 1.5mm sq. fire retardant PVC insulated copper wire flame guard multistrand copper conductor from D/B to switches & fittings multistrand PVC copper wire including plate switches, sockets, etc. (for payment no. of switches shall be counted).	4	Nos.	
iii)	Providing and fixing 32 Amp single phase (FOR UPS'S phase changer) change over of Havells / Crystal make.	2	Nos.	
2.	GEL TYPE CHEMICAL EARTHING (Distance between each pit shall be min 1.5meter) Supplying and installation of copper Gel Earthing station having length 3000 mm including bore-well, chamber with cover and all required civil allied works each earth pit to filled with 2 bags in 30 Kg pack of "Black-Fill Compound" (BFC) EARTHING CONDUCTORS: Wiring with 1x10 sqmm PVC insulated copper conductor wire of 650/1100 volts grade (Finolex make flame guard quality) as earth wire with concealed/exposed PVC pipe including making all the connections.	2	Nos.	
3.i)	Providing, laying, testing and commissioning CAT-VI/ Lucent / D-link computer networking cable in PVC conduit in floor or wall from server room to each table with I.O.'s (Socket)	12	Nos.	

II)	Supplying or patch chords for computers 1m & 2m length.	30	NOS.			
4.i)	Supply, testing and commissioning of 9 U rack of size 36"x24" and height 6'-0" complete in all respect as per instruction of IT department.	1	No.			
ii)	Supply, testing and commissioning existing 24-port switch and patch panel	1	No.			
	TOTAL					
					I	
	SUMMARY OF COSTS					
A.	FURNISHING WORKS					
В.	FURNITURE & FIXTURE					
C.	MISCELLANEOUS WORKS					
D.	ELECT WIRING					
E.	ELECTRICAL FITTINGS & FIXTURES					
F.	DATA-CABLING WORKS					
	TOTAL AMOUNT					
	CONTIGENCIES 10%					
	TOTAL					
Quo	te Discount, if any =	(-)	RS	-		
NET	TOTAL =		Rs			
(Rup	ees)	

CONTRACTOR INDIAN BANK